

# General Settings tab

## Overview

Use this tab to configure the general settings for most textarea and text entry fields.

## To Access

From the [General Admin](#) page, click the **General Preferences** tab.

## Related Topics

- [Wiki](#)
- [WYSIWYG](#)

Unable to load the jQuery Sortable Tables feature.

Unable to load the jQuery Sortable Tables feature.

Unable to load the jQuery Sortable Tables feature.

Unable to load the jQuery Sortable Tables feature.

Option	Description	Default
Full screen	Allow users to activate full-screen mode.	
Use file galleries to store images	If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	
Dynamic content system	Block of content which can be reused and programmed (timed)	
Search and replace	Enables finding and replacing of content in the edit box	
Code editor (CodeMirror)	CodeMirror code editor, which provides syntax highlighting	
Syntax highlighter (CodeMirror) Theme	CodeMirror themes (clear cache after changing)	
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	
Smileys	Also known as emoticons	
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums. Use "Accept wiki syntax" for forums in admin forums page	
Automonospaced text	Lines indented with spaces will automatically be converted to monospace font.	

Option	Description	Default
Full screen	Allow users to activate full-screen mode.	
Use file galleries to store images	If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	
Dynamic content system	Block of content which can be reused and programmed (timed)	
Search and replace	Enables finding and replacing of content in the edit box	
Code editor (CodeMirror)	CodeMirror code editor, which provides syntax highlighting	
Syntax highlighter (CodeMirror) Theme	CodeMirror themes (clear cache after changing)	
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	
Preview Edits	Add a preview tab to text areas.	
Smileys	Also known as emoticons	
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums. Use "Accept wiki syntax" for forums in admin forums page	
Automonospaced text	Lines indented with spaces will automatically be converted to monospace font.	

Option	Description	Default	Option	Description	Default	Option	Description	Default
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.		Tables syntax	for rows &lt;return&gt;: for rows Wiki argument variables Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings Dynamic variables Global snippets of text that can be included in wiki pages and edited in place. Single (No value assigned) Double (%No value assigned%) Multilingual dynamic variables Make dynamic variable content language-specific. Multilevel style numbering for ordered lists Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc. Convert from absolute to relative link Process wiki text and convert internal links from absolute to relative links Markdown Support markdown syntax. Github-flavored markdown Enable Github-flavored markdown.		Tables syntax	for rows &lt;return&gt;: for rows Wiki argument variables Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings Dynamic variables Global snippets of text that can be included in wiki pages and edited in place. Single (1) Double (%No value assigned%) Multilingual dynamic variables Make dynamic variable content language-specific. Multilevel style numbering for ordered lists Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc. Convert from absolute to relative link Process wiki text and convert internal links from absolute to relative links Markdown Support markdown syntax. Github-flavored markdown Enable Github-flavored markdown. Default syntax Which syntax to use as the default wiki syntax when a new content block is created. Markdown Enable Typography Features Features to replace normal characters with typographic equivalents Smart "curly" quotes Convert "straight" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes Convert approximated ASCII quotes Convert plain-ASCII quote substitutes " " , , << >> to their typographic equivalent " " , , « » Smart em-dash and ellipsis Convert double hyphen &mdash; to em-dash — and three consecutive dots .(cont.)	
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.							
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page							
Automonospaced text	Lines indented with spaces will automatically be converted to monospace font.							
Tables syntax								
Wiki argument variables	Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings							
Dynamic variables	Global snippets of text that can be included in wiki pages and edited in place.							
Multilingual dynamic variables	Make dynamic variable content language-specific.							
Multilevel style numbering for ordered lists	Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc.							
Convert from absolute to relative link	Process wiki text and convert internal links from absolute to relative links							
Enable Typography Features	Features to replace normal characters with typographic equivalents							
Smart "curly" quotes	Convert \"straight\" quotes to \"curly\" ones, also convert ' apostrophe and 'single' quotes							
Convert approximated ASCII quotes	Convert plain-ASCII quote substitutes `` " " , , << >> to their typographic equivalent " " , , « »							

Option	Description	Default	Option	Description	Default	Option	Description	Default
Smart em-dash and ellipsis	Convert double hyphen -- and three consecutive dots... to typographic ellipsis character...			(cont'd), to typographic ellipsis character... Smart no-break space Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it. Plugin Add Bibliography Add bibliography listing in the footer of a wiki page Plugin Add Reference Add a bibliography reference. Plugin Anchor Link Create a link to an anchor Plugin Anchor Name Create an anchor that can be linked to Plugin Box Create a formatted box with a title bar Plugin Button Add a link formatted as a button Plugin Center Center text Plugin Code Display code with syntax highlighting and line numbering. Plugin Countdown Display the time until or after a date and time. Plugin Div Define and format sections of a page or text Plugin Definition List Create a definition list Plugin Fade Create a link that shows/hides initially hidden content Plugin Fancy List Create a formatted numbered list Plugin Fancy Table Create a formatted table that can be filtered and sorted Plugin Font Format the font type and size of text Plugin Footnote Create automatically numbered footnotes (together with PluginFootnoteArea) Plugin Footnote Area Create automatically numbered footnotes (together with PluginFootnote) Plugin Gauge Display a horizontal bar gauge Plugin HTML Add HTML to a page Plugin Iframe Include the body of another web page in a scrollable frame within a page Plugin Include Include a portion of another wiki page Plugin Monospace Display text in a monospace font Plugin Mouseover Display hidden content by mousing over text Plugin MediaWiki Table Display a table using MediaWiki syntax Plugin Now Show the current date and time Plugin Quote Format text as a quote Plugin Remarks Box Display a comment, tip, note or warning box Plugin Scroll Show animated text that scrolls up or down Plugin Sort Sort lines of text Plugin Split Arrange content on a page into rows and columns Plugin Superscript Apply superscript font to text Plugin Subscript Apply subscript font to text Plugin Tabs Arrange content in tabs Plugin Tag Apply an HTML tag to content Plugin Table of Contents (Structure) Display a table of contents of pages in a structure Plugin Versions Create tabs for showing alternate versions of content Plugin Show Preference Display the value of public global preferences Plugin CasperJS Enable running CasperJS scripts from this Tiki site.			(cont'd), to typographic ellipsis character... Smart no-break space Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it. Plugin Add Bibliography Add bibliography listing in the footer of a wiki page Plugin Add Reference Add a bibliography reference. Plugin Anchor Link Create a link to an anchor Plugin Anchor Name Create an anchor that can be linked to Plugin Box Create a formatted box with a title bar Plugin Button Add a link formatted as a button Plugin Center Center text Plugin Code Display code with syntax highlighting and line numbering. Plugin Countdown Display the time until or after a date and time. Plugin Div Define and format sections of a page or text Plugin Definition List Create a definition list Plugin Fade Create a link that shows/hides initially hidden content Plugin Fancy List Create a formatted numbered list Plugin Fancy Table Create a formatted table that can be filtered and sorted Plugin Font Format the font type and size of text Plugin Footnote Create automatically numbered footnotes (together with PluginFootnoteArea) Plugin Footnote Area Create automatically numbered footnotes (together with PluginFootnote) Plugin Gauge Display a horizontal bar gauge Plugin HTML Add HTML to a page Plugin Iframe Include the body of another web page in a scrollable frame within a page Plugin Include Include a portion of another wiki page Plugin Monospace Display text in a monospace font Plugin Mouseover Display hidden content by mousing over text Plugin MediaWiki Table Display a table using MediaWiki syntax Plugin Now Show the current date and time Plugin Quote Format text as a quote Plugin Remarks Box Display a comment, tip, note or warning box Plugin Scroll Show animated text that scrolls up or down Plugin Sort Sort lines of text Plugin Split Arrange content on a page into rows and columns Plugin Superscript Apply superscript font to text Plugin Subscript Apply subscript font to text Plugin Tabs Arrange content in tabs Plugin Tag Apply an HTML tag to content Plugin Table of Contents (Structure) Display a table of contents of pages in a structure Plugin Versions Create tabs for showing alternate versions of content Plugin Show Preference Display the value of public global preferences Plugin CasperJS Enable running CasperJS scripts from this Tiki site.	
Smart no-break space	Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it.							
Plugin Add Bibliography	Add bibliography listing in the footer of a wiki page							
Plugin Add Reference	Add a bibliography reference.							
Plugin Anchor Link	Create a link to an anchor							
Plugin Anchor Name	Create an anchor that can be linked to							
Plugin Box	Create a formatted box with a title bar							
Plugin Button	Add a link formatted as a button							
Plugin Center	Center text							
Plugin Code	Display code with syntax highlighting and line numbering.							
Plugin Countdown	Display the time until or after a date and time							
Plugin Div	Define and format sections of a page or text							
Plugin Definition List	Create a definition list							
Plugin Fade	Create a link that shows/hides initially hidden content							
Plugin Fancy List	Create a formatted numbered list							
Plugin Fancy Table	Create a formatted table that can be filtered and sorted							
Plugin Font	Format the font type and size of text							
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)							
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)							
Plugin Gauge	Display a horizontal bar gauge							
Plugin HTML	Add HTML to a page							
Plugin Iframe	Include the body of another web page in a scrollable frame within a page							
Plugin Include	Include a portion of another wiki page							
Plugin Monospace	Display text in a monospace font							
Plugin Mouseover	Display hidden content by mousing over text							

Option	Description	Default	Option	Description	Default	Option	Description	Default
<a href="#">Plugin MediaWiki Table</a>	Display a table using MediaWiki syntax		(cont'd) Plugin Countdown	Display the time until or after a date and time		(cont'd) Plugin Countdown	Display the time until or after a date and time	
<a href="#">Plugin Now</a>	Show the current date and time.		Plugin Div	Define and format sections of a page or text		Plugin Div	Define and format sections of a page or text	
<a href="#">Plugin Quote</a>	Format text as a quote		Definition List	Create a definition list		Definition List	Create a definition list	
<a href="#">Plugin Remarks Box</a>	Display a comment, tip, note or warning box		Plugin Fancy Table	Create a formatted table that can be filtered and sorted		Plugin Fancy Table	Create a formatted table that can be filtered and sorted	
<a href="#">Plugin Scroll</a>	Show animated text that scrolls up or down		Plugin Font	Format the font type and size of text		Plugin Font	Format the font type and size of text	
<a href="#">Plugin Slider</a>	Embed a mini-slideshow of content on a page		Footnote	Create automatically numbered footnotes		Footnote	Create automatically numbered footnotes	
<a href="#">Plugin Sort</a>	Sort lines of text		(together with PluginFootnote)			(together with PluginFootnote)		
<a href="#">Plugin Split</a>	Arrange content on a page into rows and columns		Plugin Gauge	Display a horizontal bar gauge		Plugin Gauge	Display a horizontal bar gauge	
<a href="#">Plugin Superscript</a>	Apply superscript font to text		Plugin HTML	Add HTML to a page		Plugin HTML	Add HTML to a page	
<a href="#">Plugin Subscript</a>	Apply subscript font to text		Plugin IFrame	Include the body of another web page in a scrollable frame within a page		Plugin IFrame	Include the body of another web page in a scrollable frame within a page	
<a href="#">Plugin Tabs</a>	Arrange content in tabs		Plugin Include	Include a portion of another wiki page		Plugin Include	Include a portion of another wiki page	
<a href="#">Plugin Tag</a>	Apply an HTML tag to content		Plugin Monospace	Display text in a monospace font		Plugin Monospace	Display text in a monospace font	
<a href="#">Plugin Table of Contents (Structure)</a>	Display a table of contents of pages in a structure		Plugin Mouseover	Display hidden content by mousing over text		Plugin Mouseover	Display hidden content by mousing over text	
<a href="#">Plugin Versions</a>	Create tabs for showing alternate versions of content		Plugin MediaWiki Table	Display a table using MediaWiki syntax		Plugin MediaWiki Table	Display a table using MediaWiki syntax	
<a href="#">Plugin Show Preference</a>	Display the value of public global preferences		Plugin Now	Show the current date and time		Plugin Now	Show the current date and time	
<a href="#">Plugin CasperJS</a>	Enable running CasperJS scripts from this Tiki site.		Plugin Quote	Format text as a quote		Plugin Quote	Format text as a quote	
<a href="#">HTML purifier</a>	HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. <i>If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</i>		Remarks Box	Display a comment, tip, note or warning box		Remarks Box	Display a comment, tip, note or warning box	
<a href="#">AutoLinks</a>	Web (http://) and email addresses will automatically be converted to links.		Plugin Scroll	Show animated text that scrolls up or down		Plugin Scroll	Show animated text that scrolls up or down	
<a href="#">Hotwords</a>	Open hotwords in new window		Plugin Split	Arrange content on a page into rows and columns		Plugin Split	Arrange content on a page into rows and columns	
			Plugin Superscript	Apply superscript font to text		Plugin Superscript	Apply superscript font to text	
			Plugin Subscript	Apply subscript font to text		Plugin Subscript	Apply subscript font to text	
			Plugin Tabs	Arrange content in tabs		Plugin Tabs	Arrange content in tabs	
			Plugin Tag	Apply an HTML tag to content		Plugin Tag	Apply an HTML tag to content	
			Table of Contents (Structure)	Display a table of contents of pages in a structure		Table of Contents (Structure)	Display a table of contents of pages in a structure	
			Plugin Versions	Create tabs for showing alternate versions of content		Plugin Versions	Create tabs for showing alternate versions of content	
			Plugin Show Preference	Display the value of public global preferences		Plugin Show Preference	Display the value of public global preferences	
			Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.		Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.	

Option	Description	Default	Option	Description	Default	Option	Description	Default
Characters that limit a hotword			(cont'd) HTML purifier HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or deactivate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. AutoLinks Web (http://) and email addresses will automatically be converted to links. Hotwords Open hotwords in new window Characters that limit a hotword Use Quote plugin rather than "&gt;" for quoting Center text using ; instead of Useful to avoid conflicts with C++ scope operators or default namespace separator String to use to delimit simplebox Text string used to customise mail templates Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files Wiki Comment box Size (height) of the comment text area.			(cont'd) HTML purifier HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or deactivate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. AutoLinks Web (http://) and email addresses will automatically be converted to links. Hotwords Open hotwords in new window Characters that limit a hotword Use Quote plugin rather than "&gt;" for quoting Center text using ; instead of Useful to avoid conflicts with C++ scope operators or default namespace separator String to use to delimit simplebox Text string used to customise mail templates Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files Wiki Comment box Size (height) of the comment text area.		
Use Quote plugin rather than "&gt;" for quoting								
Center text using ; instead of	Useful to avoid conflicts with C++ scope operators or default namespace separator. <i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i>							
String to use to delimit simplebox								
Text string used to customise mail templates	Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files							
Wiki								
Comment box	Size (height) of the comment text area.							
Forum								
Forum reply								
Cache external pages								
Cache external images			(cont'd) HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. AutoLinks Web (http://) and email addresses will automatically be converted to links. Hotwords Open hotwords in new window Characters that limit a hotword Use Quote plugin rather than "&gt;" for quoting Center text using ; instead of Useful to avoid conflicts with C++ scope operators or default namespace separator String to use to delimit simplebox Text string used to customise mail templates Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files Wiki Comment box Size (height) of the comment text area.			(cont'd) HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. AutoLinks Web (http://) and email addresses will automatically be converted to links. Hotwords Open hotwords in new window Characters that limit a hotword Use Quote plugin rather than "&gt;" for quoting Center text using ; instead of Useful to avoid conflicts with C++ scope operators or default namespace separator String to use to delimit simplebox Text string used to customise mail templates Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files Wiki Comment box Size (height) of the comment text area.		
External link icon	External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set.							
Add "rel=nofollow" to external links	Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index.							
Open external links in new window	Open links to external sites in a new browser tab or window.							
Allow image lazy loading	Allow that images are loaded in a lazy way							
			(cont'd) Forum Forum reply Cache external pages Cache external images External link icon External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set. Add "rel=nofollow" to external links Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index. Open external links in new window Open links to external sites in a new browser tab or window. Allow image lazy loading Allow that images are loaded in a lazy way			(cont'd) Forum Forum reply Cache external pages Cache external images External link icon External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set. Add "rel=nofollow" to external links Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index. Open external links in new window Open links to external sites in a new browser tab or window. Allow image lazy loading Allow that images are loaded in a lazy way		

Option	Description	Default	Option	Description	Default
Option Description	Default Full screen		Option Description	Default Full screen	
Allow users to activate full-screen mode. Use file galleries to store images if not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	Dynamic content system Block of content which can be reused and programmed (timed) Search and replace		Allow users to activate full-screen mode. Use file galleries to store images if not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	Dynamic content system Block of content which can be reused and programmed (timed) Search and replace	
Enables finding and replacing of content in the edit box Code editor (CodeMirror) CodeMirror code editor, which provides syntax highlighting Syntax highlighter (CodeMirror) Theme CodeMirror themes (Clear cache after changing) Off (but switchable) 3024-day 3024-night ambiance	Enables finding and replacing of content in the edit box Code editor (CodeMirror) CodeMirror code editor, which provides syntax highlighting Syntax highlighter (CodeMirror) Theme CodeMirror themes (Clear cache after changing) Off (but switchable) 3024-day 3024-night ambiance		Enables finding and replacing of content in the edit box Code editor (CodeMirror) CodeMirror code editor, which provides syntax highlighting Syntax highlighter (CodeMirror) Theme CodeMirror themes (Clear cache after changing) Off (but switchable) 3024-day 3024-night ambiance	Enables finding and replacing of content in the edit box Code editor (CodeMirror) CodeMirror code editor, which provides syntax highlighting Syntax highlighter (CodeMirror) Theme CodeMirror themes (Clear cache after changing) Off (but switchable) 3024-day 3024-night ambiance	
ambiance-mobile base16-dark base16-light blackboard cobalt eclipse elegant erlang-dark lesser-dark mbo midnight monokai neat night paraiso-dark paraiso-light rubyblue solarized the-matrix tomorrow-night-eighties twilight vibrant-ink xq-dark xq-light Full WYSIWYG editor WYSIWYG is an acronym for "What You See is What You Get". CKEditor is used to provide a word-processor-like editing experience. (cont.)	ambiance-mobile base16-dark base16-light blackboard cobalt eclipse elegant erlang-dark lesser-dark mbo midnight monokai neat night paraiso-dark paraiso-light rubyblue solarized the-matrix tomorrow-night-eighties twilight vibrant-ink xq-dark xq-light Full WYSIWYG editor WYSIWYG is an acronym for "What You See is What You Get". CKEditor is used to provide a word-processor-like editing experience. (cont.)		ambiance-mobile base16-dark base16-light blackboard cobalt eclipse elegant erlang-dark lesser-dark mbo midnight monokai neat night paraiso-dark paraiso-light rubyblue solarized the-matrix tomorrow-night-eighties twilight vibrant-ink xq-dark xq-light Full WYSIWYG editor WYSIWYG is an acronym for "What You See is What You Get". CKEditor is used to provide a word-processor-like editing experience. (cont.)	ambiance-mobile base16-dark base16-light blackboard cobalt eclipse elegant erlang-dark lesser-dark mbo midnight monokai neat night paraiso-dark paraiso-light rubyblue solarized the-matrix tomorrow-night-eighties twilight vibrant-ink xq-dark xq-light Full WYSIWYG editor WYSIWYG is an acronym for "What You See is What You Get". CKEditor is used to provide a word-processor-like editing experience. (cont.)	
(cont'd) Ajax auto-save Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing. Preview Edits Add a preview tab to text areas. Smileys Also known as emoticons Wiki paragraph formatting When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line. Create line breaks within paragraphs When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs. Parse wiki syntax in comments Parse wiki syntax in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page Automonospaced text Lines indented with spaces will automatically be converted to monospace font. (cont'd) Tables syntax for rows  &#x27E9;return&#x27E9; for rows	(cont'd) Ajax auto-save Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing. Preview Edits Add a preview tab to text areas. Smileys Also known as emoticons Wiki paragraph formatting When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line. Create line breaks within paragraphs When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs. Parse wiki syntax in comments Parse wiki syntax in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page Automonospaced text Lines indented with spaces will automatically be converted to monospace font. (cont'd) Tables syntax for rows  &#x27E9;return&#x27E9; for rows		(cont'd) Ajax auto-save Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing. Preview Edits Add a preview tab to text areas. Enable Vue.js Toolbar (Dialog) Smileys Also known as emoticons Wiki paragraph formatting When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the text line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line. Create line breaks within paragraphs When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs. Parse wiki syntax in comments Parse wiki syntax in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page Automonospaced text Lines indented with spaces will automatically be converted to monospace font. (cont'd) Tables syntax for rows  &#x27E9;return&#x27E9; for rows	(cont'd) Ajax auto-save Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing. Preview Edits Add a preview tab to text areas. Enable Vue.js Toolbar (Dialog) Smileys Also known as emoticons Wiki paragraph formatting When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the text line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line. Create line breaks within paragraphs When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs. Parse wiki syntax in comments Parse wiki syntax in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page Automonospaced text Lines indented with spaces will automatically be converted to monospace font. (cont'd) Tables syntax for rows  &#x27E9;return&#x27E9; for rows	
Wiki argument variables	Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings		Wiki argument variables	Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings	
Dynamic variables	Global snippets of text that can be included in wiki pages and edited in place.		Dynamic variables	Global snippets of text that can be included in wiki pages and edited in place.	
Multilingual dynamic variables	Make dynamic variable content language-specific.		Multilingual dynamic variables	Make dynamic variable content language-specific.	
Multilevel style numbering for ordered lists	Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc.		Multilevel style numbering for ordered lists	Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc.	
Convert from absolute to relative link	Process wiki text and convert internal links from absolute to relative links		Convert from absolute to relative link	Process wiki text and convert internal links from absolute to relative links	
Enable Typography Features	Features to replace normal characters with typographic equivalents		Markdown	Support markdown syntax.	
Smart "curly" quotes	Convert "straight" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes		GitHub-flavored markdown	Enable GitHub-flavored markdown.	
			Default syntax	Which syntax to use as the default wiki syntax when a new content block is created.	

Option	Description	Default	Option	Description	Default
Convert approximative ASCII quotes	Convert plain-ASCII quote substitutes "... << >> to their typographic equivalent " " , " " " "		Enable Typographic Features	Features to replace normal characters with typographic equivalents	
Smart em-dash and ellipsis	Convert double hyphen &mdash; to em-dash — and three consecutive dots ... to typographic ellipsis character...		Smart "curly" quotes	Convert "straight" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes	
Smart no-break space	Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it.		Convert approximative ASCII quotes	Convert plain-ASCII quote substitutes "... << >> to their typographic equivalent " " , " " " "	
Plugin Add Bibliography	Add bibliography listing in the footer of a wiki page		Smart em-dash and ellipsis	Convert double hyphen &mdash; to em-dash — and three consecutive dots ... to typographic ellipsis character...	
Plugin Add Reference	Add a bibliography reference.		Smart no-break space	Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it.	
Plugin Anchor Link	Create a link to an anchor		Plugin Add Bibliography	Add bibliography listing in the footer of a wiki page	
Plugin Anchor Name	Create an anchor that can be linked to		Plugin Add Reference	Add a bibliography reference.	
Plugin Box	Create a formatted box with a title bar		Plugin Anchor Link	Create a link to an anchor	
Plugin Button	Add a link formatted as a button		Plugin Anchor Name	Create an anchor that can be linked to	
Plugin Center	Center text		Plugin Box	Create a formatted box with a title bar	
Plugin Code	Display code with syntax highlighting and line numbering.		Plugin Button	Add a link formatted as a button	
Plugin Countdown	Display the time until or after a date and time		Plugin Center	Center text	
Plugin Div	Define and format sections of a page or text		Plugin Code	Display code with syntax highlighting and line numbering.	
Plugin Definition List	Create a definition list		Plugin Countdown	Display the time until or after a date and time	
Plugin Fade	Create a link that shows/hides initially hidden content		Plugin Div	Define and format sections of a page or text	
Plugin Fancy List	Create a formatted numbered list		Plugin Definition List	Create a definition list	
Plugin Fancy Table	Create a formatted table that can be filtered and sorted		Plugin Fade	Create a link that shows/hides initially hidden content	
Plugin Font	Format the font type and size of text		Plugin Fancy List	Create a formatted numbered list	
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)		Plugin Fancy Table	Create a formatted table that can be filtered and sorted	
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)		Plugin Font	Format the font type and size of text	
Plugin Gauge	Display a horizontal bar gauge		Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	
Plugin HTML	Add HTML to a page		Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	
Plugin IFrame	Include the body of another web page in a scrollable frame within a page		Plugin Gauge	Display a horizontal bar gauge	
Plugin Include	Include a portion of another wiki page		Plugin HTML	Add HTML to a page	
Plugin Monospace	Display text in a monospace font		Plugin IFrame	Include the body of another web page in a scrollable frame within a page	
Plugin Mouseover	Display hidden content by mousing over text		Plugin Include	Include a portion of another wiki page	
Plugin MediaWiki Table	Display a table using MediaWiki syntax		Plugin Monospace	Display text in a monospace font	
Plugin Now	Show the current date and time.		Plugin Mouseover	Display hidden content by mousing over text	
Plugin Quote	Format text as a quote		Plugin MediaWiki Table	Display a table using MediaWiki syntax	
Plugin Remarks Box	Display a comment, tip, note or warning box		Plugin Now	Show the current date and time	
Plugin Scroll	Show animated text that scrolls up or down		Plugin Quote	Format text as a quote	
Plugin Slider	Embed a mini-slideshow of content on a page		Plugin Remarks Box	Display a comment, tip, note or warning box	
Plugin Sort	Sort lines of text		Plugin Scroll	Show animated text that scrolls up or down	
Plugin Split	Arrange content on a page into rows and columns		Plugin Sort	Sort lines of text	
Plugin Superscript	Apply superscript font to text		Plugin Split	Arrange content on a page into rows and columns	
Plugin Subscript	Apply subscript font to text		Plugin Superscript	Apply superscript font to text	
Plugin Tabs	Arrange content in tabs		Plugin Subscript	Apply subscript font to text	
Plugin Tag	Apply an HTML tag to content		Plugin Tabs	Arrange content in tabs	
Plugin Table of Contents (Structure)	Display a table of contents of pages in a structure		Plugin Tag	Apply an HTML tag to content	
Plugin Versions	Create tabs for showing alternate versions of content		Plugin Table of Contents (Structure)	Display a table of contents of pages in a structure	
Plugin Show Preference	Display the value of public global preferences		Plugin Versions	Create tabs for showing alternate versions of content	
Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.		Plugin Show Preference	Display the value of public global preferences	
			Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.	

Option	Description	Default	Option	Description	Default
HTML purifier	HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. <i>If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or deactivate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</i>		HTML purifier	HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. <i>If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or deactivate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</i>	
AutoLinks	Web (http://) and email addresses will automatically be converted to links.		AutoLinks	Web (http://) and email addresses will automatically be converted to links.	
Hotwords			Hotwords		
Open hotwords in new window			Open hotwords in new window		
Characters that limit a hotword			Characters that limit a hotword		
Use Quote plugin rather than "sgt;" for quoting			Use Quote plugin rather than "sgt;" for quoting		
Center text using : instead of	<i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i>		Center text using : instead of	<i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i>	
String to use to delimit simplebox			String to use to delimit simplebox		
Text string used to customise mail templates	Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files		Text string used to customise mail templates	Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files	
Wiki			Wiki		
Comment box	Size (height) of the comment text area.		Comment box	Size (height) of the comment text area.	
Forum			Forum		
Forum reply			Forum reply		
Cache external pages			Cache external pages		
Cache external images			Cache external images		
External link icon	External links will be identified with an icon. To customize the "link-external" icon in the icon set.		External link icon	External links will be identified with an icon. To customize the "link-external" icon in the icon set.	
Add "nofollow" to external links	Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index.		Add "nofollow" to external links	Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index.	
Open external links in new window	Open links to external sites in a new browser tab or window.		Open external links in new window	Open links to external sites in a new browser tab or window.	
Allow image lazy loading	Allow that images are loaded in a lazy way		Allow image lazy loading	Allow that images are loaded in a lazy way	