Email bounce handling

New in Tiki25. Leveraging rambomst/php-bounce-handler and Email filters, handle email bounces in Tiki: add system tracker to hold bounce information, add bounce handler lib, add sieve filters to check for bounces and add to bounce list in system trackers.

Initial commit: https://gitlab.com/tikiwiki/tiki/-/merge_requests/1879

What is bounce

A bounced email, or bounce, is an email message that gets rejected by a mail server. When an email bounces, it has for some reason not reached the intended destination.

A bounced email can be either a hard bounce or a soft bounce. A hard bounce means that the email address is permanently unavailable and should not receive electronic mail. A soft bounce is temporary, and may be caused by server outages or a full inbox. Most email service providers will designate soft bounces as a hard bounce after three failed sends.

How to configure

Step 1: Configure system tracker holding bounce information


Go to System-Trackers, access it from /tiki-admin.php?page=trackers and check Email bounces tracker then:

- Choose which tracker will store the bounced emails and statistics.
- Choose an email field that stores the email address that bounced.
- Choose an email folder field that stores the bounced messages read by Tiki.
- Choose a numeric field that stores the total number of soft bounces occured for an email address.
- Choose a numeric field that stores the total number of hard bounces occured for an email address.
- Choose a checkbox field that stores the blacklist state for an email address whether Tiki should skip sending emails to that email address or not.

👾 🛛 🔻 Preference Filters 🝷	Access ▼ Content ▼ System ▼ Tools ▼		٩
Search preferences Q	Email bounces tracker	S C 8 S	
A Admin Dashboard	Choose tracker	Email bounces	× ×
🛪 Global Setup		0 C 8	
🏛 Main Features	Mailbox field	email	× ×
Wiki		Q C ()	
C Editing and Plugins	Email folder field	emailfolder	× ×
 WYSIWYG File Galleries 		© C 8	
B Blogs	Total soft bounces field	soft bounces	× ×
🗰 Calendar		© C (0)	
 Comments Articles 	Total hard bounces field	hard bouces	× •
🗢 🗣 Forums		00	
Trackers	Blacklisted field	blacklisted	× ×
A Miscellaneous		© C 0	
···· ·· · · · · · · · · · · · · · · ·		Apply	

click to enlarge

Create a tracker with these fields before



Step 2: Configure the filter

Go to Webmail, Click on **filters** in settings section then click on **add filter** and set other details of filter: name, priority and test. In the conditions & actions section, Add **is bounce** as a condition and select **type** of condition soft, is not soft, hard, not hard. Then click on add action and pick **add to bounce list**

Filter Name:			
Your filter name			
Priority:			
0			
Test:			
ALLOF (AND)			×
	Actions one action and one cond	lition	Add Conditic
Filters must have at least o		lition	Add Conditio
Conditions		Soft ~	Add Conditio
Tilters must have at least of Conditions	one action and one cond		
Filters must have at least of Conditions	one action and one cond	Soft ~	Dele
Conditions	one action and one cond	Soft ~	Dele

click to enlarge

Step 3: Set up cron job

Finally add php console.php sieve:filters command to Tiki Scheduler or a cron job

When these are configured and condition is met (using https://github.com/rambomst/PHP-Bounce-Handler/) item is created/updated in the bounce tracker, updating soft/hard bounce counts, the email added to the tracker email field (if configured)