

Global Features

Overview

Enables mature, stable end user features

Related Topics

- [Features](#)
- [Permissions](#)

To Access





From the [Features](#) page, click the **Global Features** tab.

Note

After enabling specific permissions, be sure to configure the necessary [permissions](#) so users can use the feature.

| Option | Description | Default |
|--------------------------------------|--|----------|
| Wiki | Pages and collaboratively authored documents with edit history. | Enabled |
| File gallery | Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability | Enabled |
| Blog | Online diaries or journals. | Disabled |
| Articles | Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live." | Disabled |
| Forums | Threaded or flat discussions. | Disabled |
| Trackers | Database and form generator | Enabled |
| Calendar | Events calendar with public, private and group channels. | Disabled |
| Unified search index | Enables searching for content at the site using a Tiki-managed index. It's recommended to set a cron job to periodically rebuild the search index. | Enabled |
| Category | Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access | Enabled |
| Tags | Enables tags to be set on pages and other items for freeform categorization. | Disabled |

| Option | Description | Default |
|--|---|----------|
| Polls | Presentation of a set of votable options, typically displayed in a module | Disabled |
| Quizzes | Sets of questions that can be presented, with the sessions timed and the scores recorded. 🕒 | Disabled |
| Surveys | Create questionnaires with multiple-choice or open-ended questions | Disabled |
| Newsletters | Content mailed to registered users or other subscribers. | Disabled |
| Shoutbox | Quick comment (graffiti) box. Like a group chat, but not in real time. | Disabled |
| Minichat | Real-time group text chatting enabled through a module. | Disabled |
| Live support system | One-on-one chatting with customer 🗨️ | Disabled |
| Machine learning | Define machine learning models, train them and run queries against them. | Disabled |
| Tiki manager | Use local Tiki Manager to install, upgrade, clone and manage local or remote Tikies. | Disabled |
| Storage path | The path where Tiki Manager will store internal data, backups, logs. It is recommended to be outside document root. 👉 <i>Default: storage/tiki-manager</i> | None |
| Stats | Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.) | Disabled |
| Action log | Provides the ability to track the actions of users and produce reports on a per-user or per-category basis. | Enabled |
| Scheduler | Provides the ability to run tasks at a scheduled time. | Enabled |
| Banners | Insert, track, and manage advertising banners. | Disabled |
| Contribution | Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports. | Disabled |
| Copyright | Use the Copyright Management System (or ©MS) to display the license of your content | Disabled |
| Communications (send/receive objects) | Send/receive wiki pages and articles between Tiki-powered sites 📧 | Disabled |

| Option | Description | Default |
|------------------------------------|---|----------|
| Dynamic content system | Block of content which can be reused and programmed (timed) | Disabled |
| Perspectives | Permits overriding of preferences. | Disabled |
| Search engine friendly URL | If the site is using Apache, you can rename <code>_htaccess</code> as <code>.htaccess</code> to use short URLs. On IIS, rename <code>web_config</code> as <code>web.config</code> | Disabled |
| HTML pages | Static and dynamic HTML content  <i>HTML can be used in wiki pages. This is a separate feature.</i>  | Disabled |
| Areas | Binding categories and perspectives to each other  | Disabled |
| Tiki suggestions | Tiki suggestions displayed once per login session based on a list of rules | Disabled |
| Templated Groups | Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed. | Disabled |
| Mautic Integration | Enable the feature here but configure it elsewhere | Disabled |
| User watches | Receive email notification of changes. Each user can choose to be notified of changes to specific items | Disabled |
| Group watches | All users in a group selected by a users admin (<code>tiki_p_admin_users</code>) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group | Disabled |
| Daily reports for user watches | Allows you to schedule daily reports of watches to be sent (batched) at specific times. | Disabled |
| Enable daily reports for new users | Determines if daily reports will be automatically enabled for new users. | Disabled |
| User watches translations | | Disabled |
| User watches languages | Watch language-specific changes within a category. | Disabled |
| Group alert | With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes  | Disabled |

| Option | Description | Default |
|----------------------------------|---|----------|
| Object maintainers and freshness | Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used. | Disabled |
| Default update frequency | Default number of days for object update frequency. | 90 days |
| Spreadsheet | Spreadsheets with calculations and charts | Disabled |
| Directory | User-submitted Web links | Disabled |
| Draw (SVG edit) | Draw enables creating and editing SVG images in all wiki text areas | Disabled |
| Draw (SVG edit) hide buttons | Hide buttons in Draw, HTML id, comma-separated. 👉 Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper" 🔧 | None |
| Separate base image | Leaves the initially edited image as a separate file and stores the drawing separately 🔧 | Disabled |
| Draw in user file gallery | Users' drawings are stored in their user files gallery 🔧 | Disabled |
| Tiki user credits | | Disabled |
| Accounting | Double-entry accounting system 🔧 | Disabled |
| Payment | Feature for tracking and managing payment requests | Disabled |
| Social networks | Integration with social applications and networks like Twitter and Facebook | Disabled |
| Share | Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums ⚠️ Be careful when allowing anonymous users to activate the antibot feature. | Disabled |
| Webmail | Provides a webmail interface for site users' own IMAP or POP accounts. 🔧 | Disabled |
| Mail-in | Create and publish wiki pages and articles via email | Disabled |
| Docs (WebODF) | Docs enables viewing and editing Open Document Format files 🔧 | Disabled |
| Slideshow (reveal.js) | Create simple presentations via Wiki Syntax. | Disabled |
| Slideshow (reveal.js) PDF export | Wiki page based slideshow to pdf export 🔧 | Disabled |

| Option | Description | Default |
|----------------------------------|---|----------|
| FAQs | Frequently asked questions and answers ⚠️ <i>There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.</i> 🛠️ | Disabled |
| Progressive Web Application Mode | Allow Tiki to be used offline and be installed in a mobile device. ⚠️ <i>Experimental feature.</i> <i>Only Wiki pages and Trackers are available offline for now.</i> 🛠️ | Disabled |
| Links to cache in PWA Mode | List of links to be cached when PWA is enabled ⚠️ <i>Experimental feature.</i> | None |
| Tiki connect | Connect your Tiki with the community by sending anonymised statistical data to tiki.org ⚠️ <i>This feature is still under development.</i> 🛠️ | Disabled |
| Kaltura video management | Integration with the Kaltura video management platform | Disabled |
| Zotero bibliography | Connect Tiki to the Zotero online bibliography management system. 👉 <i>You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.</i> | Disabled |
| Zotero client key | Required identification key. Registration required. | None |
| Zotero client secret | Required identification key. Registration required. | None |
| Zotero group ID | Numeric ID of the group, can be found in the URL. | None |
| Zotero reference style | Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server. | None |
| Enable Web Monetization | Enable Web Monetization showing a message in page header. 🛠️ | Disabled |
| Default payment pointer | Payment pointer to stream the payments. 🛠️ | None |
| Enable for all pages | Enable Web Monetization in all website pages. 🛠️ | Disabled |
| Always use default site pointer | Always use default Web Monetization site pointer, even when users add their username. 🛠️ | Disabled |
| Default paywall text | Default text to be used in web monetized content paywall. 🛠️ | None |









Unable to load the jQuery Sortable Tables feature.

| Option | Description | Default |
|--------------------------------------|--|----------|
| Wiki | Pages and collaboratively authored documents with edit history. | Enabled |
| File gallery | Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability | Enabled |
| Blog | Online diaries or journals. | Disabled |
| Articles | Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live." | Disabled |
| Forums | Threaded or flat discussions. | Disabled |
| Trackers | Database and form generator | Enabled |
| Calendar | Events calendar with public, private and group channels. | Disabled |
| Unified search index | Enables searching for content at the site using a Tiki-managed index. It's recommended to set a cron job to periodically rebuild the search index. | Enabled |
| Category | Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access | Enabled |
| Tags | Enables tags to be set on pages and other items for freeform categorization. | Disabled |
| Polls | Presentation of a set of votable options, typically displayed in a module | Disabled |
| Quizzes | Sets of questions that can be presented, with the sessions timed and the scores recorded. 🧪 | Disabled |
| Surveys | Create questionnaires with multiple-choice or open-ended questions | Disabled |
| Newsletters | Content mailed to registered users or other subscribers. | Disabled |
| Shoutbox | Quick comment (graffiti) box. Like a group chat, but not in real time. | Disabled |
| Minichat | Real-time group text chatting enabled through a module. | Disabled |

| Option | Description | Default |
|---------------------------------------|---|----------|
| Live support system | One-on-one chatting with customer 🗨️ | Disabled |
| Machine learning | Define machine learning models, train them and run queries against them. | Disabled |
| Tiki manager | Use local Tiki Manager to install, upgrade, clone and manage local or remote Tikies. | Disabled |
| Storage path | The path where Tiki Manager will store internal data, backups, logs. It is recommended to be outside document root. 👉 <i>Default: storage/tiki-manager</i> | None |
| Stats | Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.) | Disabled |
| Action log | Provides the ability to track the actions of users and produce reports on a per-user or per-category basis. | Enabled |
| Scheduler | Provides the ability to run tasks at a scheduled time. | Enabled |
| Banners | Insert, track, and manage advertising banners. | Disabled |
| Contribution | Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports. | Disabled |
| Copyright | Use the Copyright Management System (or ©MS) to display the license of your content | Disabled |
| Communications (send/receive objects) | Send/receive wiki pages and articles between Tiki-powered sites 🗑️ | Disabled |
| Dynamic content system | Block of content which can be reused and programmed (timed) | Disabled |
| Perspectives | Permits overriding of preferences. | Disabled |
| Search engine friendly URL | If the site is using Apache, you can rename <code>_htaccess</code> as <code>.htaccess</code> to use short URLs. On IIS, rename <code>web_config</code> as <code>web.config</code> | Disabled |
| HTML pages | Static and dynamic HTML content ⚠️ <i>HTML can be used in wiki pages. This is a separate feature.</i> 🗨️ | Disabled |
| Areas | Binding categories and perspectives to each other 🗨️ | Disabled |

| Option | Description | Default |
|--|--|----------|
| Tiki suggestions | Tiki suggestions displayed once per login session based on a list of rules | Disabled |
| Templated Groups | Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed. | Disabled |
| Mautic Integration | Enable the feature here but configure it elsewhere | Disabled |
| User watches | Receive email notification of changes. Each user can choose to be notified of changes to specific items | Disabled |
| Group watches | All users in a group selected by a users admin (tiki_p_admin_users) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group | Disabled |
| Daily reports for user watches | Allows you to schedule daily reports of watches to be sent (batched) at specific times. | Disabled |
| Enable daily reports for new users | Determines if daily reports will be automatically enabled for new users. | Disabled |
| User watches translations | | Disabled |
| User watches languages | Watch language-specific changes within a category. | Disabled |
| Group alert | With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes 🖌️ | Disabled |
| Object maintainers and freshness | Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used. | Disabled |
| Default update frequency | Default number of days for object update frequency. | 90 days |
| Spreadsheet | Spreadsheets with calculations and charts | Disabled |
| Directory | User-submitted Web links | Disabled |
| Draw (SVG edit) | Draw enables creating and editing SVG images in all wiki text areas | Disabled |






| Option | Description | Default |
|----------------------------------|---|----------|
| Draw (SVG edit) hide buttons | Hide buttons in Draw, HTML id, comma-separated. 👉 Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper" 🔧 | None |
| Separate base image | Leaves the initially edited image as a separate file and stores the drawing separately 🔧 | Disabled |
| Draw in user file gallery | Users' drawings are stored in their user files gallery 🔧 | Disabled |
| Tiki user credits | | Disabled |
| Accounting | Double-entry accounting system 🔧 | Disabled |
| Payment | Feature for tracking and managing payment requests | Disabled |
| Social networks | Integration with social applications and networks like Twitter and Facebook | Disabled |
| Share | Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums ⚠️ Be careful when allowing anonymous users to activate the antibot feature. | Disabled |
| Webmail | Provides a webmail interface for site users' own IMAP or POP accounts. 🔧 | Disabled |
| Mail-in | Create and publish wiki pages and articles via email | Disabled |
| Docs (WebODF) | Docs enables viewing and editing Open Document Format files 🔧 | Disabled |
| Slideshow (reveal.js) | Create simple presentations via Wiki Syntax. | Disabled |
| Slideshow (reveal.js) PDF export | Wiki page based slideshow to pdf export 🔧 | Disabled |
| FAQs | Frequently asked questions and answers ⚠️ There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs. 🔧 | Disabled |
| Progressive Web Application Mode | Allow Tiki to be used offline and be installed in a mobile device. ⚠️ Experimental feature. Only Wiki pages and Trackers are available offline for now. 🔧 | Disabled |

| Option | Description | Default |
|--|--|----------|
| Links to cache in PWA Mode | List of links to be cached when PWA is enabled  <i>Experimental feature.</i> | None |
| Tiki connect | Connect your Tiki with the community by sending anonymised statistical data to tiki.org  <i>This feature is still under development.</i>  | Disabled |
| Kaltura video management | Integration with the Kaltura video management platform | Disabled |
| Zotero bibliography | Connect Tiki to the Zotero online bibliography management system.  <i>You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.</i> | Disabled |
| Zotero client key | Required identification key. Registration required. | None |
| Zotero client secret | Required identification key. Registration required. | None |
| Zotero group ID | Numeric ID of the group, can be found in the URL. | None |
| Zotero reference style | Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server. | None |
| Enable Web Monetization | Enable Web Monetization showing a message in page header.  | Disabled |
| Default payment pointer | Payment pointer to stream the payments.  | None |
| Enable for all pages | Enable Web Monetization in all website pages.  | Disabled |
| Always use default site pointer | Always use default Web Monetization site pointer, even when users add their username.  | Disabled |
| Default paywall text | Default text to be used in web monetized content paywall.  | None |














Unable to load the jQuery Sortable Tables feature.










| Option | Description | Default |
|------------------------------|--|---------|
| Wiki | Pages and collaboratively authored documents with edit history. | Enabled |
| File gallery | Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability | Enabled |

| Option | Description | Default |
|----------------------|--|----------|
| Blog | Online diaries or journals. | Disabled |
| Articles | Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live." | Disabled |
| Forums | Threaded or flat discussions. | Disabled |
| Trackers | Database and form generator | Disabled |
| Calendar | Events calendar with public, private and group channels. | Disabled |
| Unified search index | Enables searching for content at the site using a Tiki-managed index. It's recommended to set a cron job to periodically rebuild the search index. | Enabled |
| Category | Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access | Disabled |
| Tags | Enables tags to be set on pages and other items for freeform categorization. | Disabled |
| Polls | Presentation of a set of votable options, typically displayed in a module | Disabled |
| Quizzes | Sets of questions that can be presented, with the sessions timed and the scores recorded. 🧪 | Disabled |
| Surveys | Create questionnaires with multiple-choice or open-ended questions | Disabled |
| Newsletters | Content mailed to registered users or other subscribers. | Disabled |
| Shoutbox | Quick comment (graffiti) box. Like a group chat, but not in real time. | Disabled |
| Minichat | Real-time group text chatting enabled through a module. | Disabled |
| Live support system | One-on-one chatting with customer 🧪 | Disabled |
| Machine learning | Define machine learning models, train them and run queries against them. | Disabled |
| Tiki manager | Use local Tiki Manager to install, upgrade, clone and manage local or remote Tikies. | Disabled |

| Option | Description | Default |
|---------------------------------------|---|----------|
| Storage path | The path where Tiki Manager will store internal data, backups, logs. It is recommended to be outside document root.  <i>Default: storage/tiki-manager</i> | None |
| Stats | Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.) | Disabled |
| Action log | Provides the ability to track the actions of users and produce reports on a per-user or per-category basis. | Enabled |
| Scheduler | Provides the ability to run tasks at a scheduled time. | Enabled |
| Banners | Insert, track, and manage advertising banners. | Disabled |
| Contribution | Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports. | Disabled |
| Copyright | Use the Copyright Management System (or ©MS) to display the license of your content | Disabled |
| Communications (send/receive objects) | Send/receive wiki pages and articles between Tiki-powered sites | Disabled |
| Dynamic content system | Block of content which can be reused and programmed (timed) | Disabled |
| Perspectives | Permits overriding of preferences. | Disabled |
| Search engine friendly URL | If the site is using Apache, you can rename <code>_htaccess</code> as <code>.htaccess</code> to use short URLs. On IIS, rename <code>web_config</code> as <code>web.config</code> | Disabled |
| HTML pages | Static and dynamic HTML content  <i>HTML can be used in wiki pages. This is a separate feature.</i>  | Disabled |
| HTML feed | A way to transfer HTML content from one Tiki site to another  | Disabled |
| Areas | Binding categories and perspectives to each other  | Disabled |
| Tiki suggestions | Tiki suggestions displayed once per login session based on a list of rules | Disabled |

| Option | Description | Default |
|------------------------------------|--|----------|
| Templated Groups | Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed. | Disabled |
| Mautic Integration | Enable the feature here but configure it elsewhere | Disabled |
| User watches | Receive email notification of changes. Each user can choose to be notified of changes to specific items | Disabled |
| Group watches | All users in a group selected by a users admin (tiki_p_admin_users) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group | Disabled |
| Daily reports for user watches | Allows you to schedule daily reports of watches to be sent (batched) at specific times. | Disabled |
| Enable daily reports for new users | Determines if daily reports will be automatically enabled for new users. | Disabled |
| User watches translations | | Disabled |
| User watches languages | Watch language-specific changes within a category. | Disabled |
| Group alert | With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes 🗡️ | Disabled |
| Object maintainers and freshness | Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used. | Disabled |
| Default update frequency | Default number of days for object update frequency. | 90 days |
| Spreadsheet | Spreadsheets with calculations and charts | Disabled |
| Directory | User-submitted Web links | Disabled |
| Draw (SVG edit) | Draw enables creating and editing SVG images in all wiki text areas | Disabled |





| Option | Description | Default |
|----------------------------------|---|----------|
| Draw (SVG edit) hide buttons | Hide buttons in Draw, HTML id, comma-separated.  Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper"  | None |
| Separate base image | Leaves the initially edited image as a separate file and stores the drawing separately  | Disabled |
| Draw in user file gallery | Users' drawings are stored in their user files gallery  | Disabled |
| Tiki user credits | | Disabled |
| Accounting | Double-entry accounting system  | Disabled |
| Payment | Feature for tracking and managing payment requests | Disabled |
| Social networks | Integration with social applications and networks like Twitter and Facebook | Disabled |
| Share | Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums  Be careful when allowing anonymous users to activate the antibot feature. | Disabled |
| Webmail | Provides a webmail interface for site users' own IMAP or POP accounts.  | Disabled |
| Mail-in | Create and publish wiki pages and articles via email | Disabled |
| Docs (WebODF) | Docs enables viewing and editing Open Document Format files  | Disabled |
| Slideshow (reveal.js) | Create simple presentations via Wiki Syntax. | Disabled |
| Slideshow (reveal.js) PDF export | Wiki page based slideshow to pdf export  | Disabled |
| FAQs | Frequently asked questions and answers  There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.  | Disabled |
| Progressive Web Application Mode | Allow Tiki to be used offline and be installed in a mobile device.  Experimental feature. Only Wiki pages and Trackers are available offline for now.  | Disabled |

| Option | Description | Default |
|--|--|----------|
| Links to cache in PWA Mode | List of links to be cached when PWA is enabled  <i>Experimental feature.</i> | None |
| Tiki connect | Connect your Tiki with the community by sending anonymised statistical data to tiki.org  <i>This feature is still under development.</i>  | Disabled |
| Kaltura video management | Integration with the Kaltura video management platform | Disabled |
| Zotero bibliography | Connect Tiki to the Zotero online bibliography management system.  <i>You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.</i> | Disabled |
| Zotero client key | Required identification key. Registration required. | None |
| Zotero client secret | Required identification key. Registration required. | None |
| Zotero group ID | Numeric ID of the group, can be found in the URL. | None |
| Zotero reference style | Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server. | None |
| Enable Web Monetization | Enable Web Monetization showing a message in page header.  | Disabled |
| Default payment pointer | Payment pointer to stream the payments.  | None |
| Enable for all pages | Enable Web Monetization in all website pages.  | Disabled |
| Always use default site pointer | Always use default Web Monetization site pointer, even when users add their username.  | Disabled |
| Default paywall text | Default text to be used in web monetized content paywall.  | None |













Unable to load the jQuery Sortable Tables feature.







| Option | Description | Default |
|------------------------------|--|---------|
| Wiki | Pages and collaboratively authored documents with edit history. | Enabled |
| File gallery | Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability | Enabled |

| Option | Description | Default |
|----------------------|--|----------|
| Blog | Online diaries or journals. | Disabled |
| Articles | Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live." | Disabled |
| Forums | Threaded or flat discussions. | Disabled |
| Trackers | Database and form generator | Disabled |
| Calendar | Events calendar with public, private and group channels. | Disabled |
| Unified search index | Enables searching for content at the site using a Tiki-managed index. It's recommended to set a cron job to periodically rebuild the search index. | Enabled |
| Category | Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access | Disabled |
| Tags | Enables tags to be set on pages and other items for freeform categorization. | Disabled |
| Polls | Presentation of a set of votable options, typically displayed in a module | Disabled |
| Quizzes | Sets of questions that can be presented, with the sessions timed and the scores recorded. 🧪 | Disabled |
| Surveys | Create questionnaires with multiple-choice or open-ended questions | Disabled |
| Newsletters | Content mailed to registered users or other subscribers. | Disabled |
| Shoutbox | Quick comment (graffiti) box. Like a group chat, but not in real time. | Disabled |
| Minichat | Real-time group text chatting enabled through a module. | Disabled |
| Live support system | One-on-one chatting with customer 🧪 | Disabled |
| Machine learning | Define machine learning models, train them and run queries against them. | Disabled |
| Stats | Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.) | Disabled |

| Option | Description | Default |
|---------------------------------------|---|----------|
| Action log | Provides the ability to track the actions of users and produce reports on a per-user or per-category basis. | Enabled |
| Scheduler | Provides the ability to run tasks at a scheduled time. | Enabled |
| Banners | Insert, track, and manage advertising banners. | Disabled |
| Contribution | Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports. | Disabled |
| Copyright | Use the Copyright Management System (or ©MS) to display the license of your content | Disabled |
| Communications (send/receive objects) | Send/receive wiki pages and articles between Tiki-powered sites | Disabled |
| Dynamic content system | Block of content which can be reused and programmed (timed) | Disabled |
| Perspectives | Permits overriding of preferences. | Disabled |
| Search engine friendly URL | If the site is using Apache, you can rename <code>_htaccess</code> as <code>.htaccess</code> to use short URLs. On IIS, rename <code>web_config</code> as <code>web.config</code> | Disabled |
| HTML pages | Static and dynamic HTML content  <i>HTML can be used in wiki pages. This is a separate feature.</i>  | Disabled |
| HTML feed | A way to transfer HTML content from one Tiki site to another  | Disabled |
| Areas | Binding categories and perspectives to each other  | Disabled |
| Tiki suggestions | Tiki suggestions displayed once per login session based on a list of rules | Disabled |
| Templated Groups | Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed. | Disabled |
| User watches | Receive email notification of changes. Each user can choose to be notified of changes to specific items | Disabled |

| Option | Description | Default |
|------------------------------------|---|----------|
| Group watches | All users in a group selected by a users admin (tiki_p_admin_users) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group | Disabled |
| Daily reports for user watches | Allows you to schedule daily reports of watches to be sent (batched) at specific times. | Disabled |
| Enable daily reports for new users | Determines if daily reports will be automatically enabled for new users. | Disabled |
| User watches translations | | Disabled |
| User watches languages | Watch language-specific changes within a category. | Disabled |
| Group alert | With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes 🗡️ | Disabled |
| Object maintainers and freshness | Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used. | Disabled |
| Default update frequency | Default number of days for object update frequency. | 90 days |
| Spreadsheet | Spreadsheets with calculations and charts | Disabled |
| Directory | User-submitted Web links | Disabled |
| Draw (SVG edit) | Draw enables creating and editing SVG images in all wiki text areas | Disabled |
| Draw (SVG edit) hide buttons | Hide buttons in Draw, HTML id, comma-separated. 👉 Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper" 🔧 | None |
| Separate base image | Leaves the initially edited image as a separate file and stores the drawing separately 🔧 | Disabled |
| Draw in user file gallery | Users' drawings are stored in their user files gallery 🔧 | Disabled |
| Tiki user credits | | Disabled |





| Option | Description | Default |
|----------------------------------|--|----------|
| Accounting | Double-entry accounting system  | Disabled |
| Payment | Feature for tracking and managing payment requests | Disabled |
| Social networks | Integration with social applications and networks like Twitter and Facebook | Disabled |
| Share | Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums  <i>Be careful when allowing anonymous users to activate the antibot feature.</i> | Disabled |
| Webmail | Provides a webmail interface for site users' own IMAP or POP accounts.  | Disabled |
| Mail-in | Create and publish wiki pages and articles via email | Disabled |
| Docs (WebODF) | Docs enables viewing and editing Open Document Format files  | Disabled |
| Slideshow (reveal.js) | Create simple presentations via Wiki Syntax. | Disabled |
| Slideshow (reveal.js) PDF export | Wiki page based slideshow to pdf export  | Disabled |
| FAQs | Frequently asked questions and answers  <i>There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.</i>  | Disabled |
| Progressive Web Application Mode | Allow Tiki to be used offline and be installed in a mobile device.  <i>Experimental feature.</i> <i>Only Wiki pages and Trackers are available offline for now.</i>  | Disabled |
| Links to cache in PWA Mode | List of links to be cached when PWA is enabled  <i>Experimental feature.</i> | None |
| Tiki connect | Connect your Tiki with the community by sending anonymised statistical data to tiki.org  <i>This feature is still under development.</i>  | Disabled |
| Kaltura video management | Integration with the Kaltura video management platform | Disabled |

| Option | Description | Default |
|---|--|----------|
| Zotero bibliography | Connect Tiki to the Zotero online bibliography management system.  You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style. | Disabled |
| Zotero client key | Required identification key. Registration required. | None |
| Zotero client secret | Required identification key. Registration required. | None |
| Zotero group ID | Numeric ID of the group, can be found in the URL. | None |
| Zotero reference style | Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server. | None |
| Enable Web Monetization | Enable Web Monetization showing a message in page header.  | Disabled |
| Default payment pointer | Payment pointer to stream the payments.  | None |
| Enable for all pages | Enable Web Monetization in all website pages.  | Disabled |
| Always use default site pointer | Always use default Web Monetization site pointer, even when users add their username.  | Disabled |
| Default payroll text | Default text to be used in web monetized content payroll.  | None |

Unable to load the jQuery Sortable Tables feature.

| Option | Description | Default |
|------------------------------|--|----------|
| Wiki | Pages and collaboratively authored documents with edit history. | Enabled |
| File gallery | Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability | Enabled |
| Blog | Online diaries or journals. | Disabled |
| Articles | Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live." | Disabled |
| Forums | Threaded or flat discussions. | Disabled |

| Option | Description | Default |
|----------------------|---|----------|
| Trackers | Database and form generator | Disabled |
| Calendar | Events calendar with public, private and group channels. | Disabled |
| Unified search index | Enables searching for content at the site using a Tiki-managed index. It's recommended to set a cron job to periodically rebuild the search index. | Enabled |
| Category | Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access | Disabled |
| Tags | Enables tags to be set on pages and other items for freeform categorization. | Disabled |
| Polls | Presentation of a set of votable options, typically displayed in a module | Disabled |
| Quizzes | Sets of questions that can be presented, with the sessions timed and the scores recorded. 🕒 | Disabled |
| Surveys | Create questionnaires with multiple-choice or open-ended questions | Disabled |
| Newsletters | Content mailed to registered users or other subscribers. | Disabled |
| Shoutbox | Quick comment (graffiti) box. Like a group chat, but not in real time. | Disabled |
| Minichat | Real-time group text chatting enabled through a module. | Disabled |
| Live support system | One-on-one chatting with customer 🕒 | Disabled |
| Stats | Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.) | Disabled |
| Action log | Provides the ability to track the actions of users and produce reports on a per-user or per-category basis. | Enabled |
| Scheduler | Provides the ability to run tasks at a scheduled time. | Enabled |
| Banners | Insert, track, and manage advertising banners. | Disabled |
| Contribution | Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports. | Disabled |

| Option | Description | Default |
|---------------------------------------|---|----------|
| Copyright | Use the Copyright Management System (or ©MS) to display the license of your content | Disabled |
| Communications (send/receive objects) | Send/receive wiki pages and articles between Tiki-powered sites | Disabled |
| Dynamic content system | Block of content which can be reused and programmed (timed) | Disabled |
| Perspectives | Permits overriding of preferences. | Disabled |
| Search engine friendly URL | If the site is using Apache, you can rename <code>_htaccess</code> as <code>.htaccess</code> to use short URLs. On IIS, rename <code>web_config</code> as <code>web.config</code> | Disabled |
| HTML pages | Static and dynamic HTML content  <i>HTML can be used in wiki pages. This is a separate feature.</i>  | Disabled |
| HTML feed | A way to transfer HTML content from one Tiki site to another  | Disabled |
| Areas | Binding categories and perspectives to each other  | Disabled |
| Templated Groups | Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed. | Disabled |
| User watches | Receive email notification of changes. Each user can choose to be notified of changes to specific items | Disabled |
| Group watches | All users in a group selected by a users admin (<code>tiki_p_admin_users</code>) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group | Disabled |
| Daily reports for user watches | Allows you to schedule daily reports of watches to be sent (batched) at specific times. | Disabled |
| Enable daily reports for new users | Determines if daily reports will be automatically enabled for new users. | Disabled |
| User watches translations | | Disabled |
| User watches languages | Watch language-specific changes within a category. | Disabled |

| Option | Description | Default |
|----------------------------------|--|----------|
| Group alert | With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes | Disabled |
| Object maintainers and freshness | Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used. | Disabled |
| Default update frequency | Default number of days for object update frequency. | 90 days |
| Spreadsheet | Spreadsheets with calculations and charts | Disabled |
| Directory | User-submitted Web links | Disabled |
| Draw (SVG edit) | Draw enables creating and editing SVG images in all wiki text areas | Disabled |
| Draw (SVG edit) hide buttons | Hide buttons in Draw, HTML id, comma-separated. 👉 <i>Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper"</i>  | None |
| Separate base image | Leaves the initially edited image as a separate file and stores the drawing separately  | Disabled |
| Draw in user file gallery | Users' drawings are stored in their user files gallery  | Disabled |
| Tiki user credits | | Disabled |
| Accounting | Double-entry accounting system  | Disabled |
| Payment | Feature for tracking and managing payment requests | Disabled |
| Social networks | Integration with social applications and networks like Twitter and Facebook | Disabled |
| Share | Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums ⚠ <i>Be careful when allowing anonymous users to activate the antibot feature.</i> | Disabled |
| Webmail | Provides a webmail interface for site users' own IMAP or POP accounts.  | Disabled |
| Mail-in | Create and publish wiki pages and articles via email | Disabled |

| Option | Description | Default |
|--|---|----------|
| Docs (WebODF) | Docs enables viewing and editing Open Document Format files 🛠️ | Disabled |
| Slideshow (reveal.js) | Create simple presentations via Wiki Syntax. | Disabled |
| Slideshow (reveal.js) PDF export | Wiki-page-based slideshow to pdf export 🛠️ | Disabled |
| Time sheet | A project time manager 🗓️ | Disabled |
| FAQs | Frequently asked questions and answers ⚠️ <i>There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.</i> 🛠️ | Disabled |
| Image gallery | Collections of images for viewing or downloading (photo albums) 🗑️ | Disabled |
| Progressive Web Application Mode | Allow Tiki to be used offline and be installed in a mobile device. ⚠️ <i>Experimental feature.</i> <i>Only Wiki pages and Trackers are available offline for now.</i> 🛠️ | Disabled |
| Tiki connect | Connect your Tiki with the community by sending anonymised statistical data to tiki.org ⚠️ <i>This feature is still under development.</i> 🛠️ | Disabled |
| Kaltura video management | Integration with the Kaltura video management platform | Disabled |
| Zotero bibliography | Connect Tiki to the Zotero online bibliography management system. 👉 <i>You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.</i> | Disabled |
| Zotero client key | Required identification key. Registration required. | None |
| Zotero client secret | Required identification key. Registration required. | None |
| Zotero group ID | Numeric ID of the group, can be found in the URL. | None |
| Zotero reference style | Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server. | None |

Unable to load the jQuery Sortable Tables feature.

