# Hybridauth social login

The connection to the website through social networks uses the Hybridauth library it allows the visitor, to quickly register on a site by letting their network provide information about themselves. The principle of operation is simple. When a user chooses a social network, he is sent to the server of the latter. There he is invited to enter his details. When they are validated, he is returned to the Tiki site on which he wanted to connect.

#### **Configuration steps**

To achieve this some data must be provided: Note: In this document YourSocialNetwork represents the name of the social network of your choice.

First, you need to enable the Social Network feature in Tiki. To do this you need to login as admin, go to the Admin dashboard in the menu **Settings** -> **Contol Panels**. Check your admin filter preferences is set to advanced and in the Panel Feature, Mail and Sharing enable **Social Network**. (tiki-admin.php?page=features#Mail\_and\_Sharing)

Then, go to the **Social networks** panel -> **General** tab (tiki-admin.php?page=socialnetworks#content-admin1-1) select one or several site you want your users to be allowed to sign in and apply.

	Apply
General Settings	bit.ly Share This Legacy Integrations No Tab
Social network inte	egration
Social networks 📀	C 🖸
1. GitLab	
Social networks selected for	Amazon AOLOpenID Apple
configuration: 😗	Authentig AutoDesk BitBucket
	BlizzardAPAC BlizzardEU Blizzard
	DeviantArt Discord Disque
	Dribbble Dropbox Facebook
	🗆 Foursquare 🗌 GitHub 🜌 GitLab
	Google Instagram Keycloak
	LinkedIn Mastodon Medium
	MicrosoftGraph     OpenID     ORCID
	Patreon PaypalOpenID Paypal
	Pinterest     QQ     Reddit     Seznam
	Slack Spotify StackExchangeOpenID
	StackExchange     Steam     SteemConnect
	Strava Telegram Tumbir
	TwitchTV     Twitter     WeChatChina
	WeChat     WindowsLive     WordPress

Secondly, go now to the tab **Settings**, your site choices will be visible in different section. In each section the YourSocialNetwork login allowed checkbox should be checked so you can enable/disable a single access. Under it you will find a button **More/Less** that toggle specific information you need to provide to allow your users to login using this method.

eral Settings bit.ly Sh	This Legacy Integrations No fabs	
GitLab login allowed?	You need to set GitLab Application ID	
0		
	You need to set GitLab Application secret	
More/less		
<ol> <li>GitLab Application ID</li> <li>GitLab Application ID</li> </ol>		
2. GitLab Application secret 3		
. GitLab API (or Graph) version - NOT YET ()		
. GitLab site name 💿		
. GitLab site image 🕕		
. GitLab auto-create 📃 🗌		
	l <b>User Settings</b> tab <b>User Settings</b> you also need to enable "User preferences screen".	
st, choose your	ocial network(s). To do this, go to <b>Settings</b> -> <b>Users &amp; Community</b> -> Social networks -> Gener	ral ta
t, choose your admin.php?pa	ocial network(s). To do this, go to <b>Settings</b> -> <b>Users &amp; Community</b> -> Social networks -> Gener e=socialnetworks#content_admin1-1 and make your choice(s) then validate.	ral ta
t, choose your	ocial network(s). To do this, go to <b>Settings</b> -> <b>Users &amp; Community</b> -> Social networks -> Gener e=socialnetworks#content_admin1-1 and make your choice(s) then validate.	ral ta
t, choose your admin.php?pa Enabled settings	ocial network(s). To do this, go to <b>Settings</b> -> <b>Users &amp; Community</b> -> Social networks -> Gener e=socialnetworks#content_admin1-1 and make your choice(s) then validate. AOLOpenID Amazon Apple Authentiq	ral ta
t, choose your admin.php?pa Enabled settings	<pre>ocial network(s). To do this, go to Settings -&gt; Users &amp; Community -&gt; Social networks -&gt; Gener = socialnetworks#content_admin1-1 and make your choice(s) then validate. AOLOpenID Amazon Apple Authentiq AutoDesk BitBucket</pre>	ral ta
t, choose your admin.php?pa Enabled settings	<pre>ocial network(s). To do this, go to Settings -&gt; Users &amp; Community -&gt; Social networks -&gt; Gener e=socialnetworks#content_admin1-1 and make your choice(s) then validate.</pre>	ral t
t, choose your admin.php?pa Enabled settings	<pre>ocial network(s). To do this, go to Settings -&gt; Users &amp; Community -&gt; Social networks -&gt; Gener = socialnetworks#content_admin1-1 and make your choice(s) then validate. AOLOpenID Amazon Apple Authentiq AutoDesk BitBucket Blizzard BlizzardAPAC BlizzardEU DeviantArt</pre>	ral t
t, choose your admin.php?pa Enabled settings	<pre>ocial network(s). To do this, go to Settings -&gt; Users &amp; Community -&gt; Social networks -&gt; Gener e=socialnetworks#content_admin1-1 and make your choice(s) then validate. AOLOpenID Amazon Apple Authentiq AutoDesk BitBucket Blizzard BlizzardAPAC BlizzardEU DeviantArt Discord Disqus Dribbble</pre>	ral ta
t, choose your admin.php?pa Enabled settings	<pre>ocial network(s). To do this, go to Settings -&gt; Users &amp; Community -&gt; Social networks -&gt; Gener = socialnetworks#content_admin1-1 and make your choice(s) then validate. AOLOpenID Amazon Apple Authentiq AutoDesk BitBucket Blizzard BlizzardAPAC BlizzardEU DeviantArt Discord Disqus Dribbble Dropbox Facebook</pre>	ral ta
t, choose your admin.php?pa Enabled settings	<pre>ocial network(s). To do this, go to Settings -&gt; Users &amp; Community -&gt; Social networks -&gt; Gener ==socialnetworks#content_admin1-1 and make your choice(s) then validate. AOLOpenID Amazon Apple Authentiq AutoDesk BitBucket Blizzard BlizzardAPAC BlizzardEU DeviantArt Discord Disqus Dribbble Foursquare GitHub</pre>	ral ta
t, choose your admin.php?pa Enabled settings	<pre>ocial network(s). To do this, go to Settings -&gt; Users &amp; Community -&gt; Social networks -&gt; Gener ==socialnetworks#content_admin1-1 and make your choice(s) then validate. AOLOpenID Amazon Apple Authentiq AutoDesk BitBucket Blizzard BlizzardAPAC BlizzardEU DeviantArt Discord Disqus Dribbble Dropbox Facebook Foursquare GitHub GitLab Google Instagram</pre>	ral ta
t, choose your admin.php?pa Enabled settings	<pre>ocial network(s). To do this, go to Settings -&gt; Users &amp; Community -&gt; Social networks -&gt; Gener e=socialnetworks#content_admin1-1 and make your choice(s) then validate. AOLOpenID Amazon Apple Authentiq AutoDesk BitBucket Blizzard BlizzardAPAC BlizzardEU DeviantArt Discord Disqus Dribbble Dropbox Facebook Foursquare GitHub GitLab Google Instagram LinkedIn Mailru Medium</pre>	ral ta
st, choose your admin.php?pa Enabled settings	ocial network(s). To do this, go to Settings -> Users & Community -> Social networks -> Gener e=socialnetworks#content_admin1-1 and make your choice(s) then validate. AOLOpenID Amazon Apple Authentiq AutoDesk BitBucket Blizzard BlizzardAPAC BlizzardEU DeviantArt Discord Disqus Dribbble Dropbox Facebook Foursquare GitHub GitLab Google Instagram LinkedIn Mailru Medium ORCID	ral ta
st, choose your admin.php?pa Enabled settings	ocial network(s). To do this, go to <b>Settings</b> -> <b>Users &amp; Community</b> -> Social networks -> Gener ==socialnetworks#content_admin1-1 and make your choice(s) then validate. = AOLOpenID Amazon Apple Authentiq AutoDesk BitBucket Blizzard BlizzardAPAC BlizzardEU DeviantArt Discord Disqus Dribbble Dropbox Facebook Foursquare GitHub GitLab Google Instagram LinkedIn Mailru Medium MicrosoftGraph ORCID Odnoklassniki OpenID	ral ta
t, choose your admin.php?pa Enabled settings	<pre>ocial network(s). To do this, go to Settings -&gt; Users &amp; Community -&gt; Social networks -&gt; Gener e=socialnetworks#content_admin1-1 and make your choice(s) then validate. AOLOpenID Amazon Apple Authentiq AutoDesk BitBucket Blizzard BlizzardAPAC BlizzardEU DeviantArt Discord Disqus Dribbble Dropbox Facebook Foursquare GitHub GitLab Google Instagram LinkedIn Mailru Medium ORCID</pre>	ral ta

Secondly, still in "Configure social network integration", go to the Settings tab (tiki-

admin.php?page=socialnetworks#content\_admin1-2), your choices will be visible in well framed zones above. In each zone check the box **YourSocialNetwork login allowed ?** by doing that a button leading to your site will be available on the login page but will not be functional.

Thirdly, turn in each area click on the more/less button...

General	Settings	bit.ly	Share This	Legacy Integrations	
Facebo					
racebo	JOK				
	Facebook	login allo	wed?		
		_			
	more/less	. 🕨			

## Parameters to manage the users and their account or items

You will have to complete different parameters. The mandatory fields are YourSocialNetwork Application ID and YourSocialNetwork Application secret.

For a successful experience in Tiki, we advise you to check the boxes below.

YourSocialNetwork auto-create user? YourSocialNetwork user prefix to auto-create YourSocialNetwork auto-create user email? YourSocialNetwork auto-create user tracker item? YourSocialNetwork auto-create user name(s)?

	Facebook login allowed?	
	more/less 🔻	
1.	Facebook Application ID	<b>0</b> 'D
2.	Facebook Application secret	05
3.	Facebook API (or Graph) version - NOT YET	0
4.	Facebook site name	
5.	Facebook site image	0
6.	Facebook auto-create user?	0°C 0 1
7.	Facebook user prefix to auto-create	Face_
8.	Facebook auto-create user email?	
9.	Facebook auto-create user tracker item?	000° 8
10.	Facebook auto-create user name(s)?	8 8 C 8 2

### Note

The field YourSocialNetwork user prefix to auto-create is filled with the initial of the network you have chosen. So the username will be the combination of the value in this field and a sequence of numbers that will be assigned to it.

This will automatically create a user in Tiki that will be in the default register group. For this to work properly you would need to enable the User preferences screen option, you can find this by going to Settings -> User Settings tab -> User preferences screen (http:example.org/tiki-admin.php?page=user#contentadmin user setting-1).

### Troubleshootings

## TikiHybrid\_construct : this site is not register



×

TikiHybrid \_\_construct: this site is not registered with

TikiHybrid\_construct : this site is not register with it means that you haven't insert the ID and the secret code of your Application yet.

## TikiHybrider error : A valid CallBack url is required

#### Erreur

TikiHybrid provider error: A valid callback url is required.

TikiHybrider error : A valid CallBack url is required means the path in the socnets Login Base Url field in Settings -> Users & Community -> Social networks -> Settings is not correct. Make sure to have in this field the value https:// domain name> tikilogin\_hybridauth.php?provider=

## Facebook login "sorry something went wrong"

If you get an error message from Facebook like "sorry something went wrong", then most likely Facebook login GraphAPI is semi-dead.

emi-dead.		
	•	
Sorry, something went wrong. We're working on getting this fixed as soon as we <u>Go Back</u>	an.	
Meta © 2023 · <u>Help</u>		
🔿 Meta		
Status and outages of Meta business pro Updated May 22 2023 2:57 AM GMT+3	lucts	
Business Tools Ads Manager	No known issues	
Facebook and Instagram Shops	⊘ No known issue >	
Meta Business Suite	No known issues	
Meta Work Accounts (Beta)	No known issues	
Developer Platform		
Facebook Login	No known issues	
Graph API	🛕 Some disruptions >	
ou can check it via:		
ttps://metastatus.com/?ref=dfc&	bclid=IwAR2nlyOc2dpZJjzc36_upUyEtYps_7IWAOjOhl9tNwEt2sV5daVnQK9kot8#	develop
latform		

# **Supported providers**

Latest list:

https://github.com/hybridauth/hybridauth/tree/master/src/Provider https://hybridauth.github.io/providers.html

As of 2022-11-30: Apple Amazon AOLOpenID Authentiq AutoDesk BitBucket Blizzard Discord Disqus Dribbble Dropbox Facebook Foursquare GitHub GitLab Google Instagram Keycloak LinkedIn Medium MicrosoftGraph OpenID ORCID Paypal Reddit Slack Spotify StackExchange Steam Strava SteemConnect Telegram Tumblr TwitchTV Twitter WeChat WindowsLive WordPress Yahoo QQ

### Samples

Authentication for any Social Network

Once enabled go to the section YourSocialNetwork on the Social Netwok settings tab. There you will need to fill several fields to allow your users to login with their YourSocialNetwork credentials.

- YourSocialNetwork Application ID
- YourSocialNetwork Application secret
- Enable YourSocialNetwork Auto-create user
- Enable YourSocialNetwork Auto-create user email
- Enable YourSocialNetwork Auto-create user name(s)

## Authentication using Gitlab

Once enabled you need to enter values for required fields from YourSocialNetwork.

To find and set your Gitlab authentication you will need to create an application and copy the information.

Go to Gitlab, login and enter in your Profile, "User Settings" => Applications.

There enter a name for your application (any name). Keep the checkbox "Confidential" checked. In the list of "Scopes" select "api". Once you save you will be redirected to a page where you will find the value for the fields listed above.

General	Settings	bit.ly	Sha	are This	Legacy Integrations			No T
GitLab								
0	Lab login allo ore/less 👻	wed?		000	0			
	Lab Applicati	on ID	57f			Заа	5	
	Lab Applicati ret 🕦	on	60			fŧ	C	
	Lab API (or G sion - NOT Y							
4. Gitl	ab site name	9 🚺						
5. Gitl	.ab site imag	e 🕚						
	Lab auto-crea	ate		<b>0</b> C				
	Lab User prei o-create 🚯	fix to	Gitl	-			00	
	Lab Auto-cre r email 💿	ate		<b>00</b> 0				
	ab Auto-cre r tracker iten							
	Lab Auto-cre r name(s) 🜖	ate		000				
Login		//master.b			ogin_hybridauth.php?p ogin_hybridauth.php?p			
Tomo	in an interpo	,,			- 0, aaudunpripri			

Once validated the Tiki settings for YourSocialNetwork will show 2 URL. Go back to your Gitlab settings and indicate them as the "Redirect URI" or "Callback URL"

wiki groupware	Username	Log in +
Congratulations	Password	
This is the default homepage for your Tikl. If you are seeing this page, your installation was successful.	I forgot my password	
You can change this page after logging in. Please review the wiki syntax 🗗 for editing details.	Log in	
Get started.           To begin configuring your rate:           1. Log in with your newly created password.           2. Mountable Stackies practice: This features that you didn't enable with the Admin witzerd.           3. Am TTM benefate to quickly per up and numming.	Stay in SSL mode ➡ Log in via Git	lab
<ol> <li>Run Tiki Profiles to quickly get up and running.</li> </ol>		
Need help?		
For more information:		
Learn more about TA(2,     Get help 2, including the official documentation (2 and support forums (2,     Join the Tild community (2,		

# Authentication using Facebook login

Once enabled you need to enter values for required fields from YourSocialNetwork.

First you must have a Facebook developer account, login and go to your app page there : https://developers.facebook.com/apps/

On your app page, Click on the **Create app** button. Click on the **Set up Facebook login** radio button and click on **Next**. Select for which plateform you want to create your app, **Website** and for the question "Are you building a game?" answer no and click on **Next**.

Give a name for your app in the field "App contact email" if different from you Facebook Developer Account, change the "App contact email" and click on **Create app**.

You will be asked to enter your Facebook credentials to validate. Once created you will be redirected to a new page. On the left (or right) menu, go to **Settings** -> **Basics**. There you will find your "Facebook Application ID" and "Facebook Application secret". Once there, in the **app domains** field enter your Tiki domain where you will use the Facebook login. IE: "example.org"

If you enabled he option "YourSocialNetwork Auto-create user email" you need to modify your Facebook app permissions to allows your app to read a person's primary email address.

On the Meta For Developer site go to your app -> Use cases -> Authentication and account creation click on "Edit" and add the email permission.