



## ë¬, ì œí•´ê²°

- ìž¬ìfê, °ê°€ í'œì<œë~ìš€ ì•Šìœ¼ä©´, í"ŒëŸ¬ê¬, ì, ëšœê°œë³€ì^~ ìœ' í•~ë, ~ê°€ ìž~ ëª»ë~ì-ìž^ì,, ê°€ëšŸì,, ±ì´ í¬ë<œ.
- ìž¬ìfê, °ê°€ í'œì<œë~ìš€ëšŸŒ ìž¬ìfì,, í•~ìš€ ì•Šìœ¼ä©´, íŒŒèì¼ì— ëŒ€í•œ URL ì´ í<€ë¬, ì^ ìž^ë<œ.

## êµ¬ë¬, ì~^ì œ

### MP3 ã...‡{ã...^[

íŒŒèì¼ ê°œëŸ¬ëì¬ ë, ´ëŸ€ì— ìž^ëš" íŒŒèì¼:

```
{mediaplayer mp3="display10"} {mediaplayer mp3="tiki-download_file.php?fileId=389"}
```

ì<œì œ íŒŒèì¼ ê²½ëìœëŸ¼ ì,¬ìš©:

```
{mediaplayer mp3="http://usuaris.tinet.org/mikell/EntrevistaRadio4.mp3"} {mediaplayer mp3="http://usuaris.tinet.org/mikell/EntrevistaRadio4.mp3", style="mini"} {mediaplayer mp3="/test.mp3", loop="1"}
```

## FLV íŒŒèì¼

flv ë° type ëšœê°œë³€ì^~ëŸ¼ ì,¬ìš©í•~ì— ì•,ëž~ì²~ëŸ¼ flv íŒŒèì¼ë"œì,, ë³ì—¬ìœë<œ:

íŒŒèì¼ ê°œëŸ¬ëì¬ ì~ flv íŒŒèì¼:

```
{mediaplayer flv="http://example.com/display10" type="flv"}
```

ê¬, ì™¬, ì~ ê²½ìš° ì,,œë²,,ì~ ë""ë %oí,,°ëì¬ëìœ íŒŒèì¼ì,, ì—...ëìœë"œí•~ê³ ìšì´ íŒŒèì¼ ê²½ëìœëŸ¼ ì,¬ìš©í•~ì<œì~œ. íŒŒèì¼ì— .flv í™•ìžŸìžê°€ ìž^ëš" ê²½ìš°, type (ìœ í•) ëšœê°œë³€ì^~ëš" ì,,œì•í•~ìš€ ì•šì•,,ë,, ë©ë<^ë<œ:

```
{mediaplayer flv="http://flv-player.net/medias/KyodaiNoGilga.flv"}
```

## í"ŒëŸ¬ê¬, ì, ëšœê°œë³€ì^~

[http://flash-mp3-player.net|http://flash-mp3-player.net|box] ë°

[http://flv-player.net|http://flv-player.net|box] ì—ì,,œ ì,,œª...ë~ëš" ëšœê°œë³€ì^~ ì™¬, ì—, ë<œìŒèì´ í<°í,œ ëšœê°œë³€ì^~ëŸ¼ ì,¬ìš©í• ì~ ìž^ë<œ:

Param	Values	Defaults	Req ?	Explanation	Since
mp3	ëší¬		y (flv ë° src ê°€ ì•„ë<œ ê²½ìš°)	MP3 íœœì¼¼ ëší¬	
flv	ëší¬		y (mp3 ë° src ê°€ ì•„ë<œ ê²½ìš°)	FLV íœœì¼¼ ëší¬	
src	ëší¬		y (flv ë° mp3 ê°€ ì•„ë<œ ê²½ìš°)	aif, aiff, aac, au, bmp, gsm, mov, mid, midi, mpg, mpeg, mp4, m4a, psd, qt, qtif, qif, qti, snd, tif, tiff, wav, 3g2, 3pg, swf, asx, asf, avi, wma, wmv, ra, ram, rm, rpm, rv, smi, smil, xaml, html, pdf íœœì¼¼ ëší¬(ì „ì²´ ëª©èì€ [http://jquery.malsup.com/media/jquery.ë´ „ë””ì¬´] ì° „ì°)	>=6.0
style	ë¬ „ìžì—´	normal	n	mini í¬¹ì€ normal í¬¹ì€ maxi í¬¹ì€ multi ìšœí€ì¼¼	
where (MP3 ìš©)	url	http://flash-mp3-player.net/medias/	n	ìž¬ìfê „°ì SWF íœœì¼¼ì— ëœ€í•œ URL ( / ëìœ ëë,´)	
where (FLV ìš©)	url	http://flv-player.net/medias/	n	ìž¬ìfê „°ì SWF íœœì¼¼ëìœì SWF íœœì¼¼ì— ëœ€í•œ URL ( / ëìœ ëë,´)	
wmode	ë¬ „ìžì—´	transparent	n	í”œëž¬ì<œ ê°œì²´ì° ì°½ ëª”ë”œ	5.x

Unable to load the jQuery Sortable Tables feature.

í”œëž¬ì<œ MP3 ìž¬ìfê „° ëšœê°œë³€ì^~:

ì´ëì„	ì„œëª...
mp3	ìž¬ìfê MP3 íœœì¼¼ì SWF íœœì¼¼ì— ëœ€í•œ URL
autoplay	ìžë™ ìž¬ìfí•ëœ ìš©´ 1
loop	ëf”í” „ ëœëì¬ëœ ìš©´ 1
volume	ì´^ê „° ìœëÿ%, 0 ê³¼ 200 ì¬ì´.
skin	ëìœë”œ (progressive ì•„ë<~)í• JPEG íœœì¼¼ì SWF íœœì¼¼ì— ëœ€í•œ URL
showstop	STOP ë²„íš¼ì„ í´œì<œí•ëœ ìš©´ 1
showinfo	INFO ë²„íš¼ì„ í´œì<œí•ëœ ìš©´ 1
loadingcolor	ëìœë”œ © ëš%œœœëê „°ì ìf%ìf

í'ë!,,

ì,,æëª...

bgcolor1 ë°°ê²½ gradient ì²«ë²^ì§, ìf%òìf

bgcolor2 ë°°ê²½ gradient ì~ ë'ë²^ìž¬ ìf%òìf

buttoncolor ë²,,íš¼ ìf%òìf

buttonovercolor ë²,,íš¼ì~ Hover ìf%òìf

slidercolor1 ë§%öë€ê,° gradient ì²«ë²^ìž¬ ìf%òìf

slidercolor2 ë§%öë€ê,° gradient ì~ ë'ë²^ìž¬ ìf%òìf

sliderovercolor ë§%öë€ê,°ì~ Hover ìf%òìf

textcolor í...ìšæíš, ìf%òìf

bgcolor ë°°ê²½ ìf%òìf

byteslimit MP3 ìšæíš,ë!¬ë°ì~ ê²½ìš°, ìšæíš,ë!¼ì€ ì~æë²,,ëìœë"œë¥¼ ë°©ì§€í•~ê,° ìœ,,í•~ì¬¬ bytes limit ì¬ì,,œ ìž¬ì<œìž'í• ê²fiž...ë<^ë<æ.

Unable to load the jQuery Sortable Tables feature.

## src ë§æê°œë³€ì^~ì~ ì~^ì œ (jQuery Media)

It has been enhanced in [Tiki6](#) with [jQuery#Media], so that more media formats are supported once you use the param "url" in the plugin helper ("src" in the code), including pdf among others. The value in the src parameter must end with a file extension

Example:

```
{mediaplayer src="http://www.gnu.org/philosophy/fsfs/rms-essays.pdf", width=100%, height=600}
```

would produce:

## Other Examples

### FLV

This code:

```
{mediaplayer flv="http://flv-player.net/medias/KyodaiNoGilga.flv"}
```

would produce:

## File gallery file in a blog post

An example for a successful use of the maxi Mediaplayer in a blog post looks like this (only caveat is to have access rights for the relevant user group by setting tiki\_p\_download\_files to yes - sometimes, a restart of the browser seems to be necessary to make those rights work...)

---

```
{mediaplayer  
mp3="http://example.com/tiki-download_file.php?fileId=1&showstop=1&showinfo=1&showvolume=1", style="maxi"}
```

## PDF file in a file gallery

This also works for a pdf file in a file gallery beginning in version 10:

---

```
{mediaplayer src="tiki-download_file.php?fileId=7&display=y" type="pdf" }
```

And it displays the PDF file with the ID 7.

## Related Pages

See these pages for information that applies for all modules:

- [Module](#) — Overall introduction and overview
- [Module Admin](#) — Introduction to the module admin pages for site-wide and individual module settings
  - [Assigning Modules](#) — How to select a module to configure it
  - [Module Settings Interface](#) — Interface for configuring individual module settings
  - [Module Settings Parameters](#) — Explanation of standard parameter settings for modules
  - [Creating Custom Modules](#) — How to create user modules
- [Index of Modules](#) — Links to the documentation of individual modules
- [User Modules](#) — How (if the feature is active) users can choose and place their modules
- [Mods Type Modules](#) — Links to modules that are installed as components
- [PluginBlipTV](#)
- [PluginVimeo](#)
- [PluginWatershed](#)
- [PluginYouTube](#)