

# Overview of Cookies Used in Tiki

List of cookies and consent requirements

Here is the list of cookies along with whether they require user consent and their duration:

"**Duration: default**" means that it is a session cookie, and it will expire once the session ends.

## 1. 1 **comments.php**

The cookies are set twice without consent.

**Duration: default**

## 1. 2 **tiki-discount.php**

The cookies are set once without consent.

**Duration: default**

## 1. 3 **tiki-login.php**

The cookies are set once without consent.

**Duration: defined in \$prefs'remembertime'**

## 1. 4 **tiki-setup\_base.php**

The cookies are set twice without consent.

**Duration 1:** 1 year\_\_

**Duration 2:** defined in \$prefs'remembertime'\_\_

## 1. 5 **tiki-setup.php**

The cookies are set once, require consent, and get deleted as per the user's preference.

## 1. 6 **lib/tiki-js.js**

The script creates a custom `setCookie` function with the following features:

- Checks if the cookie already exists to avoid duplication.
- Handles expiration by defaulting to one year or session cookies.
- Integrates consent management by using an alternative storage mechanism (`tiki-cookie-jar.php`) when cookies are not allowed. If the alternative fails, it falls back to setting cookies in the browser directly.

In this file, the cookies are set once without consent.

**Duration: default**

## 1. 7 **lib/tikiaccesslib.php**

The cookies are set once.

**Duration: default** (likely does not require explicit consent as it is used for essential security purposes, e.g., CSRF protection).

## 1. 8 **lib/tikilib.php**

The cookies are set once without consent.

**Duration: 300 days**

## 1. 9 **lib/userslib.php**

This code deletes an existing cookie.

1. 10 - **lib/banners/bannerlib.php**

The cookies are set once without consent.

**Duration:** 90 days (or until a specified date).

1. 11 **lib/ckeditor\_tiki/tiki-ckeditor.js**

The cookies are set three times without consent.

**Duration:** default

1. 12 **lib/comments/commentslib.js**

The cookies are set three times without consent.

**Duration:** default

1. 13 **lib/jquery\_tiki/tiki-admin.js**

The cookies are set once without consent.

**Duration:** default

1. 14 **lib/jquery\_tiki/tiki-connect.js**

The cookies are set once without consent.

**Duration:** default

1. 15 **lib/jquery\_tiki/tiki-jquery.js**

The cookies are set eight times without consent.

**Duration:** default

1. 16 **lib/setup/cookies.php**

The script sets cookies via `setcookie()` or stores them in `$_SESSION'tiki_cookie_jar'`.

When cookies are disabled without requesting explicit consent, the cookie duration is defined by the `$expire` parameter, defaulting to a session cookie if not specified.

1. 17 **lib/setup/javascript.php**

The script sets cookies five times, does not request consent.

**Duration:** default

1. 18 **lib/smarty\_tiki/BlockHandler/Tabset.php**

The script sets the cookie once, does not request consent.

**Duration:** default

1. 19 **lib/soap/soaplib.php**

The script sets cookies multiple times depending on the `$this->cookies` array, with the `allowCookies` variable suggesting that user consent is respected.

**Duration:** default

1. 20 **lib/soap/nusoap/nusoap.php**

The script sets cookies multiple times via the `setCookie()` method, likely without explicit consent management within the method itself.

The cookies' duration is unspecified, defaulting to session cookies.

1. 21 **lib/tikihelp/menu/ftiens4.js**

The script sets the cookie nine times, does not request consent.

**Duration: default**

1. 22 **templates/remarksbox.tpl**

The cookies are set once without consent.

**Duration: default**

1. 23 **templates/tiki-editpage.tpl**

The cookies are set once without consent.

**Duration: default**

1. 24 **templates/tiki-preview.tpl**

The script sets cookies three times, does not request consent.

**Duration: default**

1. 25 **templates/tiki-view\_forum.tpl**

The script sets cookies twice, does not request consent.

**Duration: default**

1. 26 **tiki\_tests/tiki-tests\_record.php**

The script sets cookies twice, does not request consent.

The cookies are session cookies (expire when the browser is closed).

**Duration: default**

1. 27 **tiki\_tests/tikitestslib.php**

The script sets cookies two times (to delete them by setting an expiration time in the past), does not request consent.

The cookies are set to expire immediately (`time() - 3600`).