

# Plugin Dialog

Introduced with [Tiki8](#)

Use this [wiki plugin](#) to create a custom pop-up dialog box using jQuery UI.

## Parameters

Create a custom popup dialog box

Introduced in Tiki 8. Required parameters are in **bold**.

[Go to the source code](#)

Preferences required: `wikiplugin_dialog`

Parameters	Accepted Values	Description	Default	Since
(body of plugin)		Array		
<b>buttons</b>	text	Use comma-separated values for multiple buttons		8.0
<b>size</b>	sm md lg xl fullscreen	Size of the modal dialog. Default is medium	md	28.0
<b>wiki</b>	pagename	Wiki page to use as dialog body		8.0
<b>buttonsActions</b>	text	JavaScript to perform on button click. Use comma-separated values for multiple buttons		28.0
<b>buttonsClassNames</b>	text	Css class names to apply to the buttons. Use comma-separated values for multiple buttons.		28.0
<b>title</b>	text			8.0
<b>actions</b>	text	JavaScript to perform on button click. Use comma-separated values for multiple buttons		8.0
<b>id</b>	text	Allowing to control the modal via JS. Automatically generated if left empty in the form (it has to be unique)		8.0
<b>openAction</b>	rawhtml_unsafe	JavaScript callback function to execute when dialog opens.		8.0

<code>staticBackdrop</code>	y n	If true, the modal will not close when clicking outside of the modal	n	28.0
<code>autoOpen</code>	(blank) y n	Open the modal automatically	n	8.0
<code>showAnim</code>	y n	Allow the modal to open with a fade in effect	y	8.0
<code>showCloseIcon</code>	y n	Show a close icon in the header of the modal	y	28.0
<code>useWikiContent</code>	y n	Use wiki page content as the dialog body	n	28.0

## Example

*This code will cause a pop-up dialog box to appear when this page is loaded:*

### Plugin

```
{DIALOG(title="World hello Dialog!" buttons="Foo,Bar" actions="alert(\"foo clicked\"),alert(\"you cancelled\")" showAnim="blind" hideAnim="explode" autoOpen="y" modal="y" wiki="plugin dialog test body" openAction="testDialog(this);")}Hello World{DIALOG}
```

World hello Dialog!

Foo  
Bar

# Example with smarty template

The following code will cause a popup dialog window.

Put this in at the end of your template file:

```
sample.tpl
```

```
{wikiplugin _name="DIALOG" autoOpen="n" id="wpdialog_bobshop_shipping" title="Shipping Costs" modal="y" wiki="bobshop_shipping"}/{/wikiplugin}
```

Don't forget the underscore "\_" before the parameter "\_name".

Place this code in your template file at the place you want:

```
sample.tpl
```

```
<p onClick='javascript:$( "#wpdialog_bobshop_shipping" ).dialog( "open" );'>Shipping</p>
```

In this example there must be a wikipage called "bobshop\_shipping". Feel free to create it.

## More info for params "hideAnim" and "showAdnim"

More option for the show and hide animations can be found [here](#).

## Related pages

- [Jquery Dialog docs](#)

## Aliases

[Plugin Dialog](#) | [Dialog](#)