

## Plugin Fade

Use this [wiki plugin](#), introduced with [Tiki3](#), to create a link that shows/hides initially hidden content using a fade-in/fade-out effect. In [Tiki16](#) a new parameter `bootstrap` ('y' or 'n') was added, to generate bootstrap collapsible box instead of the previous html code.

## Parameters

Create a link that shows/hides initially hidden content

*Introduced in Tiki 3. Required parameters are in **bold**.*

[Go to the source code](#)

*Preferences required:* `wikiplugin_fade`

Parameters	Accepted Values	Description	Default	Since
(body of plugin)		Content of the hideable zone (in Wiki syntax)		
<b>label</b>	text	Label for link that shows and hides the content when clicked	Unspecified label	3.0
<code>class</code>	text	Apply custom CSS class.		16.0
<code>icon</code>	(blank) y n	Arrow icon showing that content can be hidden or shown.		7.0
<code>bootstrap</code>	(blank) y n	Use Bootstrap collapsible box	n	16.0
<code>hide_speed</code>		Speed of animation in milliseconds when hiding content ( <code>200</code> is fast and <code>600</code> is slow. <code>1000</code> equals 1 second).	400	7.0
<code>show_speed</code>		Speed of animation in milliseconds when showing content ( <code>200</code> is fast and <code>600</code> is slow. <code>1000</code> equals 1 second).	400	7.0

## Examples

### Basic

*This code:*

```
{FADE(label="Label to display on first display", bootstrap="y")} Wiki syntax containing the text to display. This text can be very long and can contain wiki syntax, images, etc. {FADE}
```

*Would produce:*

Label to display on first display ▼

Wiki syntax containing the text to display. This text can be very long and can contain wiki syntax, images, etc.

### With Icon and Speed Parameters Set

*This code:*

```
{FADE(label="Click me!" icon="y" show_speed="900" hide_speed="fast" bootstrap="y")} This is my favorite hat: {img attId=39} {FADE}
```

*Would produce on this site:*

Click me! ▼

This is my favorite hat:



## Related pages

- [PluginMouseover](#)