

Plugin IncludeTpl

Introduced in [Tiki15](#)

Use this [wiki plugin](#) to include a template file in a page

Table of contents

- [Plugin IncludeTpl](#)
 - [Parameters](#)
 - [Examples](#)
 - [Example 1](#)
 - [Example 2 with a Wiki Page Template](#)
 - [Related pages](#)
 - [Aliases](#)

Parameters

Include a Smarty template (.tpl) file in a page

Introduced in Tiki 15.

[Go to the source code](#)

Parameters	Accepted Values	Description	Default	Since
<code>filename</code>	text	If you need to include Smarty template files.		15.0
<code>values</code>	text	Values to be passed to tpl file, for example <code>values=var1:val1&var2:val2</code> , which can then be accessed in the Smarty template file as <code>{\$values.var1}</code> and <code>{\$values.var2}</code>		15.0

Examples

Example 1

This code:

```
{includetpl filename="credits.tpl" values="var1:foo&var2:wohoo"}
```

Would produce on this site:

Theme: Fivealive-lite/Kiwi

If you use in your tpl the variables var1 and var2 (as in this example), they would get their values set in the corresponding plugin parameters above (foo and wohoo, correspondingly).

To use those values in a template you would use `[$values.var1]` and `[$values.var2]` in your Smarty code.

Example 2 with a Wiki Page Template

You can also use a Smarty template in a wiki page like this:

```
{includetpl filename="tplwiki:Tpl Page Name" values="var1:foo&var2:wohoo"}
```

Make sure you give your page `tiki_p_use_as_template` permissions and make it only editable by trusted users.

Related pages

- [PluginInclude](#)

Aliases

[Plugin IncludeTpl](#) | [Plugin Include Tpl](#)