

## Plugin Jabber

Use this [wiki plugin](#) to chat using [Jabber](#). The plugin runs a Java applet that connects to a local (same machine as the webserver running Tiki) Jabber service, which is an open protocol for chat, using the Extensible Messaging and Presence Protocol (XMPP), which is an open, XML-based protocol for near-real-time, extensible instant messaging (IM) and presence information (a.k.a. buddy lists).

## Requirements

- A Jabber server on your web host (same PC)
- JAVA enabled browsers

You can only use this plugin to connect to a jabber server that is running on the same server as the http server for tiki. This is a constraint of the applet for security reasons.

## Installation

To make this plugin work:

1. get the JabberApplet from here: <http://jabberapplet.sf.net>
  - Direct link: <http://jabberapplet.sourceforge.net/JabberApplet.jar> (2002-11-15)
2. put it in a directory called jabber under \$TIKI\_BASE/lib, the path must resolve to: lib/jabber/JabberApplet.jar
3. make sure your **local** jabber server is started and you know it's name
4. substitute the name of your local jabber server for 'jabber.org' in the example above and put it into a wiki page.

## Parameters

Tiki Doc From Code error: jabberplugin not found

## Example

## Basic syntax

```
{jabber height="200" width="200" xmlhostname="jabber.org" defaultColor="255,255,255"}
```

## Related pages

- <http://jabber.org>
- <http://jabberapplet.sourceforge.net>