

Plugin Member Payment

New in *Tiki5*

Use this [wiki plugin](#) for users to make payments to extend the length of their membership to a group.

Requirements

- The [group](#) must have a membership expiry > 0 days
- [Payment](#) feature must be enabled and configured

Parameters

Receive payment from a member to extend membership to a group

Introduced in Tiki 5. Required parameters are in **bold**.

[Go to the source code](#)

Preferences required: `wikiplugin_memberpayment`, `payment_feature`

Parameters	Accepted Values	Description	Default	Since
price	text	Price per period (USD).		5.0
group	groupname	Name of the group for which the subscription should be added or extended.		5.0

<code>freeperiods</code>	int	Give specified numbers of free periods, the first one could be prorated, in addition to those bought	0	9.0
<code>howtitle</code>	text	Add a title to the payment form when initially shown after clicking "Continue". Use %0 for the group name, %1 for the price, %2 for the currency, %4 for the number of days and %5 for the number of years. Supports wiki syntax	Membership to %0 for %1 (x%2)	6.0
<code>inputtitle</code>	text	Title of the initial input form. Use %0 for the group name, %1 for the price, %2 for the currency, %4 for the number of days and %5 for the number of years. Supports wiki syntax.	Membership to %0 for %1 (x%2)	6.0
<code>periodslabel</code>	text	Customize the label for the periods input. No effect if Hide Period is set to Yes (y).	Number of periods:	9.1
<code>paytitle</code>	text	Title of the payment form after the initial showing. Use %0 for the group name, %1 for the price, %2 for the currency, %4 for the number of days and %5 for the number of years. Supports wiki syntax	Membership to %0 for %1 (x%2)	11.0
<code>currentuser</code>	(blank) y n	Membership only for the current user	n	6.0
<code>preventdoublerequest</code>	(blank) y n	Prevent user from extended if there is already a pending request	n	8.0
<code>returnurl</code>	url	Page that payment service returns to after processing.		11.0
<code>hideperiod</code>	(blank) y n	Do not allow user to set period - use default of 1.	n	11.0

<code>inputtitleonly</code>	(blank) y n	Select Yes (y) to just show the title of the input form and not the period and cost information. Input Title must be set as well.	n	11.0
<code>howtitleonly</code>	(blank) y n	Select Yes (y) to just show the title of the payment form. Initial Payment Form Title must be set as well.	n	11.0
<code>paytitleonly</code>	(blank) y n	Select Yes (y) to just show the title of the payment form that shows after the initial viewing. Subsequent Payment Form Title must be set as well.	n	11.0

Example

This code:

```
{memberpayment group="association" price="50"}
```

Would produce:


Membership to association for 365 days at 50 USD

Users: (separated by |)

Periods:


Clicking on the continue button:

Takes the user to a screen where the payment can be made. Here's an example with Paypal used as the payment method (set in the [Payment](#) admin panel):



Manually completing payment information:

An admin will be able to fill in the payment information in case of a 'manual' payment. Here's an example of what the admin would see fro an unpaid payment:



Related pages

- [Payment](#)
- [Shopping Cart](#)
- [PluginAdjustInventory](#)
- [PluginExtendCartHold](#)
- [PluginPayment](#)
- [PluginShopperInfo](#)
- [PluginGroupExpiry](#)
- [PluginMemberlist](#)
- [PluginGroup](#)

Aliases

- [Membership](#)
- [Members](#)