

Plugin Module

Use this [wiki plugin](#) to display [Modules](#) in a page, column or other module zone.

Parameters

Display a module

*Introduced in Tiki 1. Required parameters are in **bold**.*

[Go to the source code](#)

Preferences required: `wikiplugin_module`

Parameters	Accepted Values	Description	Default	Since
module	. (cont.) (cont'd) (cont'd)	Module name as known in Tiki		1
title	text	Title to display at the top of the box, assuming No Title is not set to Yes (y).		1
contributor	alpha	Module only available based on the relationship of the user with the wiki page. Either only contributors (%0y%1) or only non-contributors (%0n%1) will see the module.		9.0
creator	alpha	Module only available based on the relationship of the user with the wiki page. Either only creators (y) or only non-creators (n) will see the module.		9.0
device	<i>separator:</i> ;	On which device the module must be displayed, by default it is displayed on all devices.		24
max	digits	Number of rows (default: 10)	10	1
notitle	(blank) y n	Select Yes (y) to hide the title (default is to show the title)		3.0
bgcolor	text	Override the background color for the title (if the title is shown). The value can be a color name (ex: <code>bgcolor="blue"</code>) or a hexadecimal value (ex: <code>bgcolor="#FFEBCD"</code>)		9.0

<code>decoration</code>	(blank) 1 0	Show module title (heading) background, etc. (default is to show them)	1
<code>category</code>	alnum <i>separator: ;</i>	Module displayed depending on category. Multiple category ids or names can be separated by semi-colons.	9.0
<code>class</code>		Custom CSS class.	9.0
<code>topclass</code>		Custom CSS class of div around the module.	9.0
<code>flip</code>	(blank) 1 0	Add ability to show/hide the content of the module (default is the site admin setting for modules)	1
<code>float</code>	(blank) nofloat left right	Align the module to the left or right on the page allowing other elements to align against it	1
<code>lang</code>	lang <i>separator: ;</i>	Module only applicable for the specified languages. Languages are defined as two character language codes. Multiple values can be separated by semi-colons.	9.0
<code>module_style</code>		Inline CSS for the containing div element, for example, <code>max-width:80%</code>	9.0
<code>nobox</code>	(blank) y n	y n Show only the content with no title or borders, etc. around the content.	9.0
<code>nocategory</code>	alnum <i>separator: ;</i>	Module hidden depending on category. Multiple category ids or names can be separated by semi-colons. This takes precedence over the category parameter above.	9.0
<code>nopage</code>	pagename <i>separator: ;</i>	Module not applicable on the specified page names. Multiple values can be separated by semi-colons.	9.0
<code>page</code>	pagename <i>separator: ;</i>	Module only applicable on the specified page names. Multiple values can be separated by semi-colons.	9.0
<code>np</code>	(blank) 0 1	Parse wiki syntax. Default: No	1 1

<code>perspective</code>	digits <i>separator: ;</i>	Only display the module if in one of the listed perspective IDs. Semi-colon separated.	9.0
<code>section</code>	text <i>separator: ;</i>	Module only applicable for the specified sections. Multiple values can be separated by semi-colons.	9.0
<code>style</code>		CSS styling for the module data itself.	9.0
<code>theme</code>	themename <i>separator: ;</i>	Module enabled or disabled depending on the theme file name (e.g. <code>thenews.css</code>). Specified themes can be either included or excluded. Theme names prefixed by <code>!</code> are in the exclusion list. Multiple values can be separated by semi-colons.	9.0

Examples

Basic syntax

This code:

```
{module module="wiki_last_comments"}
```

Would produce on this site:

Last wiki comments

1. **Inline comments:** [Here is a comment about targeted comments](#)
2. **User Preferences:** [feature_userPreferences must be enabled](#)
3. **Mail notifications:** [Setting 'ÃfÆ'Ã,ÃçÃfÃçÃçâ€šÃ– ÃfÃçÃçâ€šÃ–Ãçâ€žÃç Mail Notifications?](#)
4. **Move Tiki to a new server:** [Slightly different](#)
5. **Roles:** [How to activate Roles?](#)
6. **Pretty Tracker:** [This is exactly what I needed](#)
7. **Web Monetization:** [Most popular](#)
8. **PluginSlideshowSlide:** [Any wiki syntax](#)
9. **PluginSlideshowSlide:** [body of plugin](#)
10. **Web Monetization:** [Missing info](#)

Displaying a module in a Template (.tpl)

You can place a module anywhere (header, footer) using the following syntax in a `.tpl` file:

```
{module module="wiki_last_comments"}
```

Older version of Tiki can revert to embedding wiki syntax:

```
{wiki}{literal}{module module="wiki_last_comments"}{/literal}{/wiki}
```