
Plugin Slide Show

This Tiki feature allows users to use the content of a Wiki Page to create a slideshow (presentation). Introduced in Tiki7 and improved later, the feature was Revamped in Tiki19 and a complementary plugin, the SlideShowSlide plugin was added to allow fine tuning per slide.

Plugin Slideshow is an existing Tiki Plugin to create a slideshow of a page. The Plugin was updated in the Tiki 19.0 and now has moved on to use Reveal.js. The PluginSlideShow is now more powerful than ever before. It has better transitions and control over individual slides.

Admin Settings

Go to Admin Control Panels and search for "Slideshow" and enable the Slideshow features mentioning Reveal.js the updated Slideshow component.



Click to expand

Parameters

Create a slideshow from the content of a wiki page Introduced in Tiki 7. Go to the source code Preferences required: wikiplugin_slideshow, feature_slideshow

Parameters	Accepted Values	Description	Default	Since
parallaxBackgroundHorizontal		Number of pixels to move the parallax background per slide, Calculated automatically unless specified. Set to 0 to disable movement along an axis		19.0

parallaxBackgroundSize		syntax, e.g. "2100px 900px" - currently only pixels are supported (don't use % or auto)		19.0
parallaxBackgroundVertical				19.0
autoSlide	digits	Number of milliseconds between automatically proceeding to the next slide, disabled when set to 0, this value can be overwritten by using a data-autoslide attribute on your slides	0	19.0
autoSlideStoppable	y n	Stop auto-sliding after user input	у	19.0
alignImage	n y	Automatically move images to left hand side of slide text, will only align images greater than 200px in width	n	19.0
backgroundTransition	none fade slide convex concave zoom	Transition style for full page slide backgrounds	fade	19.0
controls	y n	Display presentation control arrows	у	19.0
controlsBackArrows	faded hidden visible	Visibility rule for backwards navigation arrows; "faded", "hidden" or "visible"	faded	19.0
controlsLayout	bottom-right edges	Determines where controls appear, "edges" or "bottom-right"	bottom-right	19.0
fragmentClass	grow shrink fade-out fade-up current-visible		grow	19.0
fragmentHighlightColor	none red green blue		blue	19.0
fragments	y n	Turns fragments on and off globally	у	19.0
parallaxBackgroundImage		URL of the background image to use in your slideshow, overrides backgroundcolor		19.0
progress	y n	Display a presentation progress bar	у	19.0

slideNumber	y n	Display the page number of the current slide	n	19.0
theme	black blood beige league moon night serif simple sky solarized	The theme you want to use for the slideshow, default will be what you choose from the admin panel under Look and Feel for jQuery UI	black	19.0
headingLevelSlideSeparator	1 2 3 4 5 6	Allows you to specify the heading levels to use to trigger a new slide (Included between h1 and h6)	3	26.0
transition	zoom fade slide convex concave (blank)	Transition style	zoom	19.0
transitionSpeed	default fast slow	Transition Speed		19.0

Tiki Page to a Slideshow

The Plugin Slideshow converts a Tiki page to a slide show , every H1, H2, and H3 tag starts a new slide.


First, you must create a new Wiki page and save it. You can name it as you wish.

See Wiki and Using Wiki Pages for more information about wiki pages.

After creating the page, add the sections to it, each section must start with either an H1, H2 or H3 tag since each H1, H2 or H3 tag is the beginning of a new slide.

This is an example of a page with four H1 tags, each of which is a slide, the overview and code of which are shown below.

Overview



Click to expand

Code

! Email and Calendar The Universal Communication Tool

- Calendar
- Newsletter
- Webmail
- Address Book
- IMAP / CardDAV / CalDAV
- Notifications of Changes
- Anti-Spam
- Filters

OS and Network

The Underlying Infrastructure

- Router / Gateway / Firewall / VPN
- Virtualization (Any Client OS)
- Unified Index / Search
- Server / Network
- Desktop / Mobile
- Natural Language Processing (NLP)
- Federated Search

Commerce

Sell Memberships, Products or Services

- Customer / Membership Management (CRM)
- Shopping Cart / Payment
- Sales Force Management
- Advertising / Social Networks
- Event Management
- Digital Signage
- Accounting (Alpha)

Web and Intranet

Your Public and Private Web Content

- Website / CMS / Blog
- Wiki / Knowledge Base / Book
- Enterprise Social Networking
- Customer Support / Issue Tracker
- Web Framework / Workflows
- E-Learning / Quizzes
- Video Management
- Forums

 \sim

Now it is time to transform the content of the page into SlideShow.

In edit mode, click on the **help** icon, when the window appears, click on the **Plugin help** tab then use the filter to find the **Slideshow** more quickly and click on it.

Edit Help ×
Syntax Help Plugin Help No Tabs
Plugins
Note that plugin arguments can be enclosed with double quotes ("); this allows them to contain , or = or >. More help here $\ref{eq:contact}$
Activate/deactivate plugins
Filter: slideshow X
 Files files ? List files by ID, gallery or category, or show a slideshow of image files. Slideshow slideshow ? Create a slideshow from the content of a wiki page
🖵 SlideshowSlide slideshowslide 💡
Advance plugin to add slide in slideshow with different background colors, background video, transition and other settings.

Click to expand


By clicking on the **Slideshow** icon, a window will appear.

At this step, customize the presentation of the **Slideshow** by changing the values of parameters such as **Theme**, **Transition**,

	Slideshow 💡	\$	×					
	Theme	Black: Black background, white text, blue links The theme you want to use for the slideshow, default will be what you choose from the admin panel under Look and Feel for jQuery UI						
	Parallax Background Image	URL of the background image to use in your slideshow, overrides backgroundcolor,						
	Parallax Background Size	syntax, e.g. "2100px 900px" - currently only pixels are supported (don't use % or auto)						
	Parallax Background Horizontal	Number of pixels to move the parallax background per silde, Calculated automatically unless specified. Set to 0 to disable movement along an axis						
	Parallax Background Vertical							
	Transition	Zoom v Transition style						
olz to ox	mand							
ck to ex	фани							
ode wi	ll appear in	the Wiki page, save the page.						
		a hutton Ctort Clidechery Dre			or aliai		ha ahawh	المتاهم والم
ter savi	ng the page	, a button Start Slideshow Pre	sentation w	rill appe	ar, clic	k on it †	to start	the slide
er savi	ng the page	a button Start Slideshow Pre	sentation w	ill appe	ar, clic	k on it i	to start ⁻	the slide
	ng the page	a button Start Slideshow Pre	sentation w	ill appe	ar, clic	k on it †	to start	the slide
	ng the page	, a button Start Slideshow Pre	sentation w	'ill appe	ar, clic	k on it †	to start ⁻	the slide
1	ng the page	, a button Start Slideshow Pre	sentation w	'ill appe	ar, clic	k on it †	to start [.]	the slide
1		, a button Start Slideshow Pre	sentation w	ill appe	ar, clic	k on it †	to start ⁻	the slide
Start Slide	eshow Presentation	\triangleright	sentation w	ill appe	ar, clic	k on it t	to start ·	the slide
Start Slide		\triangleright	sentation w	ill appe	ar, clic	k on it t	to start [.]	the slide
Start Slide	eshow Presentation	\triangleright	sentation w	rill appe	ar, clic	k on it t	to start ⁻	the slide
Start Slide	eshow Presentation	\triangleright	sentation w	rill appe	ar, clic	k on it i	to start ⁻	the slide
Start Slide	eshow Presentation	\triangleright	sentation w	ill appe	ar, clic	k on it i	to start ⁻	the slide
Start Slide	eshow Presentation	\triangleright	sentation w	ill appe	ar, clic	k on it †	to start ⁻	the slide
Start Slide	eshow Presentation	\triangleright	sentation w	ill appe	ar, clic	k on it †	to start ⁻	the slide
Start Slide	eshow Presentation	\triangleright	sentation w	ill appe	ar, clici	k on it †	to start ⁻	the slide
Start Slide	eshow Presentation	\triangleright	sentation w	ill appe	ar, clic	k on it †	to start ⁻	the slide
Start Slide	eshow Presentation	\triangleright	sentation w	ill appe	ar, clic	k on it †	to start ⁻	the slide
start slidd	il and Ca	alendar	sentation w	ill appe	ar, clic	k on it †	to start [.]	the slide
Start Silde Ema	eshow Presentation il and Ca	alendar	sentation w	ill appe	ar, clici	k on it †	to start ⁻	the slide
Start Silde Ema The Univers • Calen	eshow Presentation il and Ca sal Communication Te dar	alendar	sentation w	ill appe	ar, clici	k on it †	to start ⁻	the slide
Start Silde Ema The Univers Calen • News	eshow Presentation il and Ca sal Communication Tr dar letter	alendar	sentation w	ill appe	ar, clic	k on it †	to start ⁻	the slide
Start Silde Ema The Univers Calen News Webn	eshow Presentation il and Ca sal Communication Tr dar letter nail	alendar	sentation w	ill appe	ar, clic	k on it †	to start ⁻	the slide
Start Silde Ema The Univers Calen • News • Webr • Addre	eshow Presentation il and Ca sal Communication Tr dar letter nail ess Book	alendar	sentation w	ill appe	ar, clic	k on it †	to start [.]	the slide
Start Slidd Ema The Univers • Calen • News • Weebm • Addra • IMAP	eshow Presentation il and Ca sal Communication Tr dar letter nail ess Book / CardDAV / CalDAV	alendar	sentation w	ill appe	ar, clici	k on it †	to start [.]	the slide
Start Slidd Ema The Univers • Calen • News • Weebm • Addra • IMAP	eshow Presentation il and Ca sal Communication Tr dar letter nail ess Book	alendar	sentation w	ill appe	ar, clici	k on it †	to start ⁻	the slide
Start Silde Ema The Univers Calen News Webr Addr HMAP N Notifi	eshow Presentation il and Ca sal Communication Tr dar letter nail ess Book / CardDAV / CalDAV / cardDAV / CalDAV	alendar	sentation w	ill appe	ar, clici	k on it †	to start ⁻	the slide
Start Silde Ema The Univers Calen News Webr Addrr HMAP N Notifi	eshow Presentation il and Ca sal Communication Tr dar letter nail ess Book / CardDAV / CalDAV / cardDAV / CalDAV	alendar	sentation w	ill appe	ar, clic	k on it †	to start ⁻	the slide
Start Silde Ema The Univers Calen News Webn Addr Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CarDAV / CalDAV / cardDAV / CalDAV readons of Changes spand	alendar	sentation w	ill appe	ar, clic	k on it †	to start ⁻	the slide
Start Silde Ema The Univers Calen News Webn Addr Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CarDAV / CalDAV / cardDAV / CalDAV readons of Changes spand	alendar	sentation w	ill appe	ar, clici	k on it †	to start	the slide
Start Silde Ema The Univers Calen News Webn Addr Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CarDAV / CalDAV / cardDAV / CalDAV readons of Changes spand	alendar	sentation w	till appe	ar, clici	k on it †	to start	the slide
Start Silde Ema The Univers Calen News Webn Addr Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CarDAV / CalDAV / cardDAV / CalDAV readons of Changes spand	alendar	sentation w	ill appe	ar, clici	k on it †	to start ⁻	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CarDAV / CalDAV / cardDAV / CalDAV readons of Changes spand	boo l	sentation w	till appe	ar, clic	k on it †	to start ⁻	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CarDAV / CalDAV / cardDAV / CalDAV readons of Changes spand	alendar	sentation w	ill appe	ar, clic	k on it i	to start ⁻	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CarDAV / CalDAV / cardDAV / CalDAV readons of Changes spand	boo l	sentation w	ill appe	ar, clic	k on it †	to start	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CarDAV / CalDAV / cardDAV / CalDAV readons of Changes spand	boo l	sentation w	ill appe	ar, clic	k on it †	to start	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CarDAV / CalDAV / cardDAV / CalDAV readons of Changes spand	boo l	sentation w	till appe	ar, clici	k on it †	to start	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CarDAV / CalDAV / cardDAV / CalDAV readons of Changes spand	boo l	sentation w	ill appe	ar, clici	k on it †	to start	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CardDAV / CalDAV / cardDAV / CalDAV gpand	boo l	sentation w	ill appe	ar, clici	k on it i	to start ⁻	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CardDAV / CalDAV / cardDAV / CalDAV gpand	boo l	sentation w	ill appe	ar, clici	k on it i	to start ⁻	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CardDAV / CalDAV / cardDAV / CalDAV gpand	boo l	sentation w	ill appe	ar, clici	k on it †	to start	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CardDAV / CalDAV / cardDAV / CalDAV gpand	e of the Slideshow OS AND NETWORK	sentation w	till appe	ar, clici	k on it †	to start	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CardDAV / CalDAV / cardDAV / CalDAV gpand	e of the Slideshow OS AND NETWORK	sentation w	till appe	ar, clici	k on it †	to start	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CardDAV / CalDAV / cardDAV / CalDAV gpand	e of the Slideshow OS AND NETWORK OS AND NETWORK I I I I I I I I	sentation w	till appe	ar, clici	k on it †	to start	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CardDAV / CalDAV / cardDAV / CalDAV gpand	e of the Slideshow OS AND NETWORK OS AND NETWORK Network (Stateway / Firewall / VPN) - Noter / Gateway / Firewall / VPN - Noter / Gat	sentation w	ill appe	ar, clici	k on it i	to start	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CardDAV / CalDAV / cardDAV / CalDAV gpand	e of the Slideshow OS AND NETWORK OS AND NETWORK The Underlying Infrastructure I Router / Gateway / Firewall / VPN Uritualization (Any Client OS) Unified Index / Search	sentation w	ill appe	ar, clici	k on it †	to start	the slide
Start Silde Ema The Univers Calen News Webn Addr HMAP Notifi	eshow Presentation il and Ca sal Communication Te dar letter nail ess Book / CardDAV / CalDAV / cardDAV / CalDAV gpand	e of the Slideshow OS AND NETWORK OS AND NETWORK Network (Stateway / Firewall / VPN) - Noter / Gateway / Firewall / VPN - Noter / Gat	sentation w	till appe	ar, clici	k on it †	to start	the slide

Click to expand

You can then customize it, by changing the $\ensuremath{\textbf{Theme}}$ or the $\ensuremath{\textbf{Transition}}$ as shown in the image below



Slides Thumbnail View


On the desktop you can reach the Slides Thumbnail View by hitting **ESC** on the keyboard. Use arrow keys to choose the slide you want to show.

Nail and Calendar OS and Network Commerce Image: Sel Memberships, Produess or Services Sel Memberships, Produess or Services Image: Sel Memberships, Produess or Services Sel Memberships, Produess or Services Image: Sel Memberships, Produess or Services Sel Memberships, Produess or Services Image: Sel Memberships, Produess or Services Sel Memberships, Produess or Services Image: Sel Memberships, Produess or Services Sel Memberships, Produess or Services Image: Sel Memberships, Produess or Services Sel Memberships, Produess or Services Image: Sel Memberships, Produess or Services Sel Memberships, Produess or Services Image: Sel Memberships, Produess or Services Sel Memberships, Produess or Services Image: Sel Memberships, Produess or Services Sel Memberships, Produess or Services Image: Sel Memberships, Produess or Services Sel Memberships, Produess or Services Image: Sel Memberships, Produess or Services Sel Memberships, Sel Me	Sell Memberships, Products or Services
e Universal Communication Tool The University Present/VPN	\diamond
e Universal Communication Tool The Underlying Interventure	Curiomer / Membership Management (CRM)
Kontre / Gateway / Frewall / VPN	Customer / Membership Management (CRM)
Calendar Child Index (Child Child) Child Index (Saved)	 Customer / Membership Management (CRM)

Change the parameters

You can choose to directly modify the parameters of the Slideshow Plugin. This code:

Will produce:



Click to expand

Custom Backgrounds

Plugin Slideshow enables you setup different types of backgrounds as follows:


- 1. Static background image for all slides
- 2. Different background images for individual slides using Plugin Slide
- 3. Parallax background image
- 4. Video backgrounds

Mobile touch enabled

The slideshow is optimised for smart phones and tablets. It's touch gestures enable you to easily browse the slideshow or jump to a screen.

Go to next or previous slides

Simply drag right or left to move forward or backwards in the slideshow.



Vector Graphics Designed by macrovector / Freepik

View thumbnails of all the slides and choose a slide to browse

Use two fingers zoom in and zoom out gestures to view slide thumbnails or browse a slide you choose.



Tiki Plugin Slideshow Vector Graphics Designed by macrovector / Freepik

Different behaviour for each slide

The slideShow plugin allow a global configuration for the slides behaviour or design (all slide will look and do the same). In case you need to specify options or design element per slide You can use the (PluginSlideshowSlide|SlideShowSlide plugin)).

Related Pages

- PluginSlideshowSlide
- Using Wiki Pages
- Wiki

Use this wiki plugin to configure a Slideshow in Tiki from the content of the wiki page using the headings in it. It extends the existing wiki page slideshow with notes & styles.

1.1. Setup

You need to enable it by means of marking these two checkboxes:

- 1. "Settings > Control Panels > Wiki > Features > Slideshow"
- 2. "Settings > Control Panels> Editing and plugins > Plugins > Slideshow"

1.1.1. Avoid images being resized and relocated

This s5 slideshow engine in Tiki resizes and relocates images automagically by default, in order to allow quickly show content, and a small thumbnail of the image at the upper right corner of the slide.

If you prefer to have the image shown at its original size and position	, you can add the parameter class="fixedSize" to
your img call. Example:	

This code would show the image as a small thumnail in the upper right corner of the slide:

But this code would allow the image to be shown at the original size of 500px and at the same position where this code was written.

code to allow resizing and relocating the image \mathbf{x}

code to keep original size and position $\fbox{}$

1.1.2. Tutorial

See this presentation as example, create with the JQuery S5 Slideshow Feature in Tiki7 in a localhost, and then converted into pdf in a later stage, as seen here: http://ueb.ir.vhebron.net/UseR+2011

1.1.2.1. Source Wiki page

This is the wiki page created in the local tiki site:

♦ ♦ ♦ http://localhost/7xtiki-index.php*page=2011 ☆ ▼ C	۹ 🗟	æ 1
2011 UseR 1		
Web 2.0 for R scripts & workflows: Tiki & PluginR		
Xavier de Pedro, Álex Sánchez (UB, VHIR)- http://ueb.ir.vhebron.net/2011+UseR		
Web 2.0 for R scripts & workflows: Tiki & PluginR -	UseF	2 S
Xavier de Pedro Puente*, Ph.D; Àlex Sánchez Pla, Ph.D.		
Department of Statistics. Faculty of Biology. University of Barcelona (UB). Statistics and Bioinformatics Unit (UEB). Vall d'Hebron Research Institute (VHIR). Catatoria. Spain http://ueb.ir.vhebron.net		
• Calling Covhiz.org		
UNVERSITATO DE BARCELONA B Vall d'Hebron Institut de Recerca		

Identify these 3 areas, since they are specially relevant and take different roles when the page is shown as a slideshow:

(1) Wiki page title

- (2) First section between headings
- (3) Second Section between headings

1.1.2.1.1. Title of the wiki page

In this case, this is "2011 UseR"

1.1.2.1.2. First section between headings

First section between headings of levels 1 to 3 (of level 2 in the case shown at the previous screenshot (created with standard !! syntax).

Limited text is added here since this first heading and its content until the next heading will be used as a footer for the presentation when in slideshow mode.

1.1.2.1.3. Second section between headings

Second section between headings, of second level in this case (created with standard !! syntax). This will be used as the entry point for the presentation.

At this point, you click at the "slideshow" button that will show up in the bottom of the wiki page, which will lead you to an url similar tiki-slideshow.php

1.1.2.2. Second slide used as official presentation of the slideshow



As seen in the previous slideshow, a few areas can be recognized from the source wiki page:

(2) First section between headings

(3) Second Section between headings

1.1.2.2.1. Wiki page title

"2011 UseR" is the text shown in the top bar of the browser (not seen in the previous screenshot)

1.1.2.2.2. First section between headings

Content of the first heading is shown as footer in the slideshow for all slides.

1.1.2.2.3. Second Section between headings

Content of the second heading can be used as a normal presentation of the slideshow. Next headings will be used as indicators of new slides.

Control bar at the bottom

When you pass your mouse over the footer of any slide, a control bar will be shown at the footer instead:



In this bar you will find some buttons and controls that will allow you to manage the play, forward, reverse, etc. of the presentation, plus a few other things:

- (4). Slideshow Theme style
- (5). Notes
- (6). Slide list for quick jumps
- (7). Close the presentation and back to wiki page

(8). (Missing in screenshot). Since Tiki9, there is also an option to generate a PDF from the presentation (if the experimental feature is enabled).

1.1.2.2.4. Slideshow Theme style

You can change the theme style for the presentation (redmond style shown in the previous screenshot).



1.1.2.2.5. Notes

You can show the notes for the slides, that will appear in a spare browser window, so that when used in a multi-monitor environment, they can be shown in the local monitor while the presentation is shown in the public screen.

0:00 8:00 0:15 3 Stopp Ite: Outline Notes: No notes for this slide. Iteration of the slide list for quick jumps Intercent of the slide list, which allows you to click in any of them and jump into it straight away. Image: Interprise of the slide list, which allows you to click in any of them and jump into it straight away. Image: Interprise of the slide list, which allows you to click in any of them and jump into it straight away. Image: Interprise of the slide list, which allows you to click in any of them and jump into it straight away. Image: Interprise of the slide list, which allows you to click in any of them and jump into it straight away. Image: Interprise of the slide sli	http://localh				
0:00 8:00 0:15 3 Stopp If I < I < I < I < I < I < I < I < I < I		ost/7x/tiki-slideshow.php?page=	=2011+UseR		1
Thile: Outline Notes: No notes for this slide. 1.2.2.6. Slide list for quick jumps ou show the slide list, which allows you to click in any of them and jump into it straight away. where the produces: This code (using an RR call): This code (using an RR call): Produces: (RR(width="300", height="300")) for image on disk x<-1:10 y<-x*x*x prof ("home/xavi/tmp/fo" (RR) (RR) (RR)	-		<u> </u>		Status Stopped
Notes: No notes for this slide.		K 🛃 🔺 🔻 🕨 M 📷 (🗩 🛯 🗉 🦻 🗙 🛛 redmond	•	
but show the slide list, which allows you to click in any of them and jump into it straight away.	Notes:	this slide.			
Introviducalhost/7x/tiki-slideshow.php?page= () Coogle Coogl	1.2.2.6. Slide list	t for quick jumps			
Example 1c: "Risky" calls - only after R admin validation This code (using an RR call): Produces: (RR(width="300", height="300")) # A plot with custon [U34] - Web 20 for R scripts & workdow: Tei & Plugin execution pending a x<-1:10	ou show the slic	le list, which allows you to clic	k in any of them and jump into it s	straight away	
Example 1c: "Risky" calls - only after R admin validation This code (using an RR call): Produces: {RR(width="300", height="300")} # A plot with custom Y = A plot with custom Y = A x*x*x png("/home/xavi/tmp/fo plot(x,y) {RR} (BA) (BA) (C3)<			5 5 1	5 5	
Image on disk Image on disk y<-x*x*x	http://loo	calhost/7x/tiki-slideshow.php?page= 🟠 🔻 C 🚺 🚼 🔻 🤇	Google 🔍 🏫 🦗 🔻		
Admin validation This code (using an RR call): Produces: {RR(width="300", height="300")} # A plot with custom for image on disk x<-1:10					
This code (using an RR call): Produces: {RR(width="300", height="300")} # A plot with custom for image on disk x<-1:10 y<-x*X*x produces: X(134) - Web 2.0 for R scripts & workdows: Tak & PluginR (234) - Web 2.0 for R scripts & workdows: Tak & PluginR - UseR 2011 (334) - Ourine (334) - Ourine (334) - Ourine (334) - 3. Web GUIs for R (): simalr conclusions by others* (734) - 4. Our choice (0: "Tak" as base application & framework (334) - 5. Our choice (0: "Tak" as base application & framework (334) - 5. Our choice (0: "Tak" as base application & framework (334) - 5. Our choice (0: "Tak" as base application & framework (334) - 5. Cur choice (0: "Tak" as base application & framework (134) - 5. Sumple 1a - "Helo wordf (Basic R syntax) (1234) - Example 1a - "Helo wordf (Basic R syntax) (1234) - Example 1a - "Helo wordf (Basic R syntax) (1234) - Example 1a - "Helo wordf (Basic R syntax) (1234) - Example 1a - "Helo wordf (Basic R syntax) (1234) - Example 1a - "Helo wordf (Basic R syntax) (1234) - Example 1a - "Risky" calls?	xample 1	.c: "Risky" calls - o	nly after R		
<pre>{RR(width="300", height="300")} # A plot with custom 1 for image on disk x<-1:10 y<-x*x*x pmg("/home/xavi/tmp/fo plot(x,y) {RR}</pre> Plugin execution pending (34) - Outro disc R (): many but (apparently) unreliable (634) - 3. Web GUIs for R (): many but (apparently) unreliable (634) - 5. Our choice (0): TMF as base appleation & framework (834) - 6. Curchoice (0): TMF as base appleation & framework (1034) - 6. Example 1a - Helio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THelio world' (Basic R syntax) (1234) - Example 1a - THElio world' (Basic R syntax) (1234) - Example 1a - THEIO world' (Basic R syntax) (1234) - Example 1a - THEIO world' (Basic R syntax) (1234) - Example 1a - THEIO world' (Basic R syntax) (1234) - Example 1a - THEIO world' (Basic R syntax) (1234) - Example 1a - THEIO world' (Basic R syntax) (1234) - Example 1a - THEIO world' (Basic R syntax) (1234) - Example 1a - THEIO world' (Basic R syntax) (1234) - Example 1a - THEIO world' (Basic R syntax) (1234) - Example 1a - THEIO world' (Basic R syntax) (1234) - Example 1a - THEIO world' (Basic R syntax) (1234) - Example 1a - THEIO world' (Basic R syntax) (1234) - Example 1a - THEIO world' (Basic R syntax) (1234)	dmin vali	dation			
<pre>{RR(width="300", height="300")} # A plot with custom for image on disk x<-1:10 y<.x*x*x png("/home/xavi/tmp/fo plot(x,y) {RR}</pre> Plugin execution pending for scripts & workflows: Tid & PuginR (234) - Web 2.0 for R scripts & workflows: Tid & PuginR - UseR 2011 (334) - Outline (334) - Outline (334) - Outline (334) - Outline (334) - S. Our choice (0): Tid's as base application & framework (334) - S. Our choice (0): Tid's as base application & framework (334) - S. Our choice (0): Tid's as base application & framework (334) - S. Our choice (0): Tid's as base application & framework (334) - S. Our choice (0): Tid's as base application & framework (334) - S. Our choice (0): Tid's as base application & framework (134) - Example 1a - "Helo wordf (Basic R syntax) (1234) - Example 1a - "Helo wordf (Basic R syntax) (1234) - Example 1a - "Risky" calls?					
<pre># A plot with custom for image on disk x<-1:10 y<-x*x*x*x png("/home/xavi/tmp/fo f334) - Outine (334) - Ou</pre>					
x<-1:10	This code (using an <mark>RR</mark> d	call): Produce	is:		
x<-1:10	SPR(width="30	0" beight="300")]	lugin execution pending :		
y<-x*x*x	SPR(width="30	0", height="300")}	lugin execution pending :		
Image: Second	{ RR(width="300 # A plot with for image on (0", height="300")}	lugin execution pending :		
PLOU (x , y) (7/34) - 4. Our choice (i): "Tik" as a base application & framework P {RR} (8/34) - 5. Our choice (i): Tik" as a base application & framework P (9/34) - 6. Sxamples (9/34) - 6. Sxamples U (10/34) - Example 1a. "Hello work" (Basic R syntax) U (12/34) - Example 1c. "Risky" calls? U	{RR(width="300 # A plot with for image on o x<-1:10 y<-x*x*x	0", height="300")} Custom 1 (234) - Web 2.0 for R scripts & workflows: Tiel & (234) - Web 2.0 for R scripts & workflows: Tiel & (334) - Outline (4/34) - 1. Introduction: Our goal	Iugin execution pending a I PlugnR - UseR 2011		
(9/34) - 6. Examples (1/34) -	{RR(width="300 # A plot with for image on o x<-1:10 y<-x*x*x png("/home/xav	0", height="300")} custom 1 (J34) - Web 2.0 for R scripts & workflows: Tid & (234) - Web 2.0 for R scripts & workflows: Tid & (334) - Outline (434) - 1. Introduction: Cur goal vi/tmp/fo (534) - 2. Web GUIs for R (i): many but (appare	Lugin execution pending : L PluginR L PluginR - UseR 2011 E Hough - UseR 2011 E Introduction - UseR 2011		
(10/34) - Example 1a - "Helio world" (Basic R syntax) (11/34) - Example 1b - "Helio world" (Basic R syntax) (12/34) - Example 1c: "Risky" calls?	{RR(width="300 # A plot with for image on o x<-1:10 y<-x*x*x png("/home/xaw plot(x,y)	0", height="300")} ▲ P custom 1 (1/34). Web 2.0 for R scripts & workflows: Tiel & (2/34). Web 2.0 for R scripts & workflows: Tiel & disk (2/34). Web 2.0 for R scripts & workflows: Tiel & (3/34). Outline (4/34). 1. Introduction: Our goal vi/tmp/fo (5/34). 2. Web CUIs for R (0): small conclusion (7/34). 4. Our choice (0): Tiel" as a base applica	Lugin execution pending a L PlugnR - UseR 2011 ently) unreliable is by others* tion & framework		
(12/34) - Evample 1c: "Risky" calls?	{RR(width="300 # A plot with for image on o x<-1:10 y<-x*x*x png("/home/xaw plot(x,y)	0", height="300")} ▲ P custom 1 ★ (1/34) - Web 2.0 for R scripts & workflows: Tiki & disk (2/34) - Web 2.0 for R scripts & workflows: Tiki & (3/34) - Outine (3/34) - Outine vi/tmp/fo (5/34) - 2. Web 20 los for R (0): many but (appare (6/34) - 3. Web GUIs for R (0): similar conclusion (7/34) - 4. Our choice (0): Tikir as a base applica (8/34) - 5. Our choice (ii): Tikir as these applica (8/34) - 5. Our choice (ii): Tikir as these applica	Lugin execution pending a L PlugnR - UseR 2011 ently) unreliable is by others* tion & framework		
	{RR(width="300 # A plot with for image on o x<-1:10 y<-x*x*x png("/home/xaw plot(x,y)	0", height="300")} custom 1 (J34) - Web 2.0 for R scripts & workflows: Tid å (J34) - Web 2.0 for R scripts & workflows: Tid å (334) - Outfine (434) - 1. Intraduction: Cur goal (534) - 2. Web GUIs for R (i): many but (appare (634) - 3. Web GUIs for R (i): similar conclusion (734) - 4. Our choice (i): Tild" as base applica (834) - 6. Examples	Lugin execution pending : LPLiginR 4 PluginR - UseR 2011 = YC ently) unreliable is by others* tion & framework if mod)		
[13/34) - Example 1c: "Risky" calls - only after RR & admin validation	{RR(width="300 # A plot with for image on o x<-1:10 y<-x*x*x png("/home/xaw plot(x,y)	0", height="300")} ▲ P custom 1 ★ (1/34) - Web 2.0 for R scripts & workflows: Tiki & (2/34) - Web 2.0 for R scripts & workflows: Tiki & (3/34) - Outine vi/tmp/fo (5/34) - 2. Web Culs for R (0: many but (appare (4/34) - 1. Introduction: Our goal (5/34) - 2. Web Culs for R (0: many but (appare (6/34) - 3. Web Guls for R (0: similar conclusion (7/34) - 4. Our choice (0: "Tik" as a base applica (8/34) - 5. Our choice (0: "Tik" as a hase applica (9/34) - 5. Cur choice (0: "Tik" as plane (1/34) - 5. Adample 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work" (Basic R sy (11/34) - Example 1a - "Helb work")	Lugin execution pending a L PluginR PPuginR - UseR 2011 a e ently) unreliable is by others* tion & framework I mod) ntax)		
p://localhost/7x/tikiphp?page=2011+UseR#s12	{RR(width="300 # A plot with for image on o x<-1:10 y<-x*x*x png("/home/xaw plot(x,y)	0", height="3000")} ▲ P custom 1 (1/34) - Web 2.0 for R scripts & workflows: The & disk (2/34) - Web 2.0 for R scripts & workflows: The & (2/34) - Web 2.0 for R scripts & workflows: The & (3/34) - Outline vi/tmp/fo (5/34) - 1. Introduction: Our goal (6/34) - 1. Introduction: Our goal (5/34) - 3. Web Clus for R (0): simar boar conclusion (7/34) - 4. Our choice (0): The' as a base applica (8/34) - 5. Our choice (0): The' as a base applica (9/34) - 6. Examples (10/34) - Example 1b - "Hello workf" (Basic R sy (12/34) - Example 1b - "Hello workf" (Basic R sy (12/34) - Example 1b - "Hello workf" (Basic R sy (12/34) - Example 1b - "Hello workf" (Basic R sy (12/34) - Example 1b - "Rello" calls;	Lugin execution pending : L PlugnR PlugnR - UseR 2011 a a p ently) unreliable is by others* tion & framework Imax) ntax) R & admin validation		

1.1.2.2.7. Close the presentation and back to wiki page

You can also close the presentation and return to the wiki page which acted as a source of the presentation.

Related pages

• For more information, see Slideshow

Aliases

Plugin Slideshow