

Plugin Subscribe Group

Introduced with [Tiki 2](#)

If you have allowed users to subscribe themselves to (join) a group, you can use this [wiki plugin](#) to allow them to subscribe/unsubscribe to a specific group. Please see [PluginSubscribeGroups](#) for a similar plugin for subscribing/unsubscribing to more than one group.

Security and permissions

- A user must have the perm `tiki_p_subscribe_group` to be able to see the box
To set this permission go to *Settings > Groups*
- The group must be set as being a **user choice**
To set this configuration go to *Settings > Groups*

Parameters

Allow users to subscribe to a group

Introduced in [Tiki 2](#). Required parameters are in **bold**.

[Go to the source code](#)

Preferences required: `wikiplugin_subscribegroup`

Parameters	Accepted Values	Description	Default	Since
(body of plugin)		text displayed before the button		
group	groupname	Group name to subscribe to or unsubscribe from		2.0
<code>defgroup</code>		Make this the default group text, containing <code>%s</code> as the placeholder for the group name.	OK	9.1
<code>defgroup_action</code>		Default group button label. Will subscribe to the group first if not already a member.	OK	9.1
<code>undefgroup</code>		Stop this being default group text, containing <code>%s</code> as the placeholder for the group name.	OK	9.1
<code>undefgroup_action</code>		Stop this being default group button label. Does not unsubscribe from the group.	OK	9.1

<code>subscribe_action</code>		Subscribe button label, containing %s as the placeholder for the group name.	OK	2.0
<code>subscribe</code>		Subscribe text, containing %s as the placeholder for the group name.	Subscribe%s	2.0
<code>unsubscribe_action</code>		Unsubscribe button label, containing %0 as the placeholder for the group name.	OK	2.0
<code>unsubscribe</code>		Unsubscribe text, containing %s as the placeholder for the group name.	Unsubscribe%s	2.0
<code>postsubscribe_url</code>	url	URL to send the user to after subscribing, if required.		8.0
<code>postunsubscribe_url</code>	url	URL to send the user to after unsubscribing, if required.		8.0
<code>undefgroup_group</code>	groupname	Group name to set as default when user stops this group being it.	Registered	9.1
<code>allowLeaveNonUserChoice</code>	(blank) y n	Always allow leaving a group even if the group settings do not allow user choice.	n	14.0
<code>defgroup_redirect_home</code>	(blank) y n	Redirect to new home page after default group change. (default is to redirect)	y	9.1

Usage notes

- If you use this plugin with the plugin GROUP, be careful that if GROUP is used first, the change will not immediately be shown. GROUP used after SUBSCRIBEGROUP will be fine
- A module with a filter on the group will be affected as soon as the group is changed

Examples

Basic

This code:

```
{subscribegroup group="Editors" subscribe="Subscribe to %s" unsubscribe="Leave %s"
subscribe_action="Name of subscribe submit button" unsubscribe_action="Name of unsubscribe
submit button"}
```

Would produce:

Subscribe to Editors

OK

or this screen

Unsubscribe Editors

OK

Advanced

It is possible to make a link to toggle from subscribed/unsubscribed status to some group called **GroupName** by creating a link to a page which contains this plugin and adding the following parameters:

```
group="GroupName&iSubscribeGroup=1&subscribeGroup=text"
```

Example:

```
http://www.example.com/somepage?group=GroupName&iSubscribeGroup=1&subscribeGroup=text
```

Of course, this works if the user is logged in, and **GroupName** needs the correct spelling and capitalization.

Related pages

- [PluginMemberList](#)

Aliases

- [Plugin SubscribeGroup](#)
- [Plugin Subscribe Group](#)