

Plugin Swiper

Plugin Swiper (introduced in [Tiki19](#)) is used to create a Slider/Swiper in any Tiki page using a wiki-plugin syntax shortcode. You can create multiple types of sliders and can place them in different locations on a page such as above header or inside the content body. It is mobile friendly and works great on handheld devices. Plugin Swiper is based on the [Swiper](#), the most modern OpenSource mobile touch slider.

Please see also [Slider Comparison](#)

1.1. Key Features

- Integrated with Tiki File Galleries
- Responsive & Mobile Touch Enabled
- Multiple Transition Styles
- Full Screen or Define the size of Slider
- Add text on top of slides including HTML and Wiki Syntax
- Multiple Slider Placement Positions on a Page

1.2. Parameters

Embed swiper in content, support file galleries, files id and custom content
Introduced in Tiki 19.


[Go to the source code](#)

Preferences required: wikipugin_swiper

Parameters	Accepted Values	Description	Default	Since
(body of plugin)		Enter custom slides data separated by " ". Wiki Syntax / HTML supported in slide text, to include wiki page in slide text use <code>pluginInclude.title:Slide 1 title;text:HTML/Wiki Syntax Supported Slide 1 text;image:Slide Image URL;bgcolor:#colorcode;color:#color code for text title:Slide 2 title;text:Slide 2 text;image:Slide Image URL;bgcolor:#colorcode</code>		
<code>background</code>		Slider background color, enter color code for example #000		19.0

<code>fileIds</code>	any string except for HTML and PHP tags	List of IDs of images from the File Galleries separated by commas.		
<code>autoPlayDelay</code>	digits	Time interval to pause before moving to next slide in seconds.	5	19.0
<code>fgalId</code>	<i>separator: :</i>	Enter file gallery id for slider		19
<code>height</code>	word	Enter height of slider in px or %, default min height 100px, max height will adjust with content	100px	19.0
<code>slideContentBg</code>	text	Enter a valid CSS color code, or an rgba value if opacity is desired; for example: #000 or rgba(00, 00, 00, 0.5).		19.0
<code>slideContentPostion</code>	text	Enter position for example top:20 or bottom:20	top:20No value assigned	19.0
<code>descriptionColor</code>	text	Enter text color code of slide description, for example #ccc		19.0
<code>titleColor</code>	text	Enter text color code of slide title, for example #ccc		19.0
<code>slidesPerView</code>	digits	Slides visible at the same time on slider's container. Coverflow transition works best with 3 slides per view	1	19.0
<code>width</code>	word	Enter width of slider in px or %, default 100	19.0	
<code>descriptionSize</code>	word	For example 24px, default 16 px	16px	19.0
<code>displayThumbnails</code>	n y	Show thumbnails under main slider	n	19.0
<code>loop</code>	y n	Set to true to enable continuous loop mode (If you use it along with slidesperView: 'auto' then you need to specify loopedslides parameter with amount of slides to loop (duplicate)).	n	19.0
<code>navigation</code>	y n	Display navigation arrows	y	19.0

<code>parallaxBgImg</code>	text	Enter image url for parallax background behind swiper		19.0
<code>sliderPosition</code>	(blank) (blank) abovetopbar undertopbar	Placement of slider, above topbar, below topbar, above menus and content or inside content		19.0
<code>slidesOffsetAfter</code>	digits	Add (in px) additional slide offset in the end of the container (after all slides)	0	19.0
<code>slidesOffsetBefore</code>	digits	Add (in px) additional slide offset in the beginning of the container (before all slides)	0	19.0
<code>slidesPerColumn</code>	digits	Number of slides per column, for multirow layout	1	19.0
<code>slidesPerViewMobile</code>	digits	Slides visible at the same time on small screens	0	19.0
<code>slidesPerViewTab</code>	digits	Slides visible at the same time on low resolution tablets	0	19.0
<code>spaceBetween</code>	digits	Distance between slides in px.	0	19.0
<code>speed</code>	digits	Duration of transition between slides (in milliseconds)	300	19.0
<code>titleSize</code>	word	For example 42px, default 32 px	32px	19.0
<code>effect</code>	slide fade cube coverflow flip	Transition effect. Could be "slide", "fade", "cube", "coverflow" or "flip"	slide	19.0
<code>autoHeight</code>	n y	Set to true and slider wrapper will adapt its height to the height of the currently active slide	n	19.0
<code>autoplay</code>	y n	Autoplay slider, on by default	y	19.0
<code>centeredSlides</code>	n y	If true, then active slide will be centered, not always on the left side.	y	19.0
<code>freeMode</code>	n y	If true then slides will not have fixed positions.	n	19.0

<code>pagination</code>	(blank) n bullets fraction progressbar	Slider pagination, default bullets	bullets	19.0
<code>preloadImages</code>	y n	When enabled Swiper will force to load all images.	y	19.0
<code>slideToClickedSlide</code>	n y	Set to true and click on any slide will produce transition to this slide.	n	19.0
<code>slidesPerColumnFill</code>	column row	Could be 'column' or 'row'. Defines how slides should fill rows, by column or by row	column	19.0
<code>updateOnImagesReady</code>	y n	 When enabled Swiper will be reinitialized after all inner images (tags) are loaded. Required preloadimages: true.	y	19.0

Custom Slide Code Explanation

Enter custom slides data separated by using "|". Wiki Syntax / HTML supported in slide text, to include wiki page in slide text use [PluginInclude](#).

Example Custom Slide Code

```
{SWIPER()} title:Slide 1 title; text:HTML/Wiki Syntax Supported Slide 1 text; image:Slide Image URL; bgcolor:#colorcode; color: #color code for text {SWIPER}
```

Tip

To build an impressive image slide we must resize or choose images of the same size. Images having different sizes and dimensions will not look appropriate in the slider.

1.3. Slider Placement on a Page

Swiper Plugin has the option to choose the placement of the slider at the following three locations

1. In the body (where ever in a page body you place the slider)
2. Above top bar / Top of the page (Above your page logo header)
3. Above content page / under top bar (Above the page body but under the logo header)

1. Examples


Following are some swiper slider examples.

1.1. Basic Slider Images

Following slider is built using Tiki File Galleries file id and a transition effect.



Chat & Video Conferencing





Example Code

```
{swiper fileIds="1472,1471,1470,1469,1468,4467,1466,1465" effect="flip" navigation="y"
displayThumbnails="n" loop="y" autoPlay="y" autoHeight="n" slidesPerColumnFill="column"
centeredSlides="n" slideToClickedSlide="n" freeMode="n" preloadImages="y"
updateOnImagesReady="y"}
```

1.2. Slide with Slide transition & slide thumbnail navigation

Following slide is using the simple slide transition style with thumbnails display turned on.



Custom Landing Pages with Plugin Layout



More
Powerful-Flexible-Secure



< Swiper sliders >



A background image showing silhouettes of people in a meeting. One person is standing and pointing at a whiteboard, while others are seated around a table.

Powerful Presentations

with Reveal.js

tiki 27

A background image of a laptop displaying a website development interface with the text 'WEBSITE DEVELOPMENT' and a bar chart. A pen and glasses are also visible on the desk.

Bootstrap 5

tiki 27

The 'tiki 27' logo is centered on a dark blue background. The word 'tiki' is in white lowercase letters inside a blue diamond shape. The number '27' is in large white uppercase letters. The background features a faint world map and a network of glowing nodes and lines.

tiki 27

Custom Landing Pages with Plugin Layout



More
Powerful-Flexible-Secure



◀ Swiper sliders ▶



Powerful Presentations with Reveal.js

tiki 27

Bootstrap 5

tiki 27

Example Code

```
{swiper fileIds="2063,2068,2064,2066,2067,2065" effect="slide" navigation="y"  
displayThumbnails="y" slidesPerView="1" loop="y" autoPlay="y" autoHeight="y"  
slidesPerColumnFill="column" centeredSlides="n" slideToClickedSlide="n" freeMode="n"  
preloadImages="y" updateOnImagesReady="y"}
```

1.3. Slider with 3D Cube Effect

Slider with file ids and cube transition style


Security




Commerce




BPM & Analytics



Chat & Video Conferencing





Example Code

```
{swiper fileIds="1472,1471,1470,1469,1468,1467,1466,1465" effect="cube" navigation="y"
displayThumbnails="n" loop="y" autoPlay="y" autoHeight="n" slidesPerColumnFill="column"
centeredSlides="n" slideToClickedSlide="n" freeMode="n" preloadImages="y"
updateOnImagesReady="y" width="521px"}
```

Related

- Also see [Slider Comparison](#)