

Shopping Cart Trackers

These tracker definitions (which can be imported) are used for the advanced [Shopping Cart](#) feature.

In order to record orders in trackers, the minimum you need is the Orders and Order Items trackers. There are additional ones that you will need if you are using more features.

These are here for reference. Profile under development.

NOTE: For now, FIELD NAMES cannot be changed. The code depends on it.

NOTE: You will need to change the specifications of the item link and item list fields to match the Tracker IDs on your system.

Orders

[FIELD14] name = Order ID position = 10 type = q options = ,,itemId isMain = y isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = ordersOrderId [FIELD15] name = User position = 20 type = u options = isMain = n isTblVisible = y isSearchable = y isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = ordersUser [FIELD16] name = Time position = 30 type = f options = datetime isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = ordersTime [FIELD17] name = Order Total position = 40 type = b options = 0,10 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = ordersOrderTotal [FIELD18] name = Tiki Payment ID position = 50 type = t options = 0,4 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = ordersTikiPaymentId [FIELD113] name = Gift Certificate ID position = 60 type = t options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = ordersGiftCertificateId [FIELD114] name = Gift Certificate Amount Applied position = 70 type = b options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = ordersGiftCertificateAmountApplied

Order Items

[FIELD19] name = Order Item ID position = 10 type = q options = 1,,,itemId isMain = y isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsOrderItemId [FIELD20] name = Order ID position = 20 type = r options = 4,14,0 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsOrderId [FIELD21] name = Product ID position = 30 type = r options = 3,4,0 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsProductId [FIELD22] name = Price Paid position = 40 type = b options = 0,8 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsPricePaid [FIELD23] name = Amount Bought position = 50 type = n options = 0,4 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsAmountBought [FIELD39] name = Product Type position = 60 type = l options = 3,4,21,3,0 isMain = n isTblVisible = y isSearchable = y isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsProductType [FIELD40] name = User position = 70 type = u options = 1 isMain = n isTblVisible = y isSearchable = y isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsUser [FIELD43] name = Associated Event ID position = 80 type = l options = 3,4,21,9,0 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsAssociatedEventId [FIELD44] name = Product Name position = 90 type = l options = 3,4,21,5,0 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsProductName [FIELD45] name = When Bought position = 100 type = l options = 4,14,20,16,0 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsWhenBought [FIELD49] name = User Info ID position = 110 type = l options = 1,41,40,48,0 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsUserInfoId [FIELD52] name = Real Associated Event ID position = 120 type = t options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsRealAssociatedEventId [FIELD95] name = Associated Product Class ID position = 130 type = l options = 3,4,21,98,0 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsAssociatedProductClassId [FIELD101] name = Exchange - Current Order ID position = 140 type = t options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsExchangeCurrentOrderId [FIELD102] name = Exchange - Desired Product ID position = 150 type = t options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsExchangeDesiredProductId [FIELD103] name = Exchange Expiry position = 160 type = l options = 3,4,21,94 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = orderitemsExchangeExpiry [FIELD158] name = Associated Event Start Date position = 170

type = f options = d isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n
isMandatory = n description = descriptionIsParsed = n permName =
orderitemsAssociatedEventStartDate [FIELD159] name = Associated Event End Date position =
180 type = f options = d isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n
isMandatory = n description = descriptionIsParsed = n permName =
orderitemsAssociatedEventEndDate [FIELD161] name = Associated Tiki Payments ID position =
190 type = l options = 4,14,20,18 isMain = n isTblVisible = y isSearchable = n isPublic = y
isHidden = n isMandatory = n description = descriptionIsParsed = n permName =
orderitemsAssociatedTikiPaymentsId [FIELD216] name = Original Price position = 200 type = b
options = 0,8 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n
isMandatory = n description = descriptionIsParsed = n permName = orderitemsOriginalPrice
[FIELD226] name = Inputed Price From Gift Cert position = 210 type = b options = isMain = n
isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description =
descriptionIsParsed = n permName = orderitemsInputedPriceFromGiftCert [FIELD227] name =
Inputed Price From Bundle position = 220 type = b options = isMain = n isTblVisible = y
isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed
= n permName = orderitemsInputedPriceFromBundle [FIELD228] name = Parent Code position
= 230 type = n options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden =
n isMandatory = n description = descriptionIsParsed = n permName = orderitemsParentCode
[FIELD231] name = Bought By position = 240 type = l options = 4,14,20,15,0 isMain = n
isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description =
descriptionIsParsed = n permName = orderitemsBoughtBy

Product Classes

Needed for product exchanges, collect additional user information when buying certain products, and gift certificates features

[FIELD92] name = Class Name position = 10 type = t options = isMain = y isTblVisible = y
isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed
= n permName = productclassesClassName [FIELD96] name = Product Class ID position = 20
type = q options = ,,itemId isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden
= n isMandatory = n description = descriptionIsParsed = n permName =
productclassesProductClassId [FIELD136] name = Associated Required Form position = 30 type =
k options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n
isMandatory = n description = descriptionIsParsed = n permName =
productclassesAssociatedRequiredForm [FIELD137] name = Required Field IDs position = 40
type = t options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n
isMandatory = n description = Comma-delimited integer field Ids descriptionIsParsed = n
permName = productclassesRequiredFieldIds [FIELD160] name = Skip Required Form if Filled
position = 45 type = d options = Yes,No isMain = n isTblVisible = y isSearchable = n isPublic =
y isHidden = n isMandatory = n description = descriptionIsParsed = n permName =
productclassesSkipRequiredFormIfFilled [FIELD154] name = Email Template ID position = 50
type = t options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n
isMandatory = n description = descriptionIsParsed = n permName =

productclassesEmailTemplateId [FIELD155] name = Associated Postpurchase Form position = 60 type = k options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName =
productclassesAssociatedPostpurchaseForm [FIELD156] name = Postpurchase Field IDs position = 70 type = t options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName =
productclassesPostpurchaseFieldIds

Gift Certificate

This is needed for the Gift Certificates feature

[FIELD105] name = Gift Certificate ID position = 1 type = q options = ,,itemId isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = giftcertificateGiftCertificateId [FIELD106] name = Name position = 5 type = t options = 0,60 isMain = y isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = y description = descriptionIsParsed = n permName = giftcertificateName [FIELD107] name = Type position = 10 type = d options = Cash,Product,Product Class,Product Bundle,Bundle Class isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = y description = descriptionIsParsed = n permName = giftcertificateType [FIELD115] name = Type Reference position = 15 type = t options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = giftcertificateTypeReference [FIELD108] name = Original Balance or Percentage position = 20 type = n options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = y description = descriptionIsParsed = n permName = giftcertificateOriginalBalanceOrPercentage [FIELD109] name = Current Balance or Percentage position = 30 type = n options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = y description = descriptionIsParsed = n permName = giftcertificateCurrentBalanceOrPercentage [FIELD110] name = Origination position = 40 type = d options = Order,Employee isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = giftcertificateOrigination [FIELD112] name = Redeem Code position = 70 type = t options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = giftcertificateRedeemCode [FIELD116] name = Mode position = 80 type = d options = Regular,Percentage,Coupon,Coupon Percentage isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = y description = descriptionIsParsed = n permName = giftcertificateMode [FIELD117] name = One Line Description position = 90 type = t options = 0,60 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = giftcertificateOneLineDescription [FIELD118] name = Admin Notes position = 100 type = a options = 0,50,5 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n permName = giftcertificateAdminNotes [FIELD157] name = Long Description position = 110 type = a options = 0,50,3 isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed = n

permName = giftcertificateLongDescription [FIELD224] name = Gift Certificate Inputed Price
position = 120 type = b options = isMain = n isTblVisible = y isSearchable = n isPublic = y
isHidden = n isMandatory = n description = descriptionIsParsed = n permName =
giftcertificateGiftCertificateInputedPrice [FIELD225] name = Order Item ID position = 130 type
= n options = isMain = n isTblVisible = y isSearchable = n isPublic = y isHidden = n
isMandatory = n description = descriptionIsParsed = n permName = giftcertificateOrderItemId
[FIELD230] name = Order ID position = 140 type = n options = isMain = n isTblVisible = y
isSearchable = n isPublic = y isHidden = n isMandatory = n description = descriptionIsParsed
= n permName = giftcertificateOrderId