Ustream Watershed tab

Overview

Ustream Watershed Webcasting Platform

Related Topics
• reference

Default

To Access

Setting

From the Video page, click the **Ustream Watershed** tab.

Note

This feature has been removed.



Social Networks tab

Description

| Setting | Description | Delauit |
|--------------------------------|---|---------|
| Activate the feature | | |
| Ustream Watershed: | Activate this feature | |
| Log Errors to Tiki log | Capture Ustream Errors to the Tiki log~ | |
| Basic tracker settings | | |
| Tracker ID of Channel tracker: | One tracker is required per Channel, this is where the TrackerId goes | |
| Field ID of BrandId: | The Watershed BrandID should go into the Channel tracker as a text field, enter the FieldID number here | |
| Field ID of ChannelCode: | The Watershed ChannelCode should go into the Channel tracker as a text field, enter the FieldID number here | |
| Archive settings | | |

| Setting | Description | Default |
|---|---|---------|
| Tracker ID of Archive tracker: | A tracker is required to store Archive information | |
| Field ID of videold: | Tracker FieldId number for where the Watershed videoId is stored | |
| Field ID of BrandId for Archive: | Tracker FieldId number for where the Watershed BrandId is stored | |
| Field ID of ChannelCode for Archive: | Tracker FieldId number for where the Watershed ChannelCode is stored | |
| Field ID of rtmpURL for Archive (url field type): | Tracker FieldId number for where the Watershed rtmpURL is stored. Note tracker field type must be a URL | |
| Field ID of fivURL for Archive (url field type): | Tracker FieldId number for where the Watershed fivURL is stored. Note tracker field type must be a URL | |
| Archive settings (optional) | | |
| Field ID of Date string for Archive: | Tracker FieldId number for the text field where the date of recording is stored | |
| Field ID of Duration for Archive: | Tracker FieldId number for the text field where the duration of recording is stored | |
| Field ID of Filesize for Archive: | Tracker FieldId number for the text field where the file size of recording is stored | |
| Field ID of Title for Archive: | Tracker FieldId number for the text field where the title of the recording is stored | |
| Field ID of Description for Archive: | Tracker FieldId number for the textarea field where the description of the recording is stored | |
| Field ID of Tags for Archive: | Tracker FieldId number for the freetags field where freetags of the recording are stored | |
| Flash Media Encoder | | |
| Flash Media Encoder shared secret: | Enter shared secret here, note required only if Flash Media Encoding is used | |
| Log Errors to Tiki log | Capture Ustream Errors to the Tiki log~ | |

Ustream Watershed

Integration to Ustream Watershed live video streaming.

See also: PluginWatershed

https://watershed.ustream.tv/

https://sourceforge.net/p/tikiwiki/code/27711 https://sourceforge.net/p/tikiwiki/code/27708

alias

- Ustream
- Watershed