

Test Page

PluginTabs

This code:

```
{TABS(name="user_tabset_01" tabs="Title 1|Title 2|Title3")}This is the content of the first tab ///// This is the content of the second tab ///// This is the content of the third tab {TABS}
```

Would produce:

This is the content of the first tab

This is the content of the second tab

This is the content of the third tab

When clicking on a tab name, the content of each tab is loaded and shown without refreshing the browser window.

And when clicking on the "**No Tabs**" option, the display would change into:

Tab View

Title 1

This is the content of the first tab

Title 2

This is the content of the second tab

Title3

This is the content of the third tab

Related pages

- [PluginPageTabs](#)

Aliases

[Plugintabs](#) | [Plugintab](#) | [PluginTab](#) | [Plugin Tabs](#) | [Plugin tabs](#)

Bernard test for video

HTML for bootstrap 5.3

It is not possible to add a class in the Wikiplugin (which is another consistency issue between wiki plugins) so it have to be added in the parent div.

Ignore this, just a page for testing.

Test Saturday 12 April, 2025 02:38:09 UTC

I don't ignore pages

Just another testing line...

This will break this page:

The screenshot shows a web application interface titled "Report Builder" with the URL "demo.tiki.org/9x/tiki-edit_report.php". The interface includes several sections:

- Report Type:** Tracker (dropdown)
- Tracker:** Time sheet - 4 (dropdown) with a "Join Tracker" button.
- Start/End/Item id:** Input fields.
- Search:** Summary - 12 (dropdown) for (dropdown) +.
- Status:** A list of checkboxes for status values: o, p, c.
- Fields:** A list of checkboxes for field values: Summary - 12, Associated project - 13, Description - 14, Amount of time spent - 15, Done by - 16.
- Limit:** A text input field.
- Buttons:** "Preview", "Wiki Data", and "Export As CSV".
- Table:** A table with 5 columns (A, B, C, D, E) and 3 rows of data.

A modal window titled "Wiki Data Output For REPORT Plugin" is open, displaying the following code:

```
;(REPORT)
type : Tracker
tracker_value : 4
tracker_search_0_value : 12
tracker_status_0_value : o
tracker_status_1_value : p
tracker_status_2_value : c
tracker_fields_0_value : 12
tracker_fields_1_value : 13
tracker_fields_2_value : 14
tracker_fields_3_value : 15
tracker_fields_4_value : 16
;(REPORT)
```

Click to expand

16 : 9 ratio

b. 16 : 9 ratio iframe

"This code ..."

```
{HTML()}  
{HTML}
```

... will show this video

d. 4 : 3 ratio iframe

"This code ..."

```
{HTML()}  
{HTML}
```

... will show this video

For Tiki 7

- 28 may - jlb here testing saving ajax errors
- Maybe try without having done a preview...
- what else could it be? 3 saves and no error (in Firefox 4.0.1)
- trying the click on save directly thing... seemed fine
- maybe if you edit for ages?
 - I bet it only happens when you really don't want it to...
 - trying with pop-up preview...
 - Seems the auto save timer is broken ☐
- Wonder if that magnify icon to open/close the preview pane is the right icon?
 - Probably not...
- I also wonder if there are any docs about this *new* preview thing?

Have to go out now, will try more later.

Previously on Tiki 6

- In Safari if you make a change and then click directly on the save button you sometimes get an alert about an undefined and irrelevant AJAX error.
 - Fixed (as far as i can tell)