

Facebook Tab

Error: **Cant find socialnetworks-facebook** you may choose from one of the following: ads-activatethefeature
ads-plugins
ads-siteadsandbanners
ads
articles-articleslistingandview-articleview
articles-articleslistingandview-listarticles
articles-articleslistingandview
articles-generalsettings-activatethefeature
articles-generalsettings-features
articles-generalsettings-plugins
articles-generalsettings-sharingonsocialnetworks
articles-generalsettings
blogs-blogslistings-itemstodisplay
blogs-blogslistings
blogs-generalsettings-activatethefeature
blogs-generalsettings-comments
blogs-generalsettings-features
blogs-generalsettings-plugins
blogs-generalsettings-sharingonsocialnetworks
blogs-generalsettings
calendar-activatethefeature
calendar-generalsettings
calendar-plugins
calendar
category-activatethefeature
category-categoryobjects
category-features
category-forum
category-inlineplugins
category-performance
category-plugins
category-poll
category-structure
category-theme
category-tracker
category-wiki
category
comments-annotations
comments-displayoptions
comments-sitewidefeatures
comments-usingcommentsinvariousfeatures
comments
community-communityfeatures-additionalsoptions
community-communityfeatures-community
community-communityfeatures
community-plugins
community-socialinteraction-activitystream
community-socialinteraction-friendshipandfollowers
community-socialinteraction-goalrecognitionandrewards
community-socialinteraction-score
community-socialinteraction-selectwhichitemstodisplaywhenlistingusers
community-socialinteraction
connect-jitsi-jitsi
connect-jitsi
connect-settings-tikiconnect
connect-settings
copyright-activatethefeature
copyright-features
copyright
directory-activatethefeature
directory-directory
directory

faqs-activatethefeature
faqs-settings
faqs
features-globalfeatures-3
features-globalfeatures-4
features-globalfeatures-additionalfeatures
features-globalfeatures-administrativefeatures
features-globalfeatures-interactionwithonlineservicesorothersoftware
features-globalfeatures-mailandsharing
features-globalfeatures-mainfeatures
features-globalfeatures-paymentandaccounting
features-globalfeatures-progressivewebapp
features-globalfeatures-secondaryfeatures
features-globalfeatures
features-interface-elementplus
features-interface-experimental
features-interface-jquerypluginsandaddons
features-interface
features-programmer-customcode
features-programmer-loggingandreporting
features-programmer
fgal-adminlistings-0
fgal-adminlistings
fgal-enhancements-access
fgal-enhancements-draw
fgal-enhancements-h5p
fgal-enhancements-scorm
fgal-enhancements-vimeo
fgal-enhancements
fgal-generalsettings-activatethefeature
fgal-generalsettings-features
fgal-generalsettings-quota
fgal-generalsettings-settingsfordiagrams
fgal-generalsettings-settingsformediaalchemyst
fgal-generalsettings-settingsforrecordrtc
fgal-generalsettings-uploadregex
fgal-generalsettings
fgal-listings
fgal-plugins-plugins
fgal-plugins
fgal-searchindexing
forums-forumlisting
forums-generalsettings-activatethefeature
forums-generalsettings-features
forums-generalsettings-searches
forums-generalsettings-threads
forums-generalsettings
freetags-activatethefeature
freetags-plugins
freetags-tags
freetags-tagsearchpage
freetags
general-dateandtime-datetimeselectors
general-dateandtime-timezoneandformat
general-dateandtime
general-generalpreferences-errortracking
general-generalpreferences-headlessbrowserintegration
general-generalpreferences-loggingandreporting
general-generalpreferences-mail
general-generalpreferences-newsletter
general-generalpreferences-schedulersettings
general-generalpreferences-siteidentity
general-generalpreferences-webcron
general-generalpreferences
general-generalsettings-contact

general-generalsettings-help
general-generalsettings-multidomain
general-generalsettings-server
general-generalsettings-sessions
general-generalsettings-siteterminal
general-generalsettings-stats
general-generalsettings-termsandconditions
general-generalsettings
general-navigation-breadcrumbs
general-navigation-homepage
general-navigation-menus
general-navigation-namespace
general-navigation-redirects
general-navigation-siteaccess
general-navigation-sitemapprotocol
general-navigation-user
general-navigation
i18n
intertiki-intertikiclient-activatethefeature
intertiki-intertikiclient-clientserversettings
intertiki-intertikiclient-currentlylinkedmasterserver
intertiki-intertikiclient
intertiki-intertikimasterserver-activatethefeature
intertiki-intertikimasterserver-masterserversettings
intertiki-intertikimasterserver
login-cas-cascentralauthenticationservice
login-cas-casserver
login-cas
login-generalpreferences-captcha
login-generalpreferences-cookies
login-generalpreferences-password
login-generalpreferences-registration
login-generalpreferences-username
login-generalpreferences
login-ldap-ldapadmin
login-ldap-ldapbindsettings
login-ldap-ldapuser
login-ldap-warning
login-ldap
login-ldapexternalgroups-ldapadmin
login-ldapexternalgroups-ldapbindsettings
login-ldapexternalgroups-ldapexternalgroups
login-ldapexternalgroups-ldapgroupproviderifgroupmembershipcanbefoundingroupattributes
login-ldapexternalgroups-ldapuser
login-ldapexternalgroups-ldapusergroupifgroupmembershipcanbefoundinuserattributes
login-ldapexternalgroups
login-oauthserversettings-0
login-oauthserversettings
login-openidconnect-0
login-openidconnect
login-pam-pam
login-pam
login-passwordblacklist-password
login-passwordblacklist
login-phpbb-phpbb
login-phpbb
login-remotetikiautologin-warning
login-remotetikiautologin
login-saml2-advancedsettings
login-saml2-attributemapping
login-saml2-groupmapping
login-saml2-identityprovidersettings
login-saml2-options
login-saml2-saml2

login-saml2
login-shibboleth-shibboleth
login-shibboleth
login-webserver-webserver
login-webserver
look-customization-customcode
look-customization-editing
look-customization
look-layout-logo
look-layout-modulezonevisibility
look-layout-sitereportbar
look-layout-title
look-layout
look-miscellaneous-contextmenus
look-miscellaneous-favicons
look-miscellaneous-responsiveimages
look-miscellaneous-separators
look-miscellaneous-tabs
look-miscellaneous
look-pagination
look-shadowlayer
look-theme
look-uideffects-other
look-uideffects-standarduideffects
look-uideffects-tabuideffects
look-uideffects
maps-defaults
maps-settings
maps
mautic-credentials
mautic-mainsettings
mautic
messages-activatefeature
messages-settings
messages
metatags-geomatags
metatags-metatags-facebook
metatags-metatags-general
metatags-metatags-twitter
metatags-metatags
metatags-robots
module-crumbcrumbdescription
module-modulezonevisibility
module
payment-advancedshoppingcart-advancedcarttrackernamessetup
payment-advancedshoppingcart-cartsettings
payment-advancedshoppingcart-features
payment-advancedshoppingcart-productstrackerssetup
payment-advancedshoppingcart
payment-payment-0
payment-payment
payment-plugins-plugins
payment-plugins
payment-shipping
performance-database
performance-majorslowdown
performance-memcache
performance-monitor
performance-newsletter
performance-performance
performance-plugins
performance-redis
performance-sessions
performance-timeandmemorylimits
performance-wiki

polls-polls-activatethefeature
polls-polls-plugins
polls-polls-settings
polls-polls
polls-surveys-1
polls-surveys-activatethefeature
polls-surveys
print-articles
print-otherfeatures
print-pdfsettings
print-wikiprintversion
print
profiles-advanced-repositorystatus
profiles-advanced
rating-advanced
rating-articles
rating-comments
rating-defaultoptions
rating-globalconfiguration
rating-trackers
rating-userinterface
rating-wiki
rating
rss-feeds
rss-generalpreferences
rss-incomingfeeds
rtc-bigbluebutton
rtc-xmpp
score-activatethefeature
score-causescoresolderthanacertainnumberofdaystoexpire
score
search-federatedsearch
search-generalsettings-features
search-generalsettings-filegalleriessearches
search-generalsettings-forumsearches
search-generalsettings-search
search-generalsettings
search-searchresults-informationtodisplayforeachresult
search-searchresults-itemstodisplayinsearchresults
search-searchresults
search-storedsearch
security-api
security-generalsecurity-csrfsecurity
security-generalsecurity-httpheaders
security-generalsecurity-smartyandfeaturessecurity
security-generalsecurity-trackerssecurity
security-generalsecurity-userencryption
security-generalsecurity
security-openpgp-openpgpfunctionalityforpgpmimeencryptedemailmessaging
security-openpgp
security-siteaccess
security-spamprotection-captcha
security-spamprotection
security-tokens
security-webhooks
sefurl-activatethefeature
sefurl-settings
sefurl
semantic-activatethefeature
semantic
share-activatethefeature
share-sitewidefeatures
share
socialnetworks-bit
socialnetworks-general

socialnetworks-legacyintegrations-facebook
socialnetworks-legacyintegrations-linkedin
socialnetworks-legacyintegrations-warning
socialnetworks-legacyintegrations
socialnetworks-sharethis
stats-googleanalytics-0
stats-googleanalytics
stats-piwikanalytics-0
stats-piwikanalytics
stats-tikistatistics-0
stats-tikistatistics
textarea-generalsettings-defaultsize
textarea-generalsettings-externallinksandimages
textarea-generalsettings-features
textarea-generalsettings-markdown
textarea-generalsettings-miscellaneous
textarea-generalsettings-plugins
textarea-generalsettings-typography
textarea-generalsettings-wikisyntax
textarea-generalsettings
textarea-plugins-editpluginicons
textarea-plugins-filter
textarea-plugins-pluginpreferences
textarea-plugins-plugins
textarea-plugins
trackers-plugins-0
trackers-plugins
trackers-settings-activatethefeature
trackers-settings-fieldsettings
trackers-settings-linkedwikipages
trackers-settings-trackerattachmentpreferences
trackers-settings-trackerforcefillfeature
trackers-settings-trackersettings
trackers-settings
trackers-systemtrackers-systemtrackers
trackers-systemtrackers
user-messagingandnotifications-messages
user-messagingandnotifications-usernotifications
user-messagingandnotifications
user-userfeatures-useraccountfeatures
user-userfeatures
user-userfiles-activatethefeature
user-userfiles-settings
user-userfiles
user-userinfoandpicture-profilepicture
user-userinfoandpicture-userinformationdisplay
user-userinfoandpicture
user-usersettings-adminuserpreferences
user-usersettings-defaultuserpreferences
user-usersettings
video-kaltura-activatethefeature
video-kaltura-enablerelatedtrackerfieldtypes
video-kaltura-kalturadynamicplayer
video-kaltura-kalturapartnersettings
video-kaltura-kaluratikiconfig
video-kaltura-legacysupport
video-kaltura-plugintoembedinpages
video-kaltura
webservices-activatethefeature
webservices-options
webservices
wiki-features-attachments
wiki-features-comments
wiki-features-generalfeatures
wiki-features-namespaces

wiki-features-redirectandsimilar
wiki-features-structures
wiki-features-wikiwatch
wiki-features-wikiwordsfeatures
wiki-features
wiki-flaggedrevision-0
wiki-flaggedrevision
wiki-generalpreferences-activatethefeature
wiki-generalpreferences-automatictableofcontents
wiki-generalpreferences-editing
wiki-generalpreferences-pagedisplay
wiki-generalpreferences-pagename
wiki-generalpreferences-plugins
wiki-generalpreferences
wiki-pagelistings-configuration
wiki-pagelistings-options
wiki-pagelistings
workspace-areas-activatethefeature
workspace-areas
workspace-workspaces-activatethefeature
workspace-workspaces-advanced
workspace-workspaces-dependencies
workspace-workspaces
wysiwyg-activatethefeature
wysiwyg-legacyckeditorwysiwyg
wysiwyg-markdowntoastuiwysiwyg
wysiwyg-relatedfeatures
wysiwyg-wysiwygeditorfeatures
wysiwyg

Since Tiki 16 Tiki integrate default parameters that are used by Facebook when fetching a page if they are missing or if you prefer to use your own for the entire Tiki.

Activate Facebook integration

Note: It is possible to have your post (forum, blog, article, etc) posted to Twitter using an external social media automation solution. Those external services are very popular and use Tiki RSS feed to fetch and publish content on your behalf.

Consumer Key and **Consumer Secret** are used for integrate your Tiki and Facebook using a Facebook application.

Setting up Facebook integration

First, you need to register a new application with Facebook. This can be done via the [Developers tool](#). Later on, you can edit the Application via [Application settings](#) in your Facebook profile.


Step 0

On the Developer page click on [Set Up New Application](#) and enter a name for your Application, sell your soul (agree to the terms) and click on **Create Application**. After a successful captcha check, you can proceed with step 1.

You may need to login in Facebook to accept the validation process in Facebook (to allow the developer application use your account details in Facebook, etc).

Step 1

The name of your application is already set, so you don't need to enter a new one. Feel free to upload a logo and icon for your app.



As I give support via e-Mail, I entered my email address for the users support.

Step 2

Enter the site URL and the Site Domain. My test server is at test.ott-consult.de and tiki is at the URL for my test server is at

[Edit octestserver](#) [Back to My Applications](#)

About

Web Site

Facebook Integration

Mobile and Devices

Advanced

Core Settings

Application ID

1.....38

Your OAuth client_id

Application Secret

7.....4

Your OAuth client_secret

Site URL

..ott-consult.de/trunk/tiki-socialnetworks.php?request_facebook

Your site's URL

Site Domain

test.ott-consult.de

If set, Facebook will enable authentication on all subdomains (e.g., "example.com" will enable *.example.com)

Save Changes

Step 3

In this step, you don't to change anything since the **Post-Authorize Callback URL** field has been removed by Facebook.

About	Core Settings		
Web Site	Application ID		Your OAuth client_id
Facebook Integration	Application Secret		Your OAuth client_secret
Mobile and Devices	Canvas		
Credits	Canvas Page	http://apps.facebook.com/ /	The base URL of your app on Facebook
Advanced	Canvas URL		Facebook pulls the content for your app's canvas pages from this base URL
	Secure Canvas URL		Facebook uses this secure version of the Canvas URL when your app is accessed by a user over a secure connection (https).
	Canvas Type	☒ IFrame ☐ FBML	Choose whether your Canvas URL renders HTML in an iframe or returns FBML
	IFrame Size	☒ Show scrollbars ☐ Auto-resize	Choose "Auto-resize" if you are using fb.Canvas.setAutoResize() in your iframe app and want the Canvas IFrame to grow to the height of your app's content
	Bookmark URL		The URL to load when a user clicks your app's bookmark. If blank, this defaults to your Canvas Page
	Discovery		
	Social Discovery	☒ Enabled ☐ Disabled	If social discovery is enabled, Facebook may highlight a user's usage of your app in News Feed and other places to help the user's friends discover your app.
	Page Tabs		
	Tab Name		The title of your tab on a Page
	Tab URL	http://apps.facebook.com/[CANVAS_URL]/	Facebook pulls content for your tab from this URL, which must be relative to your Canvas Page
	Edit URL		URL at which Page administrators can edit app settings
Save Changes			

Step 4

Here, you choose the way your application authorizes with Facebook. As it is set by default, just check that **HTML5/mobile web** for your **Application type** is selected.

About
Web Site
Facebook Integration
Mobile and Devices
Advanced

Core Settings

Application ID	1	8	Your OAuth client_id
Application Secret	7	4	Your OAuth client_secret
Application Type	☒ HTML5 / mobile web ☐ Native application		

Native applications use a different authentication mechanism via the iPhone or Android SDKs

Apple iOS

iTunes App Store ID		Facebook uses this ID to link to your app in the iTunes App Store (e.g., 284882215). Read More.
---------------------	----------------------	---

Save Changes

Step 5

Start Using Facebook Credits, this financial/billing integration mostly not needed for Tikiwiki, leave it that way.

About
Web Site
Facebook Integration
Mobile and Devices
Credits
Advanced

Start Using Facebook Credits

Welcome to the Facebook Credits program. To get started:

1. Register your company below
2. Provide core settings below
3. Review [API documentation](#) and complete your integration

Company Information

Company Name	No company registered	Don't see your company listed? Register it now	Before accepting Facebook Credits, we need to collect company information to pay you for Credits users spend in your application.
--------------	--	--	---

Core Settings

Credits Callback URL		Facebook pings this URL after a user initiates or updates an order.
Email		This email is used for payments related communication.
Credits Test Users (optional)		Users entered here (UIDs, comma-delimited) will be able to use your app and go through Facebook Credits flows but will not be charged.

Save Changes

Step 6

On this last step, you can give the Facebook **Deauthorize Callback** which will be called, when a user disallows your application on Facebook. Don't choose sandbox mode here.

Usually, your web server has a static IP address. By putting it on the **server whitelist**, you can add a bit of security, as only requests from that IP will be processed. If you run a server farm with multiple servers, add all IP addresses.

You can also uncheck all the "deprecated" setting, it won't hurt.

About

Web Site

Facebook Integration

Mobile and Devices

Credits

Advanced

Authentication

Deauthorize Callback

Facebook pings this URL when a user deauthorizes your app

Sandbox Mode

☐ Enable
 ☒ Disable

If enabled, only the developers of your app will be able to sign in to your app

Migrations

Disable Deprecatd Auth Methods

☐ Enabled
 ☒ Disabled

Disables deprecated methods according to the deprecation roadmap

Disable Deprecatd Connect Methods

☐ Enabled
 ☒ Disabled

This method will be deprecated according to the deprecation roadmap

Disable Deprecatd Data Methods

☐ Enabled
 ☒ Disabled

Disables deprecated methods according to the deprecation roadmap

Disable Deprecatd FBML Methods

☐ Enabled
 ☒ Disabled

Disables deprecated methods according to the deprecation roadmap

Disable Deprecatd Permissions Methods

☐ Enabled
 ☒ Disabled

Disables deprecated methods according to the deprecation roadmap

Disable Deprecatd Profile Methods

☐ Enabled
 ☒ Disabled

Disables deprecated methods according to the deprecation roadmap

Disable Deprecatd SMS Methods

☐ Enabled
 ☒ Disabled

Disables deprecated methods according to the deprecation roadmap

Stream post URL security

☐ Enabled
 ☒ Disabled

Links in stream posts must go to the application's canvas or connect URL

OAuth 2.0 for Canvas

☐ Enabled
 ☒ Disabled

Includes a 'signed_request' parameter for canvas apps.

POST for Canvas

☒ Enabled
 ☐ Disabled

Uses an HTTP POST for iframes on canvas.

Canvas Session Parameter (Deprecated)

☐ Enabled
 ☒ Disabled

Includes a 'session' parameter for canvas apps. Please use 'OAuth 2.0 for Canvas' instead.

November 2010 Rollup

☒ Enabled
 ☐ Disabled

This migration provides updates to the Facebook Platform that may break existing applications. See Migration details and timing.

Timezone-less events

☒ Enabled
 ☐ Disabled

Facebook events do not support time zones. Accordingly, event start_time and end_time are now returned from the graph API without a time zone.

JSON Encoding Empty Arrays

☒ Enabled
 ☐ Disabled

Properly encode empty JSON arrays as '[]' instead of '[]'.

Security

Server Whitelist

If specified, Facebook will block requests from your app unless they come from an IP in this comma-separated list

Advertising

Advertising Accounts

Comma-separated list of Facebook advertising accounts associated with your app. Enter the email address you used when creating the account.

Advanced Canvas Features

Preload FQL

Facebook will send the result of these FQL queries as JSON-encoded POST parameters to your Canvas URL

Preload FQL Multiquery

Facebook will send the result of these FQL multiqueries as JSON-encoded POST parameters to your Canvas URL

Early Flush

Facebook will attempt to preload static resources

Save Changes

Now you created the application at Facebook and you can enter the data on your tiki server. Go to Admin->Social networks and enter the data from Facebook.

Facebook Settings

Note

To use Facebook integration, you must register this site as an application at <http://developers.facebook.com/setup/> and allow extended access for the application. Enter <your site URL>tiki-socialnetworks.php as connect URL.

API key: 1 1 ⓘ ↻

Application secret: 7 4 ⓘ ↻

Application ID: 1 8 ⓘ ↻

User authorization

Users need the tiki_p_social_network [permission](#) in order to use social networks. To login via facebook, the Anonymous group will need this permission.

Before being able to use the Facebook integration, users must authorize the TikiWiki site by requesting an oauth token. This can be done via the **Social networks** tab on [My Tiki](#).

Note : As i (Bernard) authorize it i encounter an error from Facebook servers: "message": "Invalid redirect_uri: Given URL is not allowed by the Application configuration.". I had to logout/login for Facebook to accept the authorization. It is possible also that you have to wait more than 15mn for the Facebook server to use the setting you just entered.