

# Configurações de Permissões

Páginas relacionadas: [Grupos](#), [Groups Admin](#), [Categoria](#), [Admin de Categoria](#), [Lista de Permissões](#)

## Table of contents

- [Configurações de Permissões](#)
  - [Compreendendo as Permissões no Tiki](#)
    - [Como as Permissões funcionam](#)
    - [Permissions Example](#)
    - [Group Permissions](#)
      - [Anonymous](#)
      - [Employees](#)
      - [Board of Directors](#)
    - [Category Permissions](#)
      - [Press Releases](#)
      - [Financial Information](#)
  - [Managing permissions](#)
  - [Permissions by section](#)
  - [Demo site for testing](#)
  - [Category permissions](#)
  - [Workspaces](#)
  - [Admin permissions and special permissions](#)
- [Note](#)

## Compreendendo as Permissões no Tiki

Depois de configurar os Recursos, a configuração das permissões é a parte mais importante da administração do Tiki. Esta página descreve os conceitos básicos do sistema de permissões do Tiki e como elas interagem. Uma lista completa de permissões pode ser encontrada na página [Lista de Permissões](#).

### Como as Permissões funcionam

Alguns fatos básicos que você precisa saber para compreender o sistema de permissões do Tiki.

---

- Administradores podem criar e editar [Grupos](#).
  - Cada grupo pode ter total acesso personalizado a todos os recursos do site.
  - Usuários podem ser colocados em um ou vários grupos.
  - Grupos podem ter sub-grupos.
  - Permissões são dadas aos Grupos, NÃO usuários.
- Administradores podem criar e editar uma [Categoria](#).
  - Objetos (Após versão 1.9) podem ser adicionados às categorias.
  - uma categoria pode, então, ser atribuída a um grupo.
  - as permissões base de uma categoria, quando usada (avançado), dá aos membros do grupo as permissões atribuídas a eles.
- Objetos individuais podem ter permissões atribuídas a eles diretamente.
- Se nenhuma permissão for atribuída a um Grupo, a um objeto ou ao conteúdo de uma categoria, então as permissões globais são aplicadas.

Quando o Tiki é instalado, há pelo ao menos dois grupos pré-definidos:

- Anônimos (Anonymous): Usuários que não estão logado (fora) do sistema pertencem automaticamente ao grupo Anônimos.
- Registrados (Registered): Usuários que logados (dentro) do sistema automaticamente pertencem a este grupo.

==Tradução interrompida neste ponto ==

**What order are permissions settings applied?**

It is important to understand that Tiki uses several types of permissions:

- **Global** permissions: Each site visitor belongs to a **Group** (such as Anonymous or Registered). The permissions you assign to the group define the *global* permissions for that user.
- **Category** permissions: These permissions define the actions that users can take for objects in a *specific category*.
- **Object** permissions: These permissions define the actions that user can take for an *individual object*.

Permissions are inherited from from the top-down, but override from the bottom-up.



This image illustrates the relationship among Group, Category, and Object permissions.

Tiki's permissions model may look like complex... but may also be *very* customizable.

## Permissions Example

Consider the following example for a company using Tiki:

You have the groups:

- Anonymous
- Employees
- Board of Directors



The Groups for ABC Company.

Notice that some groups *include* other groups. For example, members of the **Board of Directors** group will include, in addition to their own permissions, the permissions from the Employees, Registered, and Anonymous groups.

You have the categories:

- Financial Information
- Press Releases

You want to give:

- Everyone permission to read most pages
- Employees permission to edit most wiki pages
- Board Members only, access to the company's financial information.

## Group Permissions

### Anonymous

- To let the general public (that is, anonymous visitors) the ability to view wiki pages, assign **tiki\_p\_view** to **Anonymous**.



The Group Information page for the Anonymous group.

### Employees

- The Employee group includes the **Anonymous** group (that is, everyone) and **Registered** group (that is, users who are logged in). Therefore, the Employee group *inherits* the **tiki\_p\_view** permission from these groups.
- To let employees edit pages, assign **tiki\_p\_edit** to **Employees**.



The Group Information page for the Employees group.

## Board of Directors

- The Board of Directors group includes the **Anonymous**, **Registered**, and **Employees** groups. Therefore, the Board of Directors group *inherits* the **tiki\_p\_view** and **tiki\_p\_edit** permission from these groups. This group does not require any additional permissions.

## Category Permissions

### Press Releases

Currently, Anonymous can view press releases, and Employees can edit them. To allow only the Board of Directors to edit press releases, you must assign permissions to the category. This will override the default group (global) permissions:

- For the Press Releases category, assign **tiki\_p\_edit\_categorized** to **Board of Directors**

But this will override *all* global permissions — no one will be able to *view* the press releases. To let the general public read the press releases, assign **tiki\_p\_view\_categorized** to **Anonymous**.

### Financial Information

Currently, Anonymous can view financial information, and Employees can edit them. To allow only the Board of Directors to edit *and* view these pages, you must assign permissions to the category. This will override the default group (global) permissions:

- For the Financial Information category, assign **tiki\_p\_view\_categorized** and **tiki\_p\_edit\_categorized** to Board of Directors\_\_

But what if you want one item in the Financial Information category, for example, a public disclosure form, to be visible to the public? You can override all other permissions, by assigning specific permissions to the *object* itself.

- For the individual item (such as a wiki page), assign **tiki\_p\_view** to the **Anonymous** group and **tiki\_p\_edit** to the **Board of Directors** group.

## Managing permissions

Starting in [Tiki4](#), a new interface has been designed to manage object and category permissions.

In this new interface there are three tabs. The first one to allow assigning permissions.

### Warning

While entering a filter, JQuery will rebuild the list. Do not press enter or you'll start all over.

Assign Permissions Select groups Select features

**Note**  
No direct permissions yet applied to this object. Global permissions apply.  
To edit global permissions [click here](#).  
  
Currently inherited permissions displayed.

## Assign permissions to this object

Assign Copy

Assign or remove permissions on *all* child categories

### Permissions

Filter:

Anonymous  Registered  Program Manager  WS\_trial  Permission

- ▶ *category*
- ▶ *comments*
- ▶ *file galleries*
- ▶ *group*
- ▶ *perspective*
- ▶ *tiki*
- ▶ *trackers*
- ▶ *webmail*
- ▶ *wiki*

Assign

the second tab is to select which groups should be included in the table for assigning permissions, since when the list of groups is too big, assigning permissions could be too slow.

The third tab is also to filter the number of features that should be shown in the interface. This is specially needed when managing category permissions, to avoid having a list far bigger than needed for our purposes in specific cases.

In addition, this new interface to manage permissions includes several features:

**Assign permissions to this object** Assign Copy

Assign or remove permissions on *all* child categories

**Permissions**

Filter

	Anonymous	Registered	Program Manager	WS_trial	Permission
<b>category</b>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>comments</b>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Can edit all comments (tiki_p_edit_comments)
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Can delete comments (tiki_p_remove_comments)
<b>file galleries</b>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Can edit a gallery file (tiki_p_edit_gallery_file)
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Can use Directory Batch Load (tiki_p_batch_upload_file_dir)

1. You can assign or remove all object permissions on all child categories if this box is checked.
2. You can filter the whole list of permissions dynamically to list only those containing some text
3. You can expand or collapse at will any of the sections of permissions
4. You can select one by one the permissions to be assigned or checking the box at the column title (group name) level, and that selection will propagate to all the checkbox shown in that column.

## Permissions by section

Name	Description	Permissions	Can override global permissions?
File Gallery	Storage and sharing via download or display in pages, of images, videos, and other file types . Supports check-in and check-out (lock), versions, etc.	tiki_p_admin_file_galleries tiki_p_create_file_galleries tiki_p_upload_files tiki_p_download_files NOTE: If you store images in the file gallery, you must include tiki_p_download_files in order for groups to view the images. tiki_p_view_file_gallery tiki_p_batch_upload_files	yes
Calendar	Events calendar with public, private and group channels	tiki_p_view_calendar tiki_p_change_events tiki_p_add_events tiki_p_admin_calendar tiki_p_view_tiki_calendar	yes
File Gallery	File Galleries enable secure and efficient uploading, storage, downloading and other serving of all types of files including images, videos, podcasts, text and PDF documents and more.	tiki_p_admin_galleries tiki_p_create_galleries tiki_p_upload_images tiki_p_view_image_gallery tiki_p_batch_upload_images tiki_p_batch_upload_image_dir	yes

Name	Description	Permissions	Can override global permissions?
<a href="#">Trackers</a>	Facts and figures storage and retrieval. A forms and database generator, with reporting. Can be used for a bug tracker, item database, issue tracker, etc	tiki_p_modify_tracker_items tiki_p_comment_tracker_items tiki_p_create_tracker_items tiki_p_admin_trackers tiki_p_view_trackers tiki_p_attach_trackers tiki_p_view_trackers_pending tiki_p_view_trackers_closed tiki_p_tracker_view_ratings tiki_p_tracker_vote_ratings	yes
<a href="#">Wiki</a>	Collaboratively authored documents with history of changes. Tiki's wiki has all the features you could want from a first-rate wiki. Ex.: attach files, comments, history, images, warn on edit, page locking, powerful wiki syntax, alternative WYSIWYG editor, etc.	tiki_p_edit tiki_p_view tiki_p_remove tiki_p_rollback tiki_p_admin_wiki tiki_p_wiki_attach_files tiki_p_wiki_admin_attachments tiki_p_wiki_view_attachments tiki_p_upload_picture tiki_p_minor tiki_p_rename tiki_p_lock tiki_p_edit_structures tiki_p_edit_copyrights tiki_p_wiki_view_comments tiki_p_wiki_view_ratings tiki_p_wiki_vote_ratings tiki_p_wiki_admin_ratings tiki_p_wiki_view_history tiki_p_use_HTML	yes
<a href="#">Maps</a>	Maps can be created and displayed using OpenLayers and OpenStreetMap.	tiki_p_map_edit tiki_p_map_create tiki_p_map_delete tiki_p_map_view tiki_p_map_view_mapfiles	
<a href="#">Kaltura Video</a>	Video management		
<a href="#">My Account</a>	Provide content organization and communication tools for registered users <a href="#">Bookmark</a> , <a href="#">User Preferences</a> , <a href="#">Watch</a> , <a href="#">User Menu</a> , <a href="#">Task</a> , <a href="#">Inter-User Messages</a> , <a href="#">User Files</a> , <a href="#">Notepad</a> and Mini Calendar	tiki_p_configure_modules tiki_p_minical	N/A

Name	Description	Permissions	Can override global permissions?
Articles	Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live." In addition to <a href="#">categories</a> and <a href="#">tags</a> , articles include their own unique classification system of Topics and Types.	tiki_p_edit_article tiki_p_remove_article tiki_p_read_article tiki_p_submit_article tiki_p_edit_submission tiki_p_remove_submission tiki_p_approve_submission tiki_p_admin_cms tiki_p_autoapprove_submission tiki_p_topic_read	via topic_read
FAQ	Create pages of frequently asked questions and answers.	tiki_p_admin_faqs tiki_p_view_faqs tiki_p_suggest_faq	no
Survey	Create questionnaires with multiple-choice or open-ended questions.	tiki_p_admin_surveys tiki_p_take_survey tiki_p_view_survey_stats	yes
Quiz	Create timed quizzes with recorded scores.	tiki_p_admin_quizzes tiki_p_take_quiz tiki_p_view_quiz_stats tiki_p_view_user_results	yes
Blog	Multiple blogs can be created with various author and display configurations, etc.	tiki_p_create_blogs tiki_p_blog_post tiki_p_blog_admin tiki_p_read_blog	yes
Featured links	Simple menu system which can optionally add an external web page in an iframe		
Task	A site user's to-do list. Tasks can be sent to other users. Also, there can be shared group tasks.	tiki_p_tasks tiki_p_tasks_send tiki_p_tasks_receive tiki_p_tasks_admin	N/A
Slideshow	Turn a wiki page into slideshow (each slide is the wiki content only, without "chrome") by using more than one title bar in the page, or make a multi-page slideshow from a <a href="#">structure</a> .		
BigBlueButton Audio/Video/Chat/Screensharing	Open source instruction-focused real-time collaboration tool. (Audio/Video/Screensharing/Chat)		
Screencast	This permits capturing the device screen and uploading to Tiki. An image is produced (that you can then draw on), or short video with sound. The jCapture applet is used.		

Name	Description	Permissions	Can override global permissions?
Messages	Internal (within the site) messages from one site user to another.		
Webmail	Provides a webmail interface for site users' own IMAP or SMTP accounts. The Webmail tool has been massively improved since in <a href="#">Tiki20</a> . Please see <a href="#">Email as a first-class citizen</a>		
Chat	Real-time group text chatting	tiki_p_admin_chat tiki_p_chat	
My Account Inter-User Messages	Enable users to send internal messages to each other (like email but internal to the Tiki site). A message can be broadcast to multiple users in a Tiki group or to all site users if the appropriate permissions are granted.	tiki_p_messages tiki_p_broadcast tiki_p_broadcast_all	N/A
Spreadsheets	Spreadsheets supporting calculations and charts, import/export, etc.	tiki_p_admin_sheet tiki_p_edit_sheet tiki_p_view_sheet tiki_p_view_sheet_history	no
Directory (links)	User-submitted Web links	tiki_p_admin_directory tiki_p_view_directory tiki_p_admin_directory_cats tiki_p_admin_directory_sites tiki_p_submit_link tiki_p_autosubmit_link tiki_p_validate_links	yes
Newsletters	Create and send email newsletters (plain text and HTML) to subscribed site users and other individuals.	tiki_p_admin_newsletters tiki_p_subscribe_newsletters tiki_p_subscribe_email tiki_p_send_newsletters	yes
Forum	Forums are online discussions organized by topic (or thread). Tiki forums feature threaded or flat views, file attachments, moderation and queuing, monitoring (subscription) of particular forums or topics, and full usage of wiki syntax.	tiki_p_admin_forum tiki_p_forum_post tiki_p_forum_post_topic tiki_p_forum_read tiki_p_forum_vote tiki_p_forums_report tiki_p_forum_attach tiki_p_forum_autoapp	yes
Live support	One-on-one chat with customer or other individual	tiki_p_live_support_admin tiki_p_live_support	
HTML page	Static and dynamic HTML content. Note: HTML can be used in wiki pages. This is a separate feature.	tiki_p_view_html_pages tiki_p_edit_html_pages	



Name	Description	Permissions	Can override global permissions?
<a href="#">User Files</a>	Users upload files and store them in their Tiki personal space; they can then download the files.	tiki_p_userfiles	
<a href="#">User notepad</a>	Users can write, upload, download and read notes. Notes can be read as raw text files or as wiki pages interpreting the wiki markup syntax. The user-quota that admin can control is used to set the maximum size that user notes can take.	tiki_p_notepad	N/A
<a href="#">User Page</a>	This provides each user with a personal wiki page that only he/she can edit. All User Pages have a similar, configurable name that includes the user name.		
<a href="#">Shoutbox</a>	Quick comment (graffiti) box. Like a group chat, but not in real time.	tiki_p_view_shoutbox tiki_p_admin_shoutbox tiki_p_post_shoutbox	no
<a href="#">Contact</a>	Basic form for site visitors to send a message to the site admin.		N/A
<a href="#">Friendship network</a>	Users can designate other users as "friends" using either the "follow" or "like" method.		
<a href="#">Shopping Cart</a>	A simple shopping cart feature - Information on products or services can be maintained in wiki pages or trackers with display via <a href="#">Pretty Tracker</a> ) and purchases added to <a href="#">Module Cart</a> through the <a href="#">PluginAddToCart</a> and sent to the <a href="#">payment</a> page.		

## Demo site for testing

- [info:demo](#)

## Category permissions

There is also a new feature in Tiki 1.9.x to restrict permissions via the category feature. Basically, you can already assign all the permissions you need as described above. However, permissions via the category feature is just to make it faster to assign permissions. This feature is little tricky to understand. We are working to improve it. There are only two levels ("view" & "admin") in Tiki 1.9.4, and the third level ("edit" category contents) has been introduced in starting from 1.10.

Starting in 3.0, category permissions are in addition to Groups permissions. So if tiki\_p\_read\_categorized allows reading items which are in a category, the user must also be in a group which allows reading the specific kind of object. The category can not grant access to an object which the user's groups do not give him access to.

In [Tiki4](#), the full granularity of permissions can be assigned to categories (and thus inherited when objects belong to a given category). The permissions granted to objects are the sum of all the permissions granted to categories in which they belong.

Because adding a category to an object can provide additional rights, it is important to protect who can assign categories to prevent undesired escalation. For example, if the site contains public and private information, someone with access to edit private information should not be able to make it available publicly by changing the categories. To resolve this issue, multiple permissions can be assigned to the categories.

To begin with, `tiki_p_modify_object_categories` allows to determine if the user is allowed to modify the categories of the object at all. Without this permission, it will be impossible to modify the categories. Typically, it is safe to grant this permission widely.

Then, there is higher granularity available for each category. `tiki_p_add_object` and `tiki_p_remove_object` determine if the user can add or remove elements from the category. Categories on which permissions are specified should also specify who can assign or remove those categories. When the operation is not available, the checkbox will be marked as disabled.

Additionally, some category changes may be allowed in certain contexts by defining [Category Transitions](#), which would allow to change a category only from a certain state. A group of transitions create a workflow. Note that until [Tiki6](#), category transitions are only available through [Profiles](#).

## Workspaces

Workspaces are coming to [Tiki4](#) to further facilitate management of large & complex Tiki sites.

## Admin permissions and special permissions

When a group has an admin permission on a feature such as `tiki_p_admin_sheet`, the group will lost his admin permission for an object with local perms or categories permissions.

## Note

Some information on this page is from [Tiki for Dummies Smarties](#), copyright (C) by Rick Sapir, published by KeyContent.org, and available under a Creative Commons Attribution-Share Alike License.