

Troubleshooting

Things to check and try first

If you are having problems with your Tiki, here a number of things that you should review and try first:

1. Try another browser
2. Try from another computer with <http://anonymouse.org/anonwww.html> or <http://www.downforeveryoneorjustme.com/> (your IP could be blocked or something)
3. Use Tiki [Check](#) to detect issues.
4. Check for [BOM](#) in your files
5. Check [release notes](#) for your version and the previous ones — is this a known issue?.
6. Check the [reported bugs](#) — is this a reported issue?
7. Are you running [latest stable version](#)? Your Tiki version is shown on the [General Admin](#) page.
8. Is database out-of-date? Starting in version 3.0, Tiki will report a **Database Version Problem** message on the [Admin Panels](#) if your database requires an update.
9. Is your database corrupt? See [Repair database](#) for details.
10. Clear all [Tiki caches](#) by selecting **Admin > Tiki Cache** from the menu.
11. Deactivate **GZIP**, **Minify**, and other options in the [Performance](#) admin panel
12. Deactivate [Apache Clean URLs](#) (especially if you are on Windows IIS server). If this solves the issue, it's likely because you are using an old version of .htaccess instead of the one for your version of Tiki.
13. Clear your *browser's* cache by using **Ctrl+F5**. Refer to your browser's help system for details.
14. Clear your browser's cookies. Refer to your browser's help system for details.
15. Try another browser, such as Firefox, Internet Explorer, Safari, Chrome, or Opera.
16. Check your web server's error log. Any file or folder permission problems are commonly shown in the log.
17. Are your [Tiki file and folder perms configured properly](#)? If you have shell access to the server, use **sh setup.sh**.
18. Attempt to log out of your Tiki, then log in again.
19. [Check integrity of your files](#).
20. Have you added any custom entries to the **.htaccess** file? Temporarily comment them out.
21. If you changed a server setting, did you restart Apache?
22. Change the theme (especially if you are using a custom theme). See [Tiki Themes](#) for details.
23. Try to reproduce the problem on a Tiki [demo](#) site. If you can reproduce, then, please [report a bug](#).
24. Enable the Tiki debugging features by applying the [Debug Mode Profile](#).
25. Check in MySQL for the table **tiki_actionlog** to see what the latest changes were before the issue started.

Common Tiki Problems



Be sure to review the [Tiki FAQs](#) for answers to frequently asked questions.

Locked out of Tiki

...and I can't go to profiles to enable Debug Mode

Try:

- Run the installer at `tiki-install.php`
- In one of the steps, you can activate error messages

Or

1. Access your database (by using [Adminer](#), phpMyAdmin or the equivalent).
2. Find the table `tiki_preferences`.
3. Edit the values from above.
 - Item: **error_reporting_level**
 - Value: **2047**

```
mysql -h localhost -udbusername -p***** dbname -e "UPDATE tiki_preferences SET value = '2047' WHERE name = 'error_reporting_level'"
```

You should also empty the Tiki cache or manually delete all *.tpl files in the ../templates_c/ directory.

Please note that some server configurations will prevent Tiki from overriding the error reporting of PHP. Make sure your server has error reporting and/or logging properly setup.

If your Tiki is in a subdirectory and you use HTTPS, [this forum thread](#) may be some help.

Won't save certain content

This could be because of [ModSecurity](#), which you should turn off temporarily.

Blank pages

The **most common** cause of a blank screen in which Tiki shows *no error message* and *no content* is insufficient PHP script execution memory. Tiki requires a *minimum* of **64MB** (the default value of PHP 5.3 is 128 Megs and ideally, it should be at this value). (which you can change in [php.ini](#) or [httpd.conf](#). If you are using [OPcache](#), [APC](#) or [XCache](#), make sure they also have enough memory.

Also, make sure to activate your error messages. You can do this by re-running the installer at tiki-install.php (Step #7 Configure the General Settings)

Review your tiki-phpinfo.php page or contact your server admin to make sure your site meets this requirement. See [Requirements](#) for details.

Blank pages after inserting code

Another case of getting [WSOD](#) (or a "blank page") can happen when you insert some custom JS or CSS code containing curly brackets in the Look & Feel admin panel or custom module textareas and forgot to surround them with literal Smarty block:

```
{literal}...{/literal}
```

Let's assume, that you cut and pasted some code containing curly brackets in the Custom HTML Head textarea.

Now you hit the Apply button and suddenly. Eeek! You are "locked out" in the WSOD! But Do not panic™! There is a solution ☐

Actually, you have two options how to fix or reset it back:

1. If you do not want to lose the previous content of that textarea you just edited you can go to your MySQL admin tool ([Adminer](#), PHPMyAdmin or whatever is available for you) and locate the feature_custom_html_head_content field (if it happened to be another textarea than Custom HTML Head, just look for the other one by similar name) in the tiki-preferences table. Then just edit the content of the field to fix it (e.g. by surrounding it by the literal block).
2. If you do not care about clearing and resetting that textarea completely, you can just use the following trick. In your browser's address bar instead of the tiki-admin.php?page=look put this there:
tiki-admin.php?page=look&looksetup=Apply&feature_custom_html_head_content=&lm_preference[]=feature_custom_html_head_content
Then hit Enter key on your keyboard and your Tiki should be back!

Internal server error

This can happen because of incorrect [File and Folder permissions](#).

Forgotten admin password

If you have lost or forgotten your Tiki **admin** password, see [Lost admin password](#).

Session issues

Your Tiki may have trouble writing [HTTP sessions](#) to the disk. Instead, try storing in the database. In your lib/prefs/session.php file (you can see an example [here](#), find the session_storage preference and change the 'default' from 'default' to 'db'.

Broken theme

If you customized a Tiki theme and now have problems, see [Template Tricks](#) on [Tiki Themes](#).

Module breaks site

If you created or edited a [module](#) and included invalid or poorly formatted syntax, Tiki may display errors. Access your database (for example, by using [Adminer](#) or phpMyAdmin) and remove the offending module from the tiki_modules table. Please note that you can easily re-instate via the admin panel after, as it is not deleted but just unassigned.

Missing or corrupted files

If you are getting weird error messages that no one else seems to be getting, it could be that your upload didn't complete properly. So you are missing some files or they are corrupt. The solution is simple: reupload the files. [Check file integrity](#)

tiki-login.php unable to login

- Here is the error msg: XMLRPC Error: 5 - Didn't receive 200 OK from remote server. (HTTP/1.0 301 Found)
 - This happens with tiki.org is not available (with [InterTiki](#) login)

File gallery progress wheel never ends...

Ensure that there is no problem with the re-indexing. Check file indexing

Search Engine Friendly URLs have been activated but the server won't support them

This can be because there is no .htaccess, or it's there but the server doesn't support it somehow.

Solution: Turn off [Search Engine Friendly URLs](#).

WYSIWYG editor doesn't load

- This can happen if you are on a mobile device, that doesn't support CKeditor.
- If this is happening in a supported browser, it's likely because of invalid HTML. Try adding &wysiwyg=n to the URL, and then, clean up the data

Site running painfully slowly after upgrade

This happened to me on an upgrade from Tiki 12.x to 18.x on a really old site with a lot of legacy data, specifically there were over 3 million rows in tiki_stats and feature_stats was enabled. 🚧

Each page load was taking a minute or so, and eventually i tracked it down to the index being missing on tiki_stats because there was a duplicate value in the table that shouldn't have been there. So the process to find and fix it was:

```
/* to find the duplicate */ SELECT `object`, `type`, `day`, COUNT(*) AS anyVariableName FROM `tiki_stats` GROUP BY
`object`,`type`,`day` HAVING COUNT(*) > 1; /* then assuming there is only one duplicate */ /* combine the two stats */
UPDATE `tiki_stats` SET `hits` = '2' WHERE `object` = 'Your Wiki Page Name' AND `type` = 'wiki' AND `day` =
'1576627200' AND `hits` = '1' LIMIT 1; /* delete the second one */ DELETE FROM `tiki_stats` WHERE `object` = 'Your Wiki
Page Name' AND `type` = 'wiki' AND `day` = '1576627200' AND `hits` = '1' LIMIT 1; /* add back in the missing index - note,
this is for Tiki 18, 19+ should use `object`(157) due to utf8_mb4 */ ALTER TABLE `tiki_stats` ADD PRIMARY KEY
(`object`(200),`type`,`day`);
```