

# Categories

A category is a means of classifying the pages and other objects of a Tiki website, including blogs, articles, polls, forums, wiki pages, file galleries and trackers. The feature is similar to, but different from [tags](#) and [structures](#). Any Tiki [object](#) including wiki pages, [blog](#) posts, [forum](#) topics, [calendar](#), or [tracker](#) can be added to one or many categories for content organization and/or object access purposes.

## To access


Click the **Categories** icon  on the [Admin Panel](#)






or





Access <http://example.org/tiki-admin.php?page=category>

### Related Topics

- [Category User](#)
- [PluginCategory](#)

Option	Description	Default
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
<a href="#">Plugin Category</a>	List categories and objects assigned to them	Enabled
<a href="#">Plugin Category Path</a>	Show the full category path for a wiki page	Enabled
<a href="#">Plugin Category Orphans</a>	List objects that are not categorized	Enabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. <small> Links to the category when the category is visible   Text label when the category is visible   Link when visible, text label otherwise   Always display the category path labels</small>	Links to the category when ...





Option	Description	Default
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled
"More Like This" algorithm for categories	   Basic   Weighted	None
Minimum number of categories in common	 1   2   3   4   5   6   7   8   9   10	2 categories
List objects with most categories in common	No minimum is applied.	Enabled
Maximum number of "more like this" objects	The default maximum records setting for the site is used of this is set to 0.	0 objects
<a href="#">Category transition</a>	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled
<a href="#">Provides the current categories to Smarty templates</a>	When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance.	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None
Clear cache upon category change	A cache is used to avoid having to fetch all categories from the database every time; this clears the cache when an object is categorized to keep the count up to date.  <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
<a href="#">Areas</a>	Binding categories and perspectives to each other 	Disabled
<a href="#">Areas root category ID</a>	ID of category whose child categories are bound to a perspective by areas	0
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives.  <i>This should only be set for perspectives, and not globally.</i>	None
Category jail root	Always display categories outside of the jail root, which would be for normal categorization.	0

Option	Description	Default
Category defaults	<p>Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: /<u>RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages.</u> <u>One per line, for example: 1,4,6,*7/4:/RND_/:wiki page</u> </p>	None
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	<p>Make sure that the categories of the translations are synchronized when modified on any version.</p> <p> None   Only those specified   All but those specified</p>	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Limit wiki page categories to those under this category	<p>If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None".</p> <p> None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Templates   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::...</p>	None
Limit blog categories to those under this category	<p>If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None.</p> <p> None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Templates   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::...</p>	None

Option	Description	Default
Limit image gallery categories to those under this category	☰ None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Templates   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::8.x   Versions::9.x	None
Use unified search in category admin	Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index.	Disabled
<a href="#">Ignore category viewing restrictions</a>	Display items the user may not be entitled to view in search results. ⚠ <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters ⚠ <i>Can slow the loading of the categories page on large sites.</i>	Enabled

Option	Description	Default
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
<a href="#">Plugin Category</a>	List categories and objects assigned to them	Enabled
<a href="#">Plugin Category Path</a>	Show the full category path for a wiki page	Enabled
<a href="#">Plugin Category Orphans</a>	List objects that are not categorized	Enabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. ☰ Links to the category when the category is visible   Text label when the category is visible   Link when visible, text label otherwise   Always display the category path labels	Links to the category when ...
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled

Option	Description	Default
"More Like This" algorithm for categories	☰   Basic   Weighted	None
Minimum number of categories in common	☰ 1   2   3   4   5   6   7   8   9   10	2 categories
List objects with most categories in common	No minimum is applied.	Enabled
Maximum number of "more like this" objects	The default maximum records setting for the site is used of this is set to 0.	0 objects
<a href="#">Category transition</a>	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled
<a href="#">Provides the current categories to Smarty templates</a>	When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance.	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None
Clear cache upon category change	A cache is used to avoid having to fetch all categories from the database every time; this clears the cache when an object is categorized to keep the count up to date. ⚠️ <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
<a href="#">Areas</a>	Binding categories and perspectives to each other 🏰	Disabled
<a href="#">Areas root category ID</a>	ID of category whose child categories are bound to a perspective by areas	0
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. * <i>This should only be set for perspectives, and not globally.</i>	None
Category jail root	Always display categories outside of the jail root, which would be for normal categorization.	0





Option	Description	Default
Category defaults	<p>Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: /<u>RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages.</u>  <u>One per line, for example: 1,4,6,*7/4:/RND_/:wiki page</u> </p>	None
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	<p>Make sure that the categories of the translations are synchronized when modified on any version.</p> <p> None   Only those specified   All but those specified</p>	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Limit wiki page categories to those under this category	<p>If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None".</p> <p> None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Templates   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::...</p>	None
Limit blog categories to those under this category	<p>If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None.</p> <p> None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Templates   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::...</p>	None

Option	Description	Default
Limit image gallery categories to those under this category	☰ None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Templates   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::8.x   Versions::9.x	None
Use unified search in category admin	Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index.	Disabled
<a href="#">Ignore category viewing restrictions</a>	Display items the user may not be entitled to view in search results. ⚠ <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters ⚠ <i>Can slow the loading of the categories page on large sites.</i>	Enabled

Option	Description	Default
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
<a href="#">Plugin Category</a>	List categories and objects assigned to them	Enabled
<a href="#">Plugin Category Path</a>	Show the full category path for a wiki page	Enabled
<a href="#">Plugin Category Orphans</a>	List objects that are not categorized	Enabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. ☰ Links to the category when the category is visible   Text label when the category is visible   Link when visible, text label otherwise   Always display the category path labels	Links to the category when ...
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled

Option	Description	Default
"More Like This" algorithm for categories	☰   Basic   Weighted	None
Minimum number of categories in common	☰ 1   2   3   4   5   6   7   8   9   10	2 categories
List objects with most categories in common	No minimum is applied.	Enabled
Maximum number of "more like this" objects	The default maximum records setting for the site is used of this is set to 0.	0 objects
<a href="#">Category transition</a>	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled
<a href="#">Provides the current categories to Smarty templates</a>	When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance.	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None
Clear cache upon category change	A cache is used to avoid having to fetch all categories from the database every time; this clears the cache when an object is categorized to keep the count up to date. ⚠ <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
<a href="#">Areas</a>	Binding categories and perspectives to each other 🏰	Disabled
<a href="#">Areas root category ID</a>	ID of category whose child categories are bound to a perspective by areas	0
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. * <i>This should only be set for perspectives, and not globally.</i>	None
Category jail root	Always display categories outside of the jail root, which would be for normal categorization.	0



Option	Description	Default
Category defaults	<p>Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: /<u>RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages.</u>  <u>One per line, for example: 1,4,6,*7/4:/RND_/:wiki page</u> </p>	None
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	<p>Make sure that the categories of the translations are synchronized when modified on any version.</p> <p> None   Only those specified   All but those specified</p>	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Limit wiki page categories to those under this category	<p>If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None".</p> <p> None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Templates   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::...</p>	None
Limit blog categories to those under this category	<p>If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None.</p> <p> None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Templates   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::...</p>	None

Option	Description	Default
Limit image gallery categories to those under this category	☰ None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Templates   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::8.x   Versions::9.x	None
Use unified search in category admin	Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index.	Disabled
<a href="#">Ignore category viewing restrictions</a>	Display items the user may not be entitled to view in search results. ⚠ <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters ⚠ <i>Can slow the loading of the categories page on large sites.</i>	Enabled

Option	Description	Default
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
<a href="#">Plugin Category</a>	List categories and objects assigned to them	Enabled
<a href="#">Plugin Category Path</a>	Show the full category path for a wiki page	Enabled
<a href="#">Plugin Category Orphans</a>	List objects that are not categorized	Enabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. ☰ Links to the category when the category is visible   Text label when the category is visible   Link when visible, text label otherwise   Always display the category path labels	Links to the category when ...
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled

Option	Description	Default
"More Like This" algorithm for categories	☰   Basic   Weighted	None
Minimum number of categories in common	☰ 1   2   3   4   5   6   7   8   9   10	2 categories
List objects with most categories in common	No minimum is applied.	Enabled
Maximum number of "more like this" objects	The default maximum records setting for the site is used of this is set to 0.	0 objects
Category transition	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled
Provides the current categories to Smarty templates	When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance.	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None
Clear cache upon category change	A cache is used to avoid having to fetch all categories from the database every time; this clears the cache when an object is categorized to keep the count up to date. ⚠️ <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
Areas	Binding categories and perspectives to each other 🏠	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. * <i>This should only be set for perspectives, and not globally.</i>	None
Category defaults	Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: / <u>RND_ / = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages.</u> <u>One per line, for example: 1,4,6,*7/4:/</u> <u>RND_/:wiki page 🏠</u>	None

Option	Description	Default
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. ☰ None   Only those specified   All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ☰ None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Templates   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::....	None
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. ☰ None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Templates   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::....	None
Limit image gallery categories to those under this category	☰ None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Templates   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::8.x   Versions::9.x	None
Use unified search in category admin	Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index.	Disabled

Option	Description	Default
<a href="#">Ignore category viewing restrictions</a>	Display items the user may not be entitled to view in search results. ⚠️ <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters ⚠️ <i>Can slow the loading of the categories page on large sites.</i>	Enabled

Option	Description	Default
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
<a href="#">Plugin Category</a>	List categories and objects assigned to them	Enabled
<a href="#">Plugin Category Path</a>	Show the full category path for a wiki page	Enabled
<a href="#">Plugin Category Orphans</a>	List objects that are not categorized	Enabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. ☰ <a href="#">Links to the category when the category is visible</a>   <a href="#">Text label when the category is visible</a>   <a href="#">Link when visible, text label otherwise</a>   <a href="#">Always display the category path labels</a>	Links to the category when ...
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled
"More Like This" algorithm for categories	☰   <a href="#">Basic</a>   <a href="#">Weighted</a>	None
Minimum number of categories in common	☰ 1   2   3   4   5   6   7   8   9   10	2 categories
List objects with most categories in common	No minimum is applied.	Enabled

Option	Description	Default
Maximum number of "more like this" objects	The default maximum records setting for the site is used of this is set to 0.	0 objects
<a href="#">Category transition</a>	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled
<a href="#">Provides the current categories to Smarty templates</a>	When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance.	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None
Clear cache upon category change	A cache is used to avoid having to fetch all categories from the database every time; this clears the cache when an object is categorized to keep the count up to date. ⚠ <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
<a href="#">Areas</a>	Binding categories and perspectives to each other 🏠	Disabled
<a href="#">Areas root category ID</a>	ID of category whose child categories are bound to a perspective by areas	0
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. * <i>This should only be set for perspectives, and not globally.</i>	None
Category defaults	Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: / <u>RND_ / = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages.</u> <u>One per line, for example: 1,4,6,*7/4:/</u> <u>RND_/:wiki page 🏠</u>	None
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled

Option	Description	Default
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. ☰ None   Only those specified   All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ☰ None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::8.x   Versio...	None
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. ☰ None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::8.x   Versio...	None
Limit image gallery categories to those under this category	☰ None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Versions   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::1.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::8.x   Versions::9.x	None
Use unified search in category admin	Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index.	Disabled
<a href="#">Ignore category viewing restrictions</a>	Allow showing forbidden (restricted) items in search result. ⚠ <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters ⚠ <i>Can slow the loading of the categories page on large sites.</i>	Enabled

Option	Description	Default
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
<a href="#">Plugin Category</a>	List categories and objects assigned to them	Enabled
<a href="#">Plugin Category Path</a>	Show the full category path for a wiki page	Enabled
<a href="#">Plugin Category Orphans</a>	List objects that are not categorized	Enabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. ☰ Links to the category when the category is visible   Text label when the category is visible   Link when visible, text label otherwise   Always display the category path labels	Links to the category when ...
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled
"More Like This" algorithm for categories	☰   Basic   Weighted	None
Minimum number of categories in common	☰ 1   2   3   4   5   6   7   8   9   10	2 categories
List objects with most categories in common	No minimum is applied.	Enabled
Maximum number of "more like this" objects	The default maximum records setting for the site is used of this is set to 0.	0 objects
<a href="#">Category transition</a>	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled
<a href="#">Categories used in templates (.tpl files)</a>	Enables showing alternate content, depending on the category of the current object	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None



Option	Description	Default
Clear cache upon category change	A cache is used to avoid having to fetch all categories from db every time; this clears the cache when an object is categorized to keep count up to date. ⚠️ <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
Areas	Binding categories and perspectives to each other 🔗	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas.	0
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. * <i>This should only be set for perspectives, and not globally.</i>	None
Category defaults	Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: / <u>RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages.</u> <u>One per line, for example: 1,4,6,*7/4:/</u> <u>RND_/:wiki page 🔗</u>	None
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. ☰ None   Only those specified   All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None

Option	Description	Default
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to “None”. ☰ None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Versions   Versions::1.x   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::8.x   Versio...	None
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. ☰ None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Versions   Versions::1.x   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::8.x   Versio...	None
Limit image gallery categories to those under this category	☰ None   All   Editorial Board Meeting   Files example   Keywords   Status   Status::3.In Progress   Versions   Versions::1.x   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versions::7.x   Versions::8.x   Versions::9.x	None
Use unified search in category admin	Use unified search to find objects to add to categories. Limits types of objects available to those included in the unified index.	Disabled
<a href="#">Ignore category viewing restrictions</a>	Allow showing forbidden (restricted) items in search result. ⚠ <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters ⚠ <i>Can slow the loading of the categories page on large sites.</i>	Enabled

Option	Description	Default
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
<a href="#">Plugin Category</a>	List categories and objects assigned to them	Enabled
<a href="#">Plugin Category Path</a>	Show the full category path for a wiki page	Enabled

Option	Description	Default
<a href="#">Plugin Category Orphans</a>	List objects that are not categorized	Enabled
Category Path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. ☰ Links to the category when the category is visible   Text label when the category is visible   Link when visible, text label otherwise   Always display the category path labels	Links to the category when ...
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled
"More Like This" algorithm for categories	☰   Basic   Weighted	None
Minimum number of categories in common	☰ 1   2   3   4   5   6   7   8   9   10	2
Or look for the maximum less categories in common if no objects with the above number of common categories	No minimum is applied.	Enabled
Maximum number of "more like this" objects; otherwise, use the default maximum records	The default maximum records setting for the site is used of this is set to 0.	0
<a href="#">Category Transition</a>	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled
<a href="#">Categories used in templates (.tpl files)</a>	Enables showing alternate content, depending on the category of the current object	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None

Option	Description	Default
Category cache gets cleared when an object is categorized/uncategorized	A cache is used to avoid having to fetch all categories from db every time; this clears the cache when an object is categorized to keep count up to date. ⚠️ <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
Areas	Binding categories and perspectives to each other ⚠️ <i>Experimental</i> 🚧	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas.	0
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. * <i>This should only be set for perspectives, and not globally.</i>	None
Category defaults	Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: / <u>RND_ / = name beginning by RND_ )(Optional)</u> <u>Can do for wiki only (optional). Rename will only reassign the categories for wiki pages.</u> <u>One per line, for example: 1,4,6,*7/4:/</u> <u>RND_/:wiki page</u>	None
Automatically geocode items when categorized in	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace existing geocode, if any	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. ☰ None   Only those specified   All but those specified	None

Option	Description	Default
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Wiki: Limit categorization to within the subtree of	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ☰ None	None
Blog: Limit categorization to within the subtree of	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. ☰ None	None
Image Gallery: Limit categorization to within the subtree of	If an error message indicates a mandatory category is required when editing an image (in an image gallery), set this option to "None". ☰ None	None
Use unified search in category admin	Use unified search to find objects to add to categories. Limits types of objects available to those included in the unified index.	Disabled
<a href="#">Ignore category viewing restrictions</a>	allow showing forbidden (restricted) items in search result <i>Will improve performance, but may show forbidden results</i> ⚠ <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters <i>Can slow the loading of the categories page on large sites.</i> ⚠ <i>Can slow the loading of the categories page on large sites.</i>	Enabled

Option	Description	Default
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled

Option	Description	Default
<a href="#">Plugin Category</a>	List categories and objects assigned to them	Enabled
<a href="#">Plugin Category Path</a>	Show the full category path for a wiki page	Enabled
<a href="#">Plugin Category Orphans</a>	List objects that are not categorized	Enabled
Category Path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. ☰ Links to the category when the category is visible   Text label when the category is visible   Link when visible, text label otherwise   Always display the category path labels	Links to the category when ...
Sort categories by legacy ASCII sequence	If turned on, will sort categories taking into account all characters as upper case, in ASCII sequence, will only consider limited set of accented characters. Might be needed to be able to override the normal sort by prepending punctuation characters to category names, such as "-" to sort at the beginning and "[" to sort at the end.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled
"More Like This" algorithm for categories	☰   Basic   Weighted	None
Minimum number of categories in common	☰ 1   2   3   4   5   6   7   8   9   10	2
Or look for the maximum less categories in common if no objects with the above number of common categories	No minimum is applied.	Enabled
Maximum number of "more like this" objects; otherwise, use the default maximum records	The default maximum records setting for the site is used if this is set to 0.	0
<a href="#">Category Transition</a>	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled
<a href="#">Categories used in templates (.tpl files)</a>	Enables showing alternate content, depending on the category of the current object	Disabled

Option	Description	Default
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None
Category cache gets cleared when an object is categorized/uncategorized	A cache is used to avoid having to fetch all categories from db every time; this clears the cache when an object is categorized to keep count up to date. ⚠️ <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
Areas	Binding categories and perspectives to each other ⚠️ <i>Experimental</i> 🚧	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas.	0
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. * <i>This should only be set for perspectives, and not globally.</i>	None
Category defaults	Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: / <u>RND_ / = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages.</u> <i>One per line, for example: 1,4,6,*7/4:/</i> <u>RND_/:wiki page</u>	None
Automatically geocode items when categorized in	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace existing geocode, if any	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled

Option	Description	Default
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. ☰ None   Only those specified   All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Wiki: Limit categorization to within the subtree of	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ☰ None	None
Blog: Limit categorization to within the subtree of	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. ☰ None	None
Image Gallery: Limit categorization to within the subtree of	If an error message indicates a mandatory category is required when editing an image (in an image gallery), set this option to "None". ☰ None	None
Use unified search in category admin	Use unified search to find objects to add to categories. Limits types of objects available to those included in the unified index.	Disabled
<a href="#">Ignore category viewing restrictions</a>	allow showing forbidden (restricted) items in search result <i>Will improve performance, but may show forbidden results</i> ⚠ <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters <i>Can slow the loading of the categories page on large sites.</i> ⚠ <i>Can slow the loading of the categories page on large sites.</i>	Enabled







Option	Description	Default
<a href="#">Category</a>	Global content category system. Items of different types (wiki pages, articles, tracker items, etc) can be added to one or many content categories. Categories can have permissions, so that content access can be controlled, and e.g. only granted to a certain group	Disabled
<a href="#">Plugin Category</a>	List categories and objects assigned to them	Enabled
<a href="#">Plugin Category Path</a>	Show the full category path for a wiki page	Enabled
<a href="#">Plugin Category Orphans</a>	List objects that are not categorized	Enabled
Category Path	Show category tree, above wiki pages	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. ☰ <a href="#">Links to the category when category is visible</a>   <a href="#">Text label when category is visible</a>   <a href="#">Link when visible, text label otherwise</a>   <a href="#">Always display the category path labels</a>	Links to the category when ...
Sort categories by legacy ASCII sequence	If turned on, will sort categories taking into account all characters as upper case, in ASCII sequence, will only consider limited set of accented characters. Might be needed to be able to override the normal sort by prepending punctuation characters to category names, such as "-" to sort at the beginning and "[" to sort at the end.	Disabled
Show category objects	Show objects sharing the same category, below wiki pages	Disabled
"More Like This" algorithm for categories	☰   <a href="#">Basic</a>   <a href="#">Weighted</a>	None
Minimum number of categories in common	☰ <a href="#">1</a>   <a href="#">2</a>   <a href="#">3</a>   <a href="#">4</a>   <a href="#">5</a>   <a href="#">6</a>   <a href="#">7</a>   <a href="#">8</a>   <a href="#">9</a>   <a href="#">10</a>	2
Or look for the maximum less categories in common if no objects with the above number of common categories	No minimum is applied.	Enabled
Maximum of objects more like this, otherwise use the default max records	The default maximum records setting for the site is used of this is set to 0.	0
<a href="#">Category Transition</a>	Enables transitions on objects between different categories. Transitions will create a document workflow.	Disabled

Option	Description	Default
Categories used in templates (TPL)	Permits to show alternate content depending on category of current object	Disabled
Areas	Binding categories and perspectives to each other ⚠ <i>Experimental</i> ⚠	Disabled
Areas root category id	Id of category whose children are bound to a perspective by areas.	0
Category Jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. * <i>This should only be set for perspectives, and not globally.</i>	None
Category Defaults	Force certain categories to be present. If none of the categories in a given set are provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: / <u>RND_ / = name beginning by RND_</u> )(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages. <u>One per line. ex:1,4,6,*7/4:/RND_/:wiki page</u>	None
Automatically geocode items when categorized in	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace existing geocode if any	When automatically geocoding items based on category name, replace existing geocode if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	Make sure that the categories on the translations are synchronized when modified on any version. ☰ None   Only those specified   All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (only categories allows) or as a black list (all except thoses specified).	None
Wiki: Force and limit categorization to within subtree of	If you get an error message indicating a mandatory category is required when editing a wiki page, this is the option to blame. Set it to None. ☰ None	None

Option	Description	Default
Blog: Force and limit categorization to within subtree of	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. ☰ None	None
Image Gallery: Force and limit categorization to within subtree of	If you get an error message indicating a mandatory category is required when editing an image (in an image gallery), this is the option to blame. Set it to None. ☰ None	None
Use Unified Search in Category Admin	Use unified search to find objects to add to categories. Limits types of objects available to those included in the unified index.	Disabled
<a href="#">Ignore category viewing restrictions</a>	allow showing forbidden (restricted) items in search result <i>Will improve performance, but may show forbidden results</i> ⚠ <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, obeying search and type filters <i>Can make the categories page slow to load on large sites.</i> ⚠ <i>Can slow the loading of the categories page on large sites.</i>	Enabled

Option	Description	Default
<a href="#">Category</a>	Global content category system. Items of different types (wiki pages, articles, tracker items, etc) can be added to one or many content categories. Categories can have permissions, so that content access can be controlled, and e.g. only granted to a certain group	Disabled
<a href="#">Plugin Category</a>	List categories and objects assigned to them	Enabled
<a href="#">Plugin Category Path</a>	Show the full category path for a wiki page	Enabled
<a href="#">Plugin Category Orphans</a>	List objects that are not categorized	Enabled
Category Path	Show category tree, above wiki pages	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. ☰ Links to the category when category is visible   Text label when category is visible   Link when visible, text label otherwise   Always display the category path labels	Links to the category when ...

Option	Description	Default
Sort categories by legacy ASCII sequence	If turned on, will sort categories taking into account all characters as upper case, in ASCII sequence, will only consider limited set of accented characters. Might be needed to be able to override the normal sort by prepending punctuation characters to category names, such as "-" to sort at the beginning and "[" to sort at the end.	Disabled
Show category objects	Show objects sharing the same category, below wiki pages	Disabled
"More Like This" algorithm for categories	☰   Basic   Weighted	None
Minimum number of categories in common	☰ 1   2   3   4   5   6   7   8   9   10	2
Or look for the maximum less categories in common if no objects with the above number of common categories	No minimum is applied.	Enabled
Maximum of objects more like this, otherwise use the default max records	The default maximum records setting for the site is used of this is set to 0.	0
<a href="#">Category Transition</a>	Enables transitions on objects between different categories. Transitions will create a document workflow.	Disabled
<a href="#">Categories used in templates (TPL)</a>	Permits to show alternate content depending on category of current object	Disabled
<a href="#">Areas</a>	Binding categories and perspectives to each other ⚠ <i>Experimental</i> ⚠	Disabled
<a href="#">Areas root category id</a>	Id of category whose children are bound to a perspective by areas.	0
Category Jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. * <i>This should only be set for perspectives, and not globally.</i>	None

Option	Description	Default
Category Defaults	Force certain categories to be present. If none of the categories in a given set are provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: / <u>RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages. <i>One per line. ex:1,4,6,*7/4:/RND_/:wiki page</i></u>	None
Automatically geocode items when categorized in	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace existing geocode if any	When automatically geocoding items based on category name, replace existing geocode if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	Make sure that the categories on the translations are synchronized when modified on any version.  None   Only those specified   All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (only categories allows) or as a black list (all except thoses specified).	None
Wiki: Force and limit categorization to within subtree of	If you get an error message indicating a mandatory category is required when editing a wiki page, this is the option to blame. Set it to None.  None	None
Blog: Force and limit categorization to within subtree of	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None.  None	None
Image Gallery: Force and limit categorization to within subtree of	If you get an error message indicating a mandatory category is required when editing an image (in an image gallery), this is the option to blame. Set it to None.  None	None
Use Unified Search in Category Admin	Use unfied search to find objects to add to categories. Limits types of objects available to those included in the unified index.	Disabled

Option	Description	Default
<a href="#">Ignore category viewing restrictions</a>	allow showing forbidden (restricted) items in search result <i>Will improve performance, but may show forbidden results</i> ⚠️ <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, obeying search and type filters <i>Can make the categories page slow to load on large sites.</i> ⚠️ <i>Can slow the loading of the categories page on large sites.</i>	Enabled

Option	Description	Default
<a href="#">Category</a>	Global content category system. Items of different types (wiki pages, articles, tracker items, etc) can be added to one or many content categories. Categories can have permissions, so that content access can be controlled, and e.g. only granted to a certain group	Disabled
<a href="#">Plugin Category</a>	List categories and objects assigned to them	Enabled
<a href="#">Plugin Category Path</a>	Show the full category path for a wiki page	Enabled
<a href="#">Plugin Category Orphans</a>	List objects that are not categorized	Enabled
Category Path	Show category tree, above wiki pages	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. ☰ <a href="#">Links to the category when category is visible</a>   <a href="#">Text label when category is visible</a>   <a href="#">Link when visible, text label otherwise</a>   <a href="#">Always display the category path labels</a>	Links to the category when ...
Sort categories by legacy ASCII sequence	If turned on, will sort categories taking into account all characters as upper case, in ASCII sequence, will only consider limited set of accented characters. Might be needed to be able to override the normal sort by prepending punctuation characters to category names, such as "-" to sort at the beginning and "[" to sort at the end.	Disabled
Show category objects	Show objects sharing the same category, below wiki pages	Disabled
"More Like This" algorithm for categories	☰   <a href="#">Basic</a>   <a href="#">Weighted</a>	None

Option	Description	Default
Minimum number of categories in common	☰ 1   2   3   4   5   6   7   8   9   10	2
Or look for the maximum less categories in common if no objects with the above number of common categories	No minimum is applied.	Enabled
Maximum of objects more like this, otherwise use the default max records	The default maximum records setting for the site is used of this is set to 0.	0
<a href="#">Category Transition</a>	Enables transitions on objects between different categories. Transitions will create a document workflow.	Disabled
<a href="#">Categories used in templates (TPL)</a>	Permits to show alternate content depending on category of current object	Disabled
<a href="#">Areas</a>	Binding categories and perspectives to each other ⚠ <i>Experimental</i> ⚠	Disabled
<a href="#">Areas root category id</a>	Id of category whose children are bound to a perspective by areas.	0
Category Jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. * <i>This should only be set for perspectives, and not globally.</i>	None
Category Defaults	Force certain categories to be present. If none of the categories in a given set are provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: / <u>RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages.</u> <u>One per line. ex:1,4,6,*7/4:/</u> <u>RND_/:wiki page</u> )	None
Automatically geocode items when categorized in	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace existing geocode if any	When automatically geocoding items based on category name, replace existing geocode if any	Disabled

Option	Description	Default
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	Make sure that the categories on the translations are synchronized when modified on any version. ☰ None   Only those specified   All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (only categories allows) or as a black list (all except thoses specified).	None
Wiki: Force and limit categorization to within subtree of	If you get an error message indicating a mandatory category is required when editing a wiki page, this is the option to blame. Set it to None. ☰ None	None
Blog: Force and limit categorization to within subtree of	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. ☰ None	None
Image Gallery: Force and limit categorization to within subtree of	If you get an error message indicating a mandatory category is required when editing an image (in an image gallery), this is the option to blame. Set it to None. ☰ None	None
Use Unified Search in Category Admin	Use unfied search to find objects to add to categories. Limits types of objects available to those included in the unified index.	Disabled
<a href="#">Ignore category viewing restrictions</a>	allow showing forbidden (restricted) items in search result <i>Will improve performance, but may show forbidden results</i> ⚠ <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, obeying search and type filters <i>Can make the categories page slow to load on large sites.</i> ⚠ <i>Can slow the loading of the categories page on large sites.</i>	Enabled

## General description

Categories are often used to control access to different sets of content. Setting [permissions](#) for a category will **override** [global permissions](#) for objects in that category.



Example: A "public" category for anonymous users. If the global permissions in Tiki are set such that anonymous users cannot see wiki pages, then you can define a category called *public*, which does allow the [group](#) anonymous users to view the content. Then by adding a wiki page to category *public* - this page will now be visible without logging in.

Categories can also be used to aid navigation or create a [taxonomy](#) of objects. Categories are a tool that persists for all features, not just for wiki or articles or trackers. Depending on the settings, category listings can be displayed in a side module, above or below the content. [Menus](#), [modules](#) and [structures](#) are also used for navigation, and categories for access control. Articles also use [topics](#) for classification.

## Key Functioning and sub-features

- Organize categories in a tree hierarchy with unlimited subcategories.
- Assign objects to one or many categories
- Administrators can apply different permissions to different categories.
- Administrators can apply different themes to different categories.
- Deep search into subcategories from the [category browser](#)
- On wiki pages, you can show the category path and/or show objects in the same category(ies)
- Manage [Category Transitions](#)

## Category Permissions

The way that category permissions work has changed substantially over time.

Up to version 1.9.11, a user with edit permission for a type of object is allowed to edit any object which they can view. In version 2.0 the [tiki\\_p\\_edit\\_categorized](#) permission allows editing of objects with the user's categories. See also [Categories Details](#).

Starting in [Tiki4](#), all permissions can be added to categories, and [Category Transitions](#) are introduced.

By changing the theme from one category to the next it is possible to create visually distinct "zones" in a Tiki site.

### Related Plugins

- [PluginCategory](#) - creates a table of contents using categories.
- [PluginCatPath](#) - creates a "breadcrumbs" trail
- [PluginCatorphans](#) - displays uncategorized pages.

### Related Modules

- [Module change\\_category](#) Powerful display and modifications of the category of the current object.
- [Module categories](#) Displays category tree.

## Related Links

---

- [Category User](#) - explains how to navigate and search categories
- [Category Admin](#) - how to set up categories, and apply themes and permissions
- [Categories Details](#) - plugins, tweaks and other technical details.

## Alias

---

- [Categories](#)
- [Category Tree](#)
- [Facet](#)
- [Facets](#)
- [Faceted classification](#)
- [Categories Admin](#)

## Related external links

[http://en.wikipedia.org/wiki/Faceted\\_classification](http://en.wikipedia.org/wiki/Faceted_classification)