

Credits

Credits are a way for Tiki users to have different stored value types of credits. They can be points, tokens, hours, minutes, numbers of uses of something, etc. This feature comes with an API to add and use credits for each user.

Somehow, it implies having the ability to define and use multiple currencies within a single Tiki site, similarly to what can be achieved with [Community Currencies](#) linked to a [CCLite](#) server, which allows using those multiple currencies with other sites (intertrading), sites which can be powered by Tiki or other CMS/Softwares, such as Joomla, Drupal, Elgg, etc.


Credit Details

Credits have a few characteristics:

- Credits have expiry dates and validity periods.
- Admins can configure different credit types and you can have different credit types for different sites

Admin Credits

- The admin panel for this feature is at **tiki-admin_credits.php**

The screenshot shows the 'Manage Credits' admin interface. At the top, there's a search bar for 'Username:' with a 'Search' button. Below it, a message says 'No such user'. The main section is titled 'Manage Credit Types' and contains a table with columns: 'Type', 'Display Text', 'Unit Text', 'Is Static Level Credit', and 'Display Bar Length Scaling Divisor'. There are two rows of input fields for these settings. The first row has 'TUC-Hour', 'Hour/s', 'h', 'No' (with a dropdown arrow), and '1'. The second row is labeled 'New' and has empty input fields for the first three columns, followed by 'No' (with a dropdown arrow) and '1'. A 'Save' button is at the bottom left of the table. Below the table, there's a section titled 'Purge Expired and Used Credits (All Users)' with a 'Purge' button.

- You also need to define which TUC types are allowed in the tiki site, through "**Admin home > Payments > Tiki User Credits**" (tiki-admin.php?page=payment):

Payment System: **Tiki User Credits** ⓘ ↻

PayPal: see [PayPal.com](https://www.paypal.com) - Cclite: Community currency

Requires **Payment** (OK)

Currency: **€** ⓘ ↻

Default acceptable payment delay: **30** ⓘ days

Wiki page containing the instruction to send manual payment like check:

ⓘ

Requires **Payment** (OK)

PayPal

Cclite

Tiki User Credits

Types of credit to use:

TUC-Hour ⓘ

Requires **Payment** (OK)

Requires **Tiki User Credits** (OK)

Exchange rate for types of credit to use:

0.02 ⓘ

Requires **Payment** (OK)

Requires **Tiki User Credits** (OK)

- Credits are used in the order of the earliest expiration date. Credits with no expiration date are used last.

Some definitions (useful for the admin panel):

Credits page for non-Admin users (coming in Tiki 26)

Users can see their own credits in this page: **tiki-user_credits.php**

Add credits to users

You add credits to users through `tiki-admin_credits.php?userfilter=username` (being username the name of the user; which you can type in the username search bo

Manage Credits

Username:

Type	Creation Date (YYYY-MM-DD HH:MM:SS)	Expiration Date (YYYY-MM-DD HH:MM:SS)	Used (level credits always 0)	Total
☐ TUC-Hour	2010-09-24 10:00:00	2010-09-25 23:55:00	0	20
☐ TUC-Hour	2010-10-01 10:00:00	2010-10-02 23:55:00	0	20
New TUC-Hour			0	
Delete Checked			Save	

User Credits Expiry Summary (Plans)

User Plan	Start of Latest Plan	Start of Next Plan	Expiry
TUC-Hour	2010-09-24 10:00:00	2010-10-01 10:00:00	2010-10-02 23:55:00

An admin can also set that a user has already consumed some of that set of allocated credits:

Use User Credits

Use:

Amount:

And a report on the historical usage can be shown also:


Historical Usage Report

Type	Usage Date	Amount Used
TUC-Hour	25-09-2010 15:31:26	5

Use Credits

You can pay invoices of Tiki [Payments](#) using [Tiki User Credits](#).

The credits that a user has left can be seen at any time by means of the module [Module credits](#):



Developer Tips

You could make use of functions in [lib/credits/creditlib](#):

function useCredits to use up credits and function addCredits to add credits for users. Also use getCredits to get a user's credit information, and getScaledCredits which extends getCredits with more human readable information.

alias
