

E-Democracy system

This page displays some sort of [Tutorial](#) information about how to use Tiki as a base for an electronic democracy system.

see also: [The World Parliament Experiment](#)

1. Submitting proposals through using Wiki pages and their rating system

You need to have select the checkboxes:

- Rating, under "Admin > Wiki"
- Polls, under "Admin > Features"

Check that registered (or anonymous, whatever you prefer) have the global permission to view and vote ratings (set that to your choice). And you can modify that with local permissions on individual objects (review [Permissions Settings](#) , if needed).

Then you need to create a poll template under "Admin > Polls" (tiki-admin_polls.php - option in the main application menu, under the admin section):



The screenshot shows the 'Admin Polls' interface. At the top, there's a title 'Admin Polls' with a small icon. Below it, there are three links: 'Set last poll as current', 'Close all polls but last', and 'Activate all polls'. The main section is titled 'Create/edit Polls'. It contains a form with the following fields: 'Title' with the value 'Wiki', 'Active' with a dropdown menu showing 'template', 'Categorize' with links '[show categories | hide categories]', and 'PublishDate' with a date picker set to 'June 05 2007 at 14 44'. A 'Save' button is located at the bottom of the form.

...and add some options to this poll template:

Admin Polls: Wiki

[List polls](#) [Edit this poll](#)

Preview poll

Wiki

☐ Very Good

☐ Good

☐ So-So

☐ Bad

☐ Very Bad

View Results

(Votes: 0)

([Comments: 7](#))

Edit or add poll options

Option: Position:

Poll options

position	title	votes	action
1	Very Good	0	delete edit
2	Good	0	delete edit
3	So-So	0	delete edit
4	Bad	0	delete edit
5	Very Bad	0	delete edit

Later on you will be able to select this poll template at wiki edition time.

Edit: TikiWiki CMS Groupware

Categorize	[show categories] [hide categories]		
Apply template:	none ▾		
Use rating:	type	Wiki ▾	title <input type="text"/> or use ... an existing poll ▾
Language:	Unknown ▾		
Smileys:			
Description:	A presentation of www.tikiwiki.org		
Edit:	Tikiwiki, also known as Tiki CMS/Groupware/whate		

And then, you'll be able to see the results from that rating on that page, or you'll be able to rate that page (if you have enough permissions).

You'll see the "Rating" box on the top right corner of the page.

TikiWiki CMS Groupware

A presentation of www.tikiwiki.org

[Democracy Platform](#)

     backlinks... ▼

Rating

Tikiwiki, also known as Tiki CMS/Groupware/whatever (later referenced as Tiki for short), is powerful wiki-based Content Management System (CMS), Groupware, Blogging System, Image/File Gallerv. Bug Tracker or anything you imagine to manage your data on-line via web browser. Tiki is Free

Clicking on that box, you'll see the current results of the poll votes:



backlinks... ▼

[] vote

Rate Tikiwiki!

0	: Very Good
0	: Good
0	: So-So
0	: Bad
0	: Very Bad

And after clicking on the vote link (on top of the box), you'll be able to insert your vote to that page through that poll.



backlinks... ▼


[] view

Rate Tikiwiki!

<input type="radio"/>	Very Good	(0)
<input checked="" type="radio"/>	Good	(0)
<input type="radio"/>	So-So	(0)
<input type="radio"/>	Bad	(0)
<input type="radio"/>	Very Bad	(0)

vote

Select an option ("Good" at the screenshot) and click on the vote button. This will record your option, and after you go to see the results again, you'll see:



backlinks... ▼

[] vote

Rate Tikiwiki!

0	: Very Good
1	: Good
0	: So-So
0	: Bad
0	: Very Bad

And whenever another person rates the page, you'll see your option highlighted (in yellow in tikineat.css theme style), but not the options of the other users ("Very good", in this screenshot).



1.1 Discussing proposals through using votable comments on Wiki pages

Once a wiki page is created, containing a proposal, for instance, users could discuss arguments for and against that proposal. This could be implemented using the **comments** feature on wiki pages (check that it's enabled under "Admin > Wiki" in your Tiki site).

You could add a new thread called "Arguments **for** that proposal", and another thread called "Arguments **against** that proposal". Replies to these two threads could be added by users, and a user could vote on other users comments. See the following example:

[edit](#)
[remove](#)
[rename](#)
[lock](#)
[perms](#)
[history](#)
[similar](#)
[undo](#)
[export](#)

4

[translation](#)

[comments](#)

Posted messages

Messages	Style	Sort	Threshold	Find			
10	Threaded	Score	All		set	Top	Hide all

author	message
xavi 	<div> Arguments for Tikiwiki </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> on: Tue 05 of Jun, 2007 [17:10] score: 3.00 Vote: 1 2 3 4 5 ✕ reply </div> <div style="background-color: #f9f9f9; padding: 5px; margin-top: 5px;"> <p>Discuss here arguments for using Tikiwiki as the base software for an e-democracy system (based on open sourced code, etc.)</p> </div>
Xavi 	<div> Re: Arguments for Tikiwiki </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> on: Tue 05 of Jun, 2007 [18:44] score: 0.00 ✕ reply </div> <div style="background-color: #f9f9f9; padding: 5px; margin-top: 5px;"> <p>Well, Tikiwiki has plenty of ready-to-use features, suitable for an e-democracy system, plus many more useful for complementary work on the site (communication with users or among them, etc.).</p> <p>See the features list at: http://doc.tikiwiki.org/Features</p> </div>
admin 	<div> Arguments against Tiki-Wiki </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> on: Tue 05 of Jun, 2007 [17:05] score: 0.00 Vote: 1 2 3 4 5 ✕ reply </div> <div style="background-color: #f9f9f9; padding: 5px; margin-top: 5px;"> <p>Under this thread you can post all arguments against Tiki-Wiki for the purpose of a basis for a free e-democracy software.</p> </div>
admin 	<div> Tiki-Wiki can have too many features </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 5px;"> on: Tue 05 of Jun, 2007 [17:10] score: 4.00 Vote: 1 2 3 4 5 ✕ reply </div> <div style="background-color: #f9f9f9; padding: 5px; margin-top: 5px;"> <p>That can make it hard to administer</p> </div>

WARNING:

So far, the rating system is somehow taking into account the user score when making averages of votes, making use of some kind of factor which multiplies for the vote number. However, it seems very easy to modify the template so that votes are averaged the same way for any user, regardless of that users scores

1.2. Discussing proposals through votable forums posts and replies

This is something very similar to the previous case of threaded and votable wiki page comments.



At forum creation (or edition) time, you have to select that posts can be rated, so that users can rate other users posts

2. Submitting proposals through using Trackers and their rating system

Create a new tracker with "rating" selected

Create/edit trackers	
Name:	Proposals
Description:	Proposals of items through trackers in the e-Democracy system
Categorize	[show categories hide categories]
Show status	<input checked="" type="checkbox"/>
Default status displayed in list mode	<input checked="" type="checkbox"/> open <input type="checkbox"/> pending <input type="checkbox"/> closed
Show status to tracker admin only	<input checked="" type="checkbox"/>
Send copies of all activity in this tracker to this e-mail address:	
Use simplified e-mail format	<input type="checkbox"/>
<i>The tracker needs a text field named Subject</i>	
New items are created with status	open
Authoritative status for modified items	No change
Item creator can modify his items?	<input checked="" type="checkbox"/>
<i>The tracker needs a user field with the option 1</i>	
Member of the default group of creator can modify items?	<input type="checkbox"/>
<i>The tracker needs a group field with the option 1</i>	
Show creation date when listing tracker items?	<input checked="" type="checkbox"/>
Show lastModif date when listing tracker items?	<input checked="" type="checkbox"/>
What field is used for default sort?	Rating
What is default sort order in list?	ascending
Tracker items allow ratings?	<input checked="" type="checkbox"/> with values -2,-1,0,1,2 and display rating results in listing? <input checked="" type="checkbox"/>
Tracker items allow comments?	<input checked="" type="checkbox"/> and display comments in listing? <input checked="" type="checkbox"/>
Tracker items allow attachments?	<input type="checkbox"/>
<input type="button" value="Save"/>	

Add some tracker fields, like the ones in the figure:

Tracker fields											
Find		<input type="text"/>		<input type="button" value="find"/>		<input type="text" value="10"/>		rows			
Id	position	name	type	options	isMain	Tbl vis	Searchable	Public	Hidden	Mandatory	
1	0	Rating	system	-2,-1,0,1,2	-	y	-	y	-	-	
2	edit 10	Proposal body	textarea	1	y	y	y	y	n	y	
3	edit 20	Agreement degree	drop down	?,?,1,2,3,4,5 n	n	y	y	y	n	y	

Nowadays, you can go to the tracker, from "Trackers > List Trackers", and select your tracker from the list ("Proposals" in this example). You'll see the insert form:


Insert new item	
	<input type="button" value="save"/>
Status	<input type="text" value="open"/>
Rating	<input type="radio"/> -2 <input type="radio"/> -1 <input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2
Proposal body *	<div> <input type="text"/> <input type="button" value="Quicktags ..."/> </div>
Agreement degree *	<input type="text" value="?"/>
	<input type="button" value="save"/> <input type="checkbox"/> View inserted item
fields marked with a * are mandatory	

Fill in the tracker with some items, and rate the tracker items. For instance:

Tracker: Proposals









[List trackers](#)[Cancel monitoring](#)[Admin trackers](#)[Edit this tracker](#)[Edit fields](#)

Proposals of items through trackers in the e-cdemocracy system



Choose a filter

3 items found

	Rating	Proposal body	Agreement degree	created	lastModif	coms	
	2 	Trial 4	5	Tue 05 of Jun, 2007 [17:43]	Tue 05 of Jun, 2007 [17:43]	0	
	3 	test	3	Tue 05 of Jun, 2007 [17:42]	Tue 05 of Jun, 2007 [18:07]	0	
	4 	Use an e-democracy system to propose things, and gather opinion from others	5	Tue 05 of Jun, 2007 [17:20]	Tue 05 of Jun, 2007 [17:40]	0	

At this stage, you can also use some wiki plugins: TRACKER and TRACKERLIST plugins.







Let's see how can they be used, for instance. In a wiki page, we can add:


```
{TRACKER(trackerId=>1, fields=>1:2:3, action=>Name of submit button, showtitle=>y, showdesc=>y, showmandatory=>y, embedded=>y)}Notice to users when submitting the tracker item{TRACKER}
```

This would produce (just below the "**Register WPE with the People's Congress**", starting with a title bar called "Proposals", which is the tracker title):

Draft Proposals

[WPE](#)

      English

In 'Draft Proposals', you can post your proposals to the WPE voting site, so that other members can help you with improvement and feedback, before they become [future votes](#) . We suggest that all proposals shall be short, to the point, and anonymous in order to avoid bias caused by ego conflicts. If you want your name to be public after the acceptance of your proposal, send an e-mail to jnstenborg@gmail.com about your wish, and your name will be published.

- [Proposals with high agreement](#)
- [Suggestion to users](#)
- [Cooperate with Humanitad in order to set up World Problem Solving Internet Site](#)
- [Register WPE with the People's Congress](#)

Proposals

Proposals of items through trackers in the e-cdemocracy system

Proposal body *

Agreement degree *

Name of submit button

*Fields marked with a * are mandatory.*

And the TRACKERLIST plugin can be used like in here:

```
!!! Proposals with high agreement {TRACKERLIST(trackerId=>1,fields=>1:2:3, showtitle=>y,
showlinks=>y, showdesc=>y, showinitials=>y, showstatus=>y, status=>opc, max=>10,
filterfield=>3, filtervalue=>5, exactvalue=>5)}Notice to users{TRACKERLIST}
```

Which would produce this filtered list on the wiki page itself:

Proposals with high agreement

Proposals

Proposals of items through trackers in the e-cdemocracy system!

	<u>Rating</u>	<u>Proposal body</u>	<u>Agreement degree</u>	<u>created</u>	<u>lastModif</u>	coms
	2	<div><div></div><div></div><div></div><div></div><div></div><div></div></div> <div>Trial 4</div>	5	Tue 05 of Jun, 2007 [17:43]	Tue 05 of Jun, 2007 [17:43]	0
	4	<div><div></div><div></div><div></div><div></div><div></div><div></div></div> <div>Use an e-democracy system to propose things, and gather opinion from others</div>	5	Tue 05 of Jun, 2007 [17:20]	Tue 05 of Jun, 2007 [17:40]	0

3. Using the PluginProposal

In [Tikiwiki 3.0](#) a new PluginProposal was introduced.

See also [PluginConvene](#), [Rating](#) and [Deliberation](#).

Plugin Proposal

Introduced in [Tiki3](#)

Use this [wiki plugin](#) to provide a widget for users to vote on a proposal and view the current decision.

- It makes it quick to vote and tally votes
- The proposal and votes are kept in the wiki page so it's still possible to improve the original proposal and to change the votes (there is wiki page version history so everyone can see the evolution).

Parameters

Allow users to vote on a proposal and view the results

Introduced in [Tiki 3](#).

[Go to the source code](#)

Preferences required: `wikiplugin_proposal`

Parameters	Accepted Values	Description	Default	Since
(body of plugin)		The list of votes cast. One vote per line. Either 0, +1 or -1 followed by a username.		
<code>caption</code>	text	Short description of the proposal to vote on. Will be displayed above the result table.		3.0
<code>weights</code>	text	Comma-separated list of groups and their associated weight. Default is <code>Registered(1)</code> Example: <code>Reviewer(2.5),User(1),Manager(0.25),Registered(0)</code>	Registered(1)	10.0

- Note that a user must have edit rights to the page where the proposal is placed in order to be able to see the vote buttons and be able to click on them to vote.
- New in [Tiki10](#): Added the ability to set custom weights to groups in the proposal plugin, which affects the stored attributes. This is useful for [Code Review](#)

Examples

Basic syntax

```
{PROPOSAL(caption="Here is the proposal")} +1 Sam -1 john +1 Suzy +1 Cuong 0 Sam +1 Helen +1 Majid +1 Mohammed 0 Francois +1 Youssou +1 Nico -1~1 will0913{PROPOSAL}
```

Free birthday pizza

As users vote by clicking the accept, reject or undecided button, the user's user name and vote is automatically placed in the code. Once several people have voted, the code would look something like this:

```
{PROPOSAL(caption="That each Tiki contributor should get free pizza on their birthday")} +1 Sam -1 john +1 Suzy +1 Cuong 0 Sam +1 Helen +1 Majid +1 Mohammed 0 Francois +1 Youssou +1 Nico {PROPOSAL}
```

Would produce:

That each Tiki contributor should get free pizza on their birthday

Accept	Undecided	Reject
7	2	1
<ul style="list-style-type: none">• Suzy• Cuong• Helen• Majid• Mohammed• Youssou• Nico	<ul style="list-style-type: none">• Sam• Francois	<ul style="list-style-type: none">• john

Since [Tiki10](#): Added the ability to set custom weights to groups in the proposal plugin, which affects the stored attributes. This is useful for [Code Review](#)

Related Pages

- Tutorial: [E-Democracy System](#)
- [Source code](#)

Aliases

[Plugin Proposal](#) | [Proposal](#)

4. Using a Voting System based on trackers

See the profile http://profiles.tiki.org/Voting_System to get an example of a Voting System applied in a [Tiki12](#) site.

Voting_System is one simple yet very powerful use of [Trackers](#) in Tiki. This profile will enable the tracker feature and create a basic wiki page to act as a custom reduced interface to vote in the system, while hiding some fields to the end user, that are needed to ensure that the user is recognized as a member of the only group that can vote ("Group1"), and that only one vote per user is allowed.

Two users are created for demo purposes: user1, which belongs to group1, and user2, which belongs to group2. Therefore, only user1 can vote, beyond the admin, that can also vote since no permissions are checked against user admin, who has the ability to create and fine tune the system.

You can easily enhance the system as admin by:

1. enabling users to get notified by email of changes to their items. This way, a user casting a vote will receive also a notification email with a copy of the choices made in that vote casted (also if only voting once and no further change is made to that vote).

You can do so by means of:

1. go to list your **trackers** (tiki-list_trackers.php), and choose to list the tracker fields for the tracker of the voting system
2. edit the field "**User selector: Username**"
3. at the option "**Options for User Selector**", choose "Email Notification: **No**". And click at the **OK** button below to save your changes.

2. Set some period for the voting. No votes will be allowed before and after these dates you chose.

You can do so by means of:

1. go to list your **trackers** (tiki-list_trackers.php) and edit the tracker for the voting system
2. go to the "**Permissions**" section in that popup window, below at the "**Creation date constraint**", and click at the "**After**" and "**Before**" checkboxes.
3. Choose your preferred date and time for each parameter, and click at the **OK** button below to save your changes.

5. Allow users to rate authors opinions based on Articles or Comments

For Articles:

- Enable the feature "**Admin home > Articles > General Settings > User ratings on articles**", and set the options here: "**Article rating options:**" (1, 2, 3, 4, 5; or less/more options than those)
- Ensure that you granted to your desired group/s the permission to vote, and view the rating results.
 - articles > tiki_p_rate_article
 - tiki > tiki_p_ratings_view_results

For Comments:

- Enable the feature "**Admin home > Rating > Comments > Simple wiki comment ratings**" and "**Wiki rating options:**" (1, 2, 3, 4, 5; or less/more options than those)
- Ensure that you granted to your desired group/s the permission to vote, and view the rating results.
 - comments > tiki_p_vote_comments
 - tiki > tiki_p_ratings_view_results

You can see a few examples below depending on the features enabled (see [Rating](#)), and the permissions of the group of users involved.

1. Example of simple display of results for anonymous users, without the permission to vote, but with the permission to view the rating results, and without detailed results nor colored smiley ratings. One comment also displayed below.




Click to expand

2. Example of simple display of results for registered users, with the permissions to vote and to view the rating results, and without detailed results nor colored smiley ratings. One comment also displayed below




Click to expand

3. Example of detailed display of results for registered users, with the permissions to vote and to view the rating results, and without colored smiley ratings. One comment also displayed below.



Click to expand

4. Example of detailed display of results for registered users, with the permissions to vote and to view the rating results, and with colored smiley ratings. One comment also displayed below.



Click to expand

6. Rate contributions in Forums


Enable the feature "**Admin home > Rating > Comments > Simple wiki comment ratings**" and "**Wiki rating options:**" (1, 2, 3, 4, 5; or less/more options than those), and enable the setting "**Posts can be rated**" for the forum that you are interested in.

Ensure that you granted to your desired group/s the permission to vote, and view the rating results.

- forums > tiki_p_forum_vote


- `tiki > tiki_p_ratings_view_results`

Example of the thread list in a forum, showing results for the first message of every thread (thread topic), with detailed results and rating smileys both enabled.



Click to expand

If we visit one of those threads of that forum, we can see that the rating shown in the threads list corresponds to the rating of the thread topic (first message of the thread). Replies to that topic can also be rated by users.



Click to expand

Related links

- [Cryptographically Secure, Distributed Electronic Voting](#)

Alias names for this page

[E-Democracy](#) | [EDemocracy](#) | [Democracy](#)