

General Settings tab

Overview

Use this tab to select the home file gallery, the comment settings for file galleries and if rankings/comments are used or not for file galleries.

Related Topics

- [File Gallery](#)

To Access

From the [File Gallery Admin](#) page, click the **General Settings** tab.

Option	Description	Default
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery ≡ File Galleries Branding Graphics colorbox Documentation temporarily in P Drawings Example EPSG:4326 geoJSON boun Example EPSG:4326 geoJSON path Example map object images Example POI icons exportet-structures-francais,c Fonctionnalité Articles Gérer les Utilisateurs H5P Content Images for plugin Diagram Images for slideshows Images for the Documentation p Images...	Images for slideshows
Description	≡ Hide Show as a column Show in popup box Both	Show in popup box
Storage	Specify if uploaded files should be stored in the database or file directory. ≡ Store in database Store in directory	Store in database
Preserve filenames	Preserve original filename instead assigning a hash as name	Disabled
Path to the directory to store file gallery files	Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory.	storage/fgal/
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the “top” or “most” downloaded files.	Disabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display ZIP option in gallery	Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery..	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow file duplicates	Allow the same file to be uploaded more than once. ≡ Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery





Option	Description	Default
Use jQuery upload	Use the improved Tiki 15+ upload page	Enabled
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature.	Disabled
Path	<i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None
Require file creator's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠ A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same fileId for the latest version of a file	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled
Store user files in a file gallery	Use the file gallery admin and the individual file gallery settings to manage file storage preferences. ⚠	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ⚠	Disabled
Save files as drafts	Allow saving of files as drafts	Disabled
File gallery configuration templates	⚠	Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
Set MIME type based on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream ⚠	Disabled
Clean XML Always	Sanitize XML based files such as SVG for all users.	Enabled
Allow SVG file upload	Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files..	Disabled


Option	Description	Default
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. <i>Set to zero to disable refresh</i>	3600 seconds
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Redirect to file gallery	If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery	Disabled
View or export office documents as PDF	If enabled allows to view documents without download or to export documents as PDF files	Disabled
Maximum width of file preview in pixels	The maximum value of width in pixels for the files preview in the popover.	250
Quota for all files and archives	The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) <i>0 for unlimited</i>	0 megabytes
Quota for each file gallery	A different quota can be defined for each file gallery.	Disabled
Default quota for each new gallery	<i>0 for unlimited</i>	0 megabytes
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter *. (odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None
ffmpeg path	Path to the location of the ffmpeg binary	/usr/bin/ffmpeg
ffprobe path	Path to the location of the ffprobe binary	/usr/bin/ffprobe
unoconv path	Path to the location of the unoconv binary.	/usr/bin/unoconv


Option	Description	Default
unoconv timeout	The maximum amount of time for unoconv to execute.	60 seconds
unoconv port	unoconv running port.	2002
ghostscript path	Path to the location of the ghostscript binary.	/usr/bin/gs
Alchemy Image library	Select either Image Magick or GD Graphics Library. ☰ Imagemagick GD	Imagemagick
Export diagram image on save	If enabled, diagrams will be cached in PNG format when saved or edited.	Enabled
Use locally CasperJS to export images	If enabled, diagrams can be exported using CasperJS.	Disabled
Use draw.io public services to export images	When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback.	Disabled
Draw.io service endpoint	Configure the draw.io service endpoint to export the diagram images.	https://convert.diagrams.ne...
Use diagram compression by default	if this setting is enabled, diagram will use compression by default.	Enabled
Use RecordRTC to screen record	if this setting is enabled, will use RecordRTC to record the screen activity. 🗸	Disabled





Option	Description	Default
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery ☰ File Galleries Branding Graphics colorbox Documentation temporarily in P Drawings Example EPSG:4326 geoJSON boun Example EPSG:4326 geoJSON path Example map object images Example POI icons exportet-structures-francais,c Fonctionnalité Articles Gérer les Utilisateurs H5P Content Images for plugin Diagram Images for slideshows Images for the Documentation p Images...	Images for slideshows
Description	☰ Hide Show as a column Show in popup box Both	Show in popup box
Storage	Specify if uploaded files should be stored in the database or file directory. ☰ Store in database Store in directory	Store in database
Preserve filenames	Preserve original filename instead assigning a hash as name	Disabled

Option	Description	Default
Path to the directory to store file gallery files	Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory.	storage/fgal/
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the "top" or "most" downloaded files.	Disabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display ZIP option in gallery	Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery..	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow file duplicates	Allow the same file to be uploaded more than once. Never <input checked="" type="checkbox"/> Yes, even in the same gallery <input type="checkbox"/> Only in different galleries	Yes, even in the same gallery
Use jQuery upload	Use the improved Tiki 15+ upload page	Enabled
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature.	Disabled
Path	<i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None
Require file creator's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ▲ A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same fileId for the latest version of a file	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled

Option	Description	Default
Store user files in a file gallery	Use the file gallery admin and the individual file gallery settings to manage file storage preferences. 	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. 	Disabled
Save files as drafts	Allow saving of files as drafts	Disabled
File gallery configuration templates		Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
Set MIME type based on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream 	Disabled
Clean XML Always	Sanitize XML based files such as SVG for all users.	Enabled
Allow SVG file upload	Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files..	Disabled
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. <i>Set to zero to disable refresh</i>	3600 seconds
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Redirect to file gallery	If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery	Disabled
View or export office documents as PDF	If enabled allows to view documents without download or to export documents as PDF files	Disabled
Maximum width of file preview in pixels	The maximum value of width in pixels for the files preview in the popover.	250

Option	Description	Default
Quota for all files and archives	The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) <i>0 for unlimited</i>	0 megabytes
Quota for each file gallery	A different quota can be defined for each file gallery.	Disabled
Default quota for each new gallery	<i>0 for unlimited</i>	0 megabytes
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None
ffmpeg path	Path to the location of the ffmpeg binary	/usr/bin/ffmpeg
ffprobe path	Path to the location of the ffprobe binary	/usr/bin/ffprobe
unoconv path	Path to the location of the unoconv binary.	/usr/bin/unoconv
unoconv timeout	The maximum amount of time for unoconv to execute.	60 seconds
unoconv port	unoconv running port.	2002
ghostscript path	Path to the location of the ghostscript binary.	/usr/bin/gs
Alchemy Image library	Select either Image Magick or GD Graphics Library.  Imagemagick GD	Imagemagick
Export diagram image on save	If enabled, diagrams will be cached in PNG format when saved or edited.	Enabled
Use locally CasperJS to export images	If enabled, diagrams can be exported using CasperJS.	Disabled
Use draw.io public services to export images	When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback.	Disabled
Draw.io service endpoint	Configure the draw.io service endpoint to export the diagram images.	https://convert.diagrams.net/

Option	Description	Default
Use diagram compression by default	if this setting is enabled, diagram will use compression by default.	Enabled
Use RecordRTC to screen record	if this setting is enabled, will use RecordRTC to record the screen activity. 	Disabled

Option	Description	Default
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery  File Galleries Branding Graphics colorbox Documentation temporarily in P Drawings Example EPSG:4326 geoJSON boun Example EPSG:4326 geoJSON path Example map object images Example POI icons exportet-structures-francais,c Fonctionnalité Articles Gérer les Utilisateurs H5P Content Images for plugin Diagram Images for slideshows Images for the Documentation p Images...	Images for slideshows
Description	 Hide Show as a column Show in popup box Both	Show in popup box
Storage	Specify if uploaded files should be stored in the database or file directory.  Store in database Store in directory	Store in database
Preserve filenames	Preserve original filename instead assigning a hash as name	Disabled
Path to the directory to store file gallery files	Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory.	storage/fgal/
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the “top” or “most” downloaded files.	Disabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display ZIP option in gallery	Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery..	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow file duplicates	Allow the same file to be uploaded more than once.  Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery
Use jQuery upload	Use the improved Tiki 15+ upload page	Enabled

Option	Description	Default
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature.	Disabled
Path	<i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None
Require file creator's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ▲ A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same fileId for the latest version of a file	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled
Store user files in a file gallery	<i>Use the file gallery admin and the individual file gallery settings to manage file storage preferences.</i> ▲	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ▲	Disabled
Save files as drafts	Allow saving of files as drafts	Disabled
File gallery configuration templates	▲	Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
Set MIME type based on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream ▲	Disabled
Clean XML Always	Sanitize XML based files such as SVG for all users.	Enabled
Allow SVG file upload	Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files..	Disabled

Option	Description	Default
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. <i>Set to zero to disable refresh</i>	3600 seconds
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Redirect to file gallery	If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery	Disabled
View or export office documents as PDF	If enabled allows to view documents without download or to export documents as PDF files	Disabled
Maximum width of file preview in pixels	The maximum value of width in pixels for the files preview in the popover.	250
Quota for all files and archives	The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) <i>0 for unlimited</i>	0 megabytes
Quota for each file gallery	A different quota can be defined for each file gallery.	Disabled
Default quota for each new gallery	<i>0 for unlimited</i>	0 megabytes
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None
ffmpeg path	Path to the location of the ffmpeg binary	/usr/bin/ffmpeg
ffprobe path	Path to the location of the ffprobe binary	/usr/bin/ffprobe
unoconv path	Path to the location of the unoconv binary.	/usr/bin/unoconv

Option	Description	Default
unoconv timeout	The maximum amount of time for unoconv to execute.	60 seconds
unoconv port	unoconv running port.	2002
ghostscript path	Path to the location of the ghostscript binary.	/usr/bin/gs
Alchemy Image library	Select either Image Magick or GD Graphics Library. ☰ Imagemagick GD	Imagemagick
Export diagram image on save	If enabled, diagrams will be cached in PNG format when saved or edited.	Enabled
Use locally CasperJS to export images	If enabled, diagrams can be exported using CasperJS.	Disabled
Use draw.io public services to export images	When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback.	Disabled
Draw.io service endpoint	Configure the draw.io service endpoint to export the diagram images.	https://convert.diagrams.ne...
Use diagram compression by default	if this setting is enabled, diagram will use compression by default.	Enabled
Use RecordRTC to screen record	if this setting is enabled, will use RecordRTC to record the screen activity. 🗸	Disabled

File Galleries ⓘ

[General Settings](#)
[Gallery Listings](#)
[Admin Gallery Listings](#)

[Search Indexing](#)
[SCORM](#)

Activate the feature:

File Gallery ⓘ

Plugins

Plugin Files ⓘ

Plugin File ⓘ

Plugin Image ⓘ

Plugin Carousel ⓘ

You need to set Query Inhibit Carousel

Plugin Galleries ⓘ

Plugin Colorbox ⓘ

Plugin Draw ⓘ

You need to set Draw (SVG-edit)

Plugin Image Annotation ⓘ

Plugin Flash Video ⓘ

Home File Gallery (main file gallery): File Galleries

Storage: Store in database

[Move files from database to directory](#)
[Move files from directory to database](#)

Podcast directory: files/ ⓘ

The server must be able to read/write the directory. Required for podcasts.

Features ⓘ

Rankings ⓘ

File Gallery Comments ⓘ

Display zip option in gallery ⓘ

WebDAV access to Tiki ⓘ

use tk-wswebdav.php as the URI of the WebDAV repository

Draw (SVG-edit) ⓘ

Docs (WebODF) ⓘ

Allow download limit per file ⓘ

Prevent download if score becomes negative ⓘ

You need to set Score

Allow same file to be uploaded more than once: Yes, even in the same gallery ⓘ

Batch uploading ⓘ

Require file author's name for anonymous uploads ⓘ

Automatic deletion of old files ⓘ

Keep the same field for the latest version of a file ⓘ

Use file galleries for user files ⓘ

You need to set User Files

Use file galleries for wiki attachments ⓘ

You need to set Attachments

Save files as drafts ⓘ

File Galleries configuration templates ⓘ

Upload progressbar: None ⓘ

Upload files from remote source ⓘ

You need to set Keep the same field for the latest version of a file

Allow searching for existing files in the tracker files field ⓘ

Quota ⓘ

Quota for all the files and archives: 0 Mb (0 for unlimited)

Used: 97.77 Kb

Quota can be defined for each file gallery

Upload Regex ⓘ

Must match:

Cannot match:

[Change preferences](#)

Tiki 18 Preferences Image

Option	Description	Default
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery ☰ File Galleries Branding Graphics colorbox Documentation temporarily in P Drawings Example EPSG:4326 geoJSON boun Example EPSG:4326 geoJSON path Example map object images Example POI icons exportet-structures-francais,c Fonctionnalité Articles Gérer les Utilisateurs H5P Content Images for plugin Diagram Images for slideshows Images for the Documentation p Images...	Images for slideshows
Description	☰ Hide Show as a column Show in popup box Both	Show in popup box
Storage	Specify if uploaded files should be stored in the database or file directory. ☰ Store in database Store in directory	Store in database
Preserve filenames	Preserve original filename instead assigning a hash as name	Disabled
Path to the directory to store file gallery files	Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory.	storage/fgal/
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the “top” or “most” downloaded files.	Disabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display ZIP option in gallery	Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery..	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow file duplicates	Allow the same file to be uploaded more than once. ☰ Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery
Use jQuery upload	Use the improved Tiki 15+ upload page	Enabled
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature.	Disabled
Path	<i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None
Require file creator's name for anonymous uploads		Disabled

Option	Description	Default
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠ <i>A cron job must be set up in order to delete the files.</i>	Disabled
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same fileId for the latest version of a file	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled
Store user files in a file gallery	<i>Use the file gallery admin and the individual file gallery settings to manage file storage preferences.</i> ⚠	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ⚠	Disabled
Save files as drafts	Allow saving of files as drafts	Disabled
File gallery configuration templates	⚠	Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
Set MIME type based on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream ⚠	Disabled
Clean XML Always	Sanitize XML based files such as SVG for all users.	Enabled
Allow SVG file upload	Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files..	Disabled
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. <i>Set to zero to disable refresh</i>	3600 seconds
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled

Option	Description	Default
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Redirect to file gallery	If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery	Disabled
View or export office documents as PDF	If enabled allows to view documents without download or to export documents as PDF files	Disabled
Maximum width of file preview in pixels	The maximum value of width in pixels for the files preview in the popover.	250
Quota for all files and archives	The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) <i>0 for unlimited</i>	0 megabytes
Quota for each file gallery	A different quota can be defined for each file gallery.	Disabled
Default quota for each new gallery	<i>0 for unlimited</i>	0 megabytes
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter *.odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None
ffmpeg path	Path to the location of the ffmpeg binary	/usr/bin/ffmpeg
ffprobe path	Path to the location of the ffprobe binary	/usr/bin/ffprobe
unoconv path	Path to the location of the unoconv binary.	/usr/bin/unoconv
unoconv timeout	The maximum amount of time for unoconv to execute.	60 seconds
unoconv port	unoconv running port.	2002
ghostscript path	Path to the location of the ghostscript binary.	/usr/bin/gs
Alchemy Image library	Select either Image Magick or GD Graphics Library. ☰ Imagemagick GD	Imagemagick

Option	Description	Default
Export diagram image on save	If enabled, diagrams will be cached in PNG format when saved or edited.	Enabled
Use locally CasperJS to export images	If enabled, diagrams can be exported using CasperJS.	Disabled
Use draw.io public services to export images	When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback.	Disabled
Draw.io service endpoint	Configure the draw.io service endpoint to export the diagram images.	https://convert.diagrams.net/
Use diagram compression by default	if this setting is enabled, diagram will use compression by default.	Enabled

File Galleries ⌵

[General Settings](#)
[Gallery Listings](#)
[Admin Gallery Listings](#)

[Search Indexing](#)
[SCORM](#)

Activate the feature:

File Gallery ⌵

Plugins

Plugin Files ⌵

Plugin File ⌵

Plugin Image ⌵

Plugin Carousel ⌵

You need to set Query Inhibit Carousel

Plugin Galleries ⌵

Plugin Colorbox ⌵

Plugin Draw ⌵

You need to set Draw (SVG-edit)

Plugin Image Annotation ⌵

Plugin Flash Video ⌵

Home File Gallery (main file gallery): File Galleries ⌵

Storage: Store in database ⌵

[Move files from database to directory](#)
[Move files from directory to database](#)

Podcast directory: files/ ⌵

The server must be able to read/write the directory. Required for podcasts.

Features ⌵

Rankings ⌵

File Gallery Comments ⌵

Display zip option in gallery ⌵

WebDAV access to Tiki ⌵

use tiki-webdav.php as the URI of the WebDAV repository

Draw (SVG-edit) ⌵

Docs (WebODF) ⌵

Allow download limit per file ⌵

Prevent download if score becomes negative ⌵

You need to set Score

Allow same file to be uploaded more than once: Yes, even in the same gallery ⌵

Batch uploading ⌵

Require file author's name for anonymous uploads ⌵

Automatic deletion of old files ⌵

Keep the same field for the latest version of a file ⌵

Use file galleries for user files ⌵

You need to set User Files

Use file galleries for wiki attachments ⌵

You need to set Attachments

Save files as drafts ⌵

File Galleries configuration templates ⌵

Upload progressbar: None ⌵

Upload files from remote source ⌵

You need to set Keep the same field for the latest version of a file

Allow searching for existing files in the tracker files field ⌵

Quota ⌵

Quota for all the files and archives: 0 Mb (0 for unlimited)

Used: 97.77 Kb

Quota can be defined for each file gallery

Upload Regex ⌵

Must match:

Cannot match:

[Change preferences](#)

Tiki 18 Preferences Image

Option	Description	Default
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery ☰ File Galleries Branding Graphics colorbox Documentation temporarily in P Drawings Example EPSG:4326 geoJSON boun Example EPSG:4326 geoJSON path Example map object images Example POI icons exportet-structures-francais,c Fonctionnalité Articles Gérer les Utilisateurs H5P Content Images for plugin Diagram Images for slideshows Images for the Documentation p Images...	Images for slideshows
Description	☰ Hide Show as a column Show in popup box Both	Show in popup box
Storage	Specify if uploaded files should be stored in the database or file directory. ☰ Store in database Store in directory	Store in database
Path to the directory to store file gallery files	Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory.	storage/fgal/
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the “top” or “most” downloaded files.	Disabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display ZIP option in gallery	Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery..	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow file duplicates	Allow the same file to be uploaded more than once. ☰ Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery
Use jQuery upload	Use the improved Tiki 15+ upload page	Enabled
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature.	Disabled
Path	<i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None

Option	Description	Default
Require file creator's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠ A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same fileId for the latest version of a file	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled
Store user files in a file gallery	Use the file gallery admin and the individual file gallery settings to manage file storage preferences. ⚠	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ⚠	Disabled
Save files as drafts	Allow saving of files as drafts	Disabled
File gallery configuration templates	⚠	Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
Set MIME type based on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream ⚠	Disabled
Clean XML Always	Sanitize XML based files such as SVG for all users.	Enabled
Allow SVG file upload	Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files..	Disabled
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled

Option	Description	Default
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. <i>Set to zero to disable refresh</i>	3600 seconds
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Redirect to file gallery	If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery	Disabled
View or export office documents as PDF	If enabled allows to view documents without download or to export documents as PDF files	Disabled
Maximum width of file preview in pixels	The maximum value of width in pixels for the files preview in the popover.	250
Quota for all files and archives	The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) <i>0 for unlimited</i>	0 megabytes
Quota for each file gallery	A different quota can be defined for each file gallery.	Disabled
Default quota for each new gallery	<i>0 for unlimited</i>	0 megabytes
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter <code>.*(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)</code>	None
Cannot match	A regular expression that, if matched, causes the file to be rejected. For example, <code>.gif</code> rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None
ffmpeg path	Path to the location of the ffmpeg binary	/usr/bin/ffmpeg
ffprobe path	Path to the location of the ffprobe binary	/usr/bin/ffprobe

Option	Description	Default
unoconv path	Path to the location of the unoconv binary.	/usr/bin/unoconv
unoconv timeout	The maximum amount of time for unoconv to execute.	60 seconds
unoconv port	unoconv running port.	2002
ghostscript path	Path to the location of the ghostscript binary.	/usr/bin/gs
Alchemy Image library	Select either Image Magick or GD Graphics Library. ☰ Imagemagick (Extension not loaded) GD	Imagemagick (Extension not ...)
Export diagram image on save	If enabled, diagrams will be cached in PNG format when saved or edited.	Enabled
Use locally CasperJS to export images	If enabled, diagrams can be exported using CasperJS.	Disabled
Use draw.io public services to export images	When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback.	Disabled

File Galleries ⓘ

[General Settings](#)
[Gallery Listings](#)
[Admin Gallery Listings](#)

[Search Indexing](#)
[SCORM](#)

Activate the feature:

File Gallery ⓘ

Plugins

Plugin Files ⓘ

Plugin File ⓘ

Plugin Image ⓘ

Plugin Carousel ⓘ

You need to set Query Inhibit Carousel

Plugin Galleries ⓘ

Plugin Colorbox ⓘ

Plugin Draw ⓘ

You need to set Draw (SVG-edit)

Plugin Image Annotation ⓘ

Plugin Flash Video ⓘ

Home File Gallery (main file gallery): File Galleries ⌵

Storage: Store in database ⌵

[Move files from database to directory](#)
[Move files from directory to database](#)

Podcast directory: files/ ⓘ

The server must be able to read/write the directory. Required for podcasts.

Features ⓘ

Rankings ⓘ

File Gallery Comments ⓘ

Display zip option in gallery ⓘ

WebDAV access to Tiki ⓘ

use tiki-webdav.php as the URI of the WebDAV repository

Draw (SVG-edit) ⓘ

Docs (WebODF) ⓘ

Allow download limit per file ⓘ

Prevent download if score becomes negative ⓘ

You need to set Score

Allow same file to be uploaded more than once: Yes, even in the same gallery ⌵ ⓘ

Batch uploading ⓘ

Require file author's name for anonymous uploads ⓘ

Automatic deletion of old files ⓘ

Keep the same field for the latest version of a file ⓘ

Use file galleries for user files ⓘ

You need to set User Files

Use file galleries for wiki attachments ⓘ

You need to set Attachments

Save files as drafts ⓘ

File Galleries configuration templates ⓘ

Upload progressbar: None ⌵ ⓘ

Upload files from remote source ⓘ

You need to set Keep the same field for the latest version of a file

Allow searching for existing files in the tracker files field ⓘ

Quota ⓘ

Quota for all the files and archives: 0 Mb (0 for unlimited)

Used: 97.77 Kb

Quota can be defined for each file gallery

Upload Regex ⓘ

Must match:

Cannot match:

[Change preferences](#)

Tiki 18 Preferences Image

Option	Description	Default
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery ☰ File Galleries Branding Graphics colorbox Documentation temporarily in P Drawings Example EPSG:4326 geoJSON boun Example EPSG:4326 geoJSON path Example map object images Example POI icons exportet-structures-francais,c Fonctionnalité Articles Gérer les Utilisateurs H5P Content Images for plugin Diagram Images for slideshows Images for the Documentation p Images...	Images for slideshows
Description	☰ Hide Show as a column Show in popup box Both	Show in popup box
Storage	Specify if uploaded files should be stored in the database or file directory. ☰ Store in database Store in directory	Store in database
Path to the directory to store file gallery files	Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory.	storage/fgal/
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the “top” or “most” downloaded files.	Disabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display ZIP option in gallery	Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery..	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow file duplicates	Allow the same file to be uploaded more than once. ☰ Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery
Use jQuery upload	Use the improved Tiki 15+ upload page	Enabled
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature.	Disabled
Path	<i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None

Option	Description	Default
Require file creator's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠ A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same fileId for the latest version of a file	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled
Store user files in a file gallery	Use the file gallery admin and the individual file gallery settings to manage file storage preferences. ⚠	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ⚠	Disabled
Save files as drafts	Allow saving of files as drafts	Disabled
File gallery configuration templates	⚠	Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
Set MIME type based on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream ⚠	Disabled
Clean XML Always	Sanitize XML based files such as SVG for all users.	Enabled
Allow SVG file upload	Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files..	Disabled
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled

Option	Description	Default
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. <i>Set to zero to disable refresh</i>	3600 seconds
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Redirect to file gallery	If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery	Disabled
View or export office documents as PDF	If enabled allows to view documents without download or to export documents as PDF files	Disabled
Maximum width of file preview in pixels	The maximum value of width in pixels for the files preview in the popover.	250
Quota for all files and archives	The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) <i>0 for unlimited</i>	0 megabytes
Quota for each file gallery	A different quota can be defined for each file gallery.	Disabled
Default quota for each new gallery	<i>0 for unlimited</i>	0 megabytes
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter <code>.*(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)</code>	None
Cannot match	A regular expression that, if matched, causes the file to be rejected. For example, <code>.gif</code> rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None
ffmpeg path	Path to the location of the ffmpeg binary	/usr/bin/ffmpeg
ffprobe path	Path to the location of the ffprobe binary	/usr/bin/ffprobe

Option	Description	Default
unoconv path	Path to the location of the unoconv binary.	/usr/bin/unoconv
ghostscript path	Path to the location of the ghostscript binary.	/usr/bin/gs
Alchemy Image library	Select either Image Magick or GD Graphics Library. ☰ Imagemagick (Extension not loaded) GD	Imagemagick (Extension not ...)
Export diagram image on save	If enabled, diagrams will be cached in PNG format when saved or edited.	Enabled
Use draw.io public services to export images	When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback.	Disabled

File Galleries ⓘ

[General Settings](#)
[Gallery Listings](#)
[Admin Gallery Listings](#)

[Search Indexing](#)
[SCORM](#)

Activate the feature:

File Gallery ⓘ

Plugins

Plugin Files ⓘ

Plugin File ⓘ

Plugin Image ⓘ

Plugin Carousel ⓘ

You need to set Query Inhibit Carousel

Plugin Galleries ⓘ

Plugin Colorbox ⓘ

Plugin Draw ⓘ

You need to set Draw (SVG-edit)

Plugin Image Annotation ⓘ

Plugin Flash Video ⓘ

Home File Gallery (main file gallery): File Galleries

Storage: Store in database

[Move files from database to directory](#)
[Move files from directory to database](#)

Podcast directory: files/ ⓘ

The server must be able to read/write the directory. Required for podcasts.

Features ⓘ

Rankings ⓘ

File Gallery Comments ⓘ

Display zip option in gallery ⓘ

WebDAV access to Tiki ⓘ

use tiki-webdav.php as the URI of the WebDAV repository

Draw (SVG-edit) ⓘ

Docs (WebODF) ⓘ

Allow download limit per file ⓘ

Prevent download if score becomes negative ⓘ

You need to set Score

Allow same file to be uploaded more than once: Yes, even in the same gallery ⓘ

Batch uploading ⓘ

Require file author's name for anonymous uploads ⓘ

Automatic deletion of old files ⓘ

Keep the same field for the latest version of a file ⓘ

Use file galleries for user files ⓘ

You need to set User Files

Use file galleries for wiki attachments ⓘ

You need to set Attachments

Save files as drafts ⓘ

File Galleries configuration templates ⓘ

Upload progressbar: None ⓘ

Upload files from remote source ⓘ

You need to set Keep the same field for the latest version of a file

Allow searching for existing files in the tracker files field ⓘ

Quota ⓘ

Quota for all the files and archives: 0 Mb (0 for unlimited)

Used: 97.77 Kb

Quota can be defined for each file gallery

Upload Regex ⓘ

Must match:

Cannot match:

[Change preferences](#)

Tiki 18 Preferences Image

Option	Description	Default
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery ☰ File Galleries Branding Graphics colorbox Documentation temporarily in P Drawings Example EPSG:4326 geoJSON boun Example EPSG:4326 geoJSON path Example map object images Example POI icons exportet-structures-francais,c Fonctionnalité Articles Gérer les Utilisateurs H5P Content Images for plugin Diagram Images for slideshows Images for the Documentation p Images...	Images for slideshows
Storage	Specify if uploaded files should be stored in the database or file directory. ☰ Store in database Store in directory	Store in database
Path to the directory to store file gallery files	Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory.	storage/fgal/
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the “top” or “most” downloaded files.	Disabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display ZIP option in gallery	Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery..	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow file duplicates	Allow the same file to be uploaded more than once. ☰ Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery
Use jQuery upload	Use the improved Tiki 15+ upload page	Enabled
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature.	Disabled
Path	<i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None

Option	Description	Default
Require file creator's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠ A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same fileId for the latest version of a file	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled
Store user files in a file gallery	Use the file gallery admin and the individual file gallery settings to manage file storage preferences. ⚠	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ⚠	Disabled
Save files as drafts	Allow saving of files as drafts	Disabled
File gallery configuration templates	⚠	Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
Set MIME type based on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream ⚠	Disabled
Clean XML Always	Sanitize XML based files such as SVG for all users.	Enabled
Allow SVG file upload	Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files..	Disabled
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled

Option	Description	Default
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. <i>Set to zero to disable refresh</i>	3600 seconds
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Redirect to file gallery	If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery	Disabled
View or export office documents as PDF	If enabled allows to view documents without download or to export documents as PDF files	Disabled
Maximum width of file preview in pixels	The maximum value of width in pixels for the files preview in the popover.	250
Quota for all files and archives	The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) <i>0 for unlimited</i>	0 megabytes
Quota for each file gallery	A different quota can be defined for each file gallery.	Disabled
Default quota for each new gallery	<i>0 for unlimited</i>	0 megabytes
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None
ffmpeg path	Path to the location of the ffmpeg binary	/usr/bin/ffmpeg
ffprobe path	Path to the location of the ffprobe binary	/usr/bin/ffprobe

Option	Description	Default
unoconv path	Path to the location of the unoconv binary.	/usr/bin/unoconv
ghostscript path	Path to the location of the ghostscript binary.	/usr/bin/gs
Alchemy Image library	Select either Image Magick or GD Graphics Library. ☰ Imagemagick (Extension not loaded) GD	Imagemagick (Extension not ...)

File Galleries ⓘ

[General Settings](#)
[Gallery Listings](#)
[Admin Gallery Listings](#)

[Search Indexing](#)
[SCORM](#)

Activate the feature:

File Gallery ⓘ

Plugins

Plugin Files ⓘ

Plugin File ⓘ

Plugin Image ⓘ

Plugin Carousel ⓘ

You need to set Query Inhibit Carousel

Plugin Galleries ⓘ

Plugin Colorbox ⓘ

Plugin Draw ⓘ

You need to set Draw (SVG-edit)

Plugin Image Annotation ⓘ

Plugin Flash Video ⓘ

Home File Gallery (main file gallery): File Galleries

Storage: Store in database

[Move files from database to directory](#)
[Move files from directory to database](#)

Podcast directory: files/ ⓘ

The server must be able to read/write the directory. Required for podcasts.

Features ⓘ

Rankings ⓘ

File Gallery Comments ⓘ

Display zip option in gallery ⓘ

WebDAV access to Tiki ⓘ

use tk-wsddav.php as the URI of the WebDAV repository

Draw (SVG-edit) ⓘ

Docs (WebODF) ⓘ

Allow download limit per file ⓘ

Prevent download if score becomes negative ⓘ

You need to set Score

Allow same file to be uploaded more than once: Yes, even in the same gallery ⓘ

Batch uploading ⓘ

Require file author's name for anonymous uploads ⓘ

Automatic deletion of old files ⓘ

Keep the same field for the latest version of a file ⓘ

Use file galleries for user files ⓘ

You need to set User Files

Use file galleries for wiki attachments ⓘ

You need to set Attachments

Save files as drafts ⓘ

File Galleries configuration templates ⓘ

Upload progressbar: None ⓘ

Upload files from remote source ⓘ

You need to set Keep the same field for the latest version of a file

Allow searching for existing files in the tracker files field ⓘ

Quota ⓘ

Quota for all the files and archives: 0 Mb (0 for unlimited)

Used: 97.77 Kb

Quota can be defined for each file gallery

Upload Regex ⓘ

Must match:

Cannot match:

[Change preferences](#)

Tiki 18 Preferences Image

Option	Description	Default
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery ☰ File Galleries Branding Graphics colorbox Documentation temporarily in P Drawings Example EPSG:4326 geoJSON boun Example EPSG:4326 geoJSON path Example map object images Example POI icons exportet-structures-francais,c Fonctionnalité Articles Gérer les Utilisateurs H5P Content Images for slideshows Images for the Documentation p Images pour la documentation f I...	Images for slideshows
Storage	Specify if uploaded files should be stored in the database or file directory. ☰ Store in database Store in directory	Store in database
Path to the directory to store file gallery files	Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web accessible. PHP must be able to read/write to the directory.	None
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the “top” or “most” downloaded files.	Disabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display ZIP option in gallery	Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery..	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow file duplicates	Allow the same file to be uploaded more than once. ☰ Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery
Use jQuery upload	Use the improved Tiki 15+ upload page	Enabled
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature.	Disabled
Path	<i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None

Option	Description	Default
Require file creator's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠ A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same fileId for the latest version of a file	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled
Store user files in a file gallery	Use the file gallery admin and the individual file gallery settings to manage file storage preferences. ⚠	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ⚠	Disabled
Save files as drafts	Allow saving of files as drafts	Disabled
File gallery configuration templates	⚠	Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
Set MIME type based on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream ⚠	Disabled
Clean XML Always	Sanitize XML based files such as SVG for all users.	Enabled
Allow SVG file upload	Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files..	Disabled

Option	Description	Default
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. <i>Set to zero to disable refresh</i>	3600 seconds
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Redirect to file gallery	If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery	Disabled
Quota for all files and archives	The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) <i>0 for unlimited</i>	megabytes
Quota for each file gallery	A different quota can be defined for each file gallery.	Disabled
Default quota for each new gallery	<i>0 for unlimited</i>	megabytes
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None

Option	Description	Default
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled

Option	Description	Default
Home file gallery (main file gallery)	Select the default file gallery ☰ File Galleries Branding Graphics colorbox Documentation temporarily in P Drawings Example EPSG:4326 geoJSON boun Example EPSG:4326 geoJSON path Example map object images Example POI icons exportet-structures-francais,c Fonctionnalité Articles Gérer les Utilisateurs H5P Content Images for slideshows Images for the Documentation p Images pour la documentation f I...	Images for slideshows
Storage	Specify if uploaded files should be stored in the Database or Directory ☰ Store in database Store in directory	Store in database
Path to the directory to store file gallery files	Specify a directory on your server, for example: /var/www/ It's recommended that this directory not be web accessible. PHP must be able to read/write to the directory.	None
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the "top" or "most" downloaded files.	Disabled
File gallery comments	Users can post comments on file galleries	Disabled
Display ZIP option in gallery	Users can upload a ZIP (archive file). Tiki will automatically un-ZIP the archive and add each file to the gallery.	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow file duplicates	Allow the same file to be uploaded more than once. ☰ Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery
Use jQuery upload	Use the improved Tiki 15+ upload page	Enabled
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature.	Disabled
Path	<i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None

Option	Description	Default
Require file creator's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠ A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same fileId for the latest version of a file	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled
Store user files in a file gallery	Use the file gallery admin and the individual file gallery settings to manage file storage preferences. ⚠	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ⚠	Disabled
Save files as drafts	Allow saving of files as drafts	Disabled
File gallery configuration templates	⚠	Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
Set MIME type based on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream ⚠	Disabled
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled

Option	Description	Default
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. <i>Set to zero to disable refresh</i>	3600 seconds
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Quota for all files and archives	It is possible to limit the volume that is uploaded to all the file galleries or a specific file gallery. A quota to a file gallery applies to this file gallery and all the file galleries under it. As soon as the limit is reached not other files can be uploaded. The user will see an error message that the quota is reached. A mail can be sent via the Mail notifications feature.) <i>0 for unlimited</i>	megabytes
Quota for each file gallery	You can define a different quota for each file gallery.)	Disabled
Default quota for each new gallery	<i>0 for unlimited</i>	megabytes
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter *.odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that if matched rejects the file, example .gif (rejects gif images note that the period must be escaped since we are using regular expressions) If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None

Option	Description	Default
File Gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery ☰ No file gallery available (create one first)	None
Storage	Specify if uploaded files should be stored in the Database or Directory ☰ Store in database Store in directory	Store in database

Option	Description	Default
Path to the directory to store file gallery files	Specify a directory on your server, for example: /var/www/ It's recommended that this directory not be web accessible. PHP must be able to read/write to the directory.	None
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the “top” or “most” downloaded files.	Disabled
File Gallery Comments	Users can post comments on file galleries	Disabled
Display the .zip option in gallery	Display in the gallery the zip option (in upload and gallery file)	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow the same file to be uploaded more than once	Allow the same file to be uploaded more than once. ☰ Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery
Use jQuery Upload	Use the improved Tiki 15+ upload page	Enabled
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder <i>Use batch uploading to transfer large files to file galleries</i>	Disabled
Path	<i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None
Require file creator's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠ A cron job must be set up in order to delete the files.	Disabled

Option	Description	Default
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same fileId for the latest version of a file	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled
Use file galleries for user files	<i>Use the file gallery admin and the individual file gallery settings to manage file storage preferences.</i> ⚠ <i>experimental</i> ⚠	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ⚠ <i>experimental</i> ⚠	Disabled
Save files as drafts	allow saving of files as drafts	Disabled
File gallery configuration templates		Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
Set MIME type based on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream ⚠	Disabled
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. <i>Set to zero to disable refresh seconds</i>	3600
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled

Option	Description	Default
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Quota for all the files and archives	It is possible to limit the volume that is uploaded to all the file galleries or a specific file gallery. A quota to a file gallery applies to this file gallery and all the file galleries under it. As soon as the limit is reached not other files can be uploaded. The user will see an error message that the quota is reached. A mail can be sent via the Mail notifications feature.) <i>Mb (0 for unlimited)</i>	0
Quota can be defined for each file gallery	You can define a different quota for each file gallery.)	Disabled
Default quota for each new gallery	<i>Mb (0 for unlimited)</i>	0
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that if matched rejects the file, example .gif (rejects gif images note that the period must be escaped since we are using regular expressions) If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None

Option	Description	Default
File Gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery ☰ No file gallery available (create one first)	None
Storage	Specify if uploaded files should be stored in the Database or Directory ☰ Store in database Store in directory	Store in database
Path to the directory to store file gallery files	Specify a directory on your server, for example: /var/www/ It's recommended that this directory not be web accessible. PHP must be able to read/write to the directory.	None
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the "top" or "most" downloaded files.	Disabled

Option	Description	Default
File Gallery Comments	Users can post comments on file galleries	Disabled
Display the .zip option in gallery	Display in the gallery the zip option (in upload and gallery file)	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow the same file to be uploaded more than once	Allow the same file to be uploaded more than once. ☰ Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery
Use jQuery Upload	Use the improved Tiki 15+ upload page	Enabled
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder <i>Use batch uploading to transfer large files to file galleries</i>	Disabled
Path	<i>To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.</i>	None
Require file creator's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠ A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same fileId for the latest version of a file	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled

Option	Description	Default
Use file galleries for user files	Use the file gallery admin and the individual file gallery settings to manage file storage preferences. ⚠ experimental ⚠	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ⚠ experimental ⚠	Disabled
Save files as drafts	allow saving of files as drafts	Disabled
File gallery configuration templates		Disabled
Allow searching for existing files in the tracker files field	Search files using the search index.	Enabled
Set MIME type based on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream ⚠	Disabled
Upload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled
Remote source refresh frequency limit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. <i>Set to zero to disable refresh seconds</i>	3600
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Quota for all the files and archives	It is possible to limit the volume that is uploaded to all the file galleries or a specific file gallery. A quota to a file gallery applies to this file gallery and all the file galleries under it. As soon as the limit is reached not other files can be uploaded. The user will see an error message that the quota is reached. A mail can be sent via the Mail notifications feature.) <i>Mb (0 for unlimited)</i>	0

Option	Description	Default
Quota can be defined for each file gallery	You can define a different quota for each file gallery.)	Disabled
Default quota for each new gallery	<i>Mb (0 for unlimited)</i>	0
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*.(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that if matched rejects the file, example .gif (rejects gif images note that the period must be escaped since we are using regular expressions) If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None

Option	Description	Default
File Gallery	Computer files, videos or software for downloading. With check-in & check-out (lock)	Enabled
Home File Gallery (main file gallery)	Select the default file gallery ☰ No file gallery available (create one first)	None
Storage	Specify if uploaded files should be stored in the Database or Directory ☰ Store in database Store in directory	Store in database
Path to store files in the file gallery	Set a directory on your server. Ex.: /var/www/ It's recommended that this directory not be web accessible. PHP must be able to read/write to the directory.	None
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the "top" or "most" downloaded files.	Disabled
File Gallery Comments	Users can post comments on file galleries	Disabled
Display zip option in gallery	Display in the gallery the zip option (in upload and gallery file)	Disabled
Allow download limit per file		Disabled


Option	Description	Default
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow same file to be uploaded more than once	Allow the same file to be uploaded more than once. ☰ Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery
Batch uploading	Direct import of local files into a File Gallery. Can handle large files. User can upload file via FTP to target folder <i>Use batch uploading to integrate large files into File Galleries</i>	Disabled
Path	<i>If you enable Directory Batch Loading, you need to setup a web-readable directory (outside of your web space is better). Then setup a way to upload files in that dir, either by scp, ftp, or other protocols The server must be able to read the directory. The directory can be outside the web space.</i>	None
Require file author's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠ A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	These emails will receive a copy of each deleted file. Emails are separated with comma	None
Keep the same fileId for the latest version of a file	If checked, the fileId of the latest version of a file stays the same. Link to a file will always give you the latest version. If not checked, the fileId is attached to the file forever, link to file will give you the precise version of a file	Enabled
Use file galleries for user files	<i>Use the file gallery admin and the individual file gallery settings to manage file storage preferences.</i> ⚠ experimental ⚠	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ⚠ experimental ⚠	Disabled
Save files as drafts	allow saving of files as drafts	Disabled

Option	Description	Default
File Galleries configuration templates		Disabled
Upload progressbar	☰ None Ajax / Flash (Browser-based)	None
Allow searching for existing files in the tracker files field	Search files using the search index.	Disabled
Fix mime types based on file suffix	Fixes mime type of image files based on file suffixes when they are incorrectly detected as application/octet-stream ⚠	Disabled
Upload files from remote source	Allow to create files in file galleries using a URL that will be polled for new revisions.	Disabled
Remote source refresh frequency limit	Minimum amount of seconds to be elapsed between source checks to prevent flooding servers. <i>Set to zero to disable refresh seconds</i>	3600
Display controls to attempt refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Quota for all the files and archives	It is possible to limit the volume that is uploaded to all the file galleries or a specific file gallery. A quota to a file gallery applies to this file gallery and all the file galleries under it. As soon as the limit is reached not other files can be uploaded. The user will see an error message that the quota is reached. A mail can be sent via the Mail notifications feature.) <i>Mb (0 for unlimited)</i>	0
Quota can be defined for each file gallery	You can define a different quota for each file gallery.)	Disabled
Default quota for each new gallery	<i>Mb (0 for unlimited)</i>	0

Option	Description	Default
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter *.*(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that if matched rejects the file, example .gif (rejects gif images note that the period must be escaped since we are using regular expressions) If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None

Option	Description	Default
File Gallery	Computer files, videos or software for downloading. With check-in & check-out (lock)	Enabled
Home File Gallery (main file gallery)	Select the default file gallery ☰ No file gallery available (create one first)	None
Storage	Specify if uploaded files should be stored in the Database or Directory ☰ Store in database Store in directory	Store in database
Path to store files in the file gallery	Set a directory on your server. Ex.: /var/www/ It's recommended that this directory not be web accessible. PHP must be able to read/write to the directory.	None
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the "top" or "most" downloaded files.	Disabled
File Gallery Comments	Users can post comments on file galleries	Disabled
Display zip option in gallery	Display in the gallery the zip option (in upload and gallery file)	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled

Option	Description	Default
Allow same file to be uploaded more than once	Allow the same file to be uploaded more than once. ☰ Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery
Batch uploading	Direct import of local files into a File Gallery. Can handle large files. User can upload file via FTP to target folder <i>Use batch uploading to integrate large files into File Galleries</i>	Disabled
Path	<i>If you enable Directory Batch Loading, you need to setup a web-readable directory (outside of your web space is better). Then setup a way to upload files in that dir, either by scp, ftp, or other protocols The server must be able to read the directory. The directory can be outside the web space.</i>	None
Require file author's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠ A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	These emails will receive a copy of each deleted file. Emails are separated with comma	None
Keep the same fileId for the latest version of a file	If checked, the fileId of the latest version of a file stays the same. Link to a file will always give you the latest version. If not checked, the fileId is attached to the file for ever, link to file will give you the precise version of a file	Enabled
Use file galleries for user files	<i>Use the file gallery admin and the individual file gallery settings to manage file storage preferences.</i> ⚠ experimental ⚠	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ⚠ experimental ⚠	Disabled
Save files as drafts	allow saving of files as drafts	Disabled
File Galleries configuration templates		Disabled
Upload progressbar	☰ None Ajax / Flash (Browser-based)	None

Option	Description	Default
Allow searching for existing files in the tracker files field	Search files using the search index.	Disabled
Fix mime types based on file suffix	Fixes mime type of image files based on file suffixes when they are incorrectly detected as application/octet-stream 	Disabled
Upload files from remote source	Allow to create files in file galleries using a URL that will be polled for new revisions.	Disabled
Remote source refresh frequency limit	Minimum amount of seconds to be elapsed between source checks to prevent flooding servers. <i>Set to zero to disable refresh seconds</i>	3600
Display controls to attempt refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Quota for all the files and archives	It is possible to limit the volume that is uploaded to all the file galleries or a specific file gallery. A quota to a file gallery applies to this file gallery and all the file galleries under it. As soon as the limit is reached not other files can be uploaded. The user will see an error message that the quota is reached. A mail can be sent via the Mail notifications feature.) <i>Mb (0 for unlimited)</i>	0
Quota can be defined for each file gallery	You can define a different quota for each file gallery.)	Disabled
Default quota for each new gallery	<i>Mb (0 for unlimited)</i>	0
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*.(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None

Option	Description	Default
Cannot match	A regular expression that if matched rejects the file, example .gif (rejects gif images note that the period must be escaped since we are using regular expressions) If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None

Option	Description	Default
File Gallery	Computer files, videos or software for downloading. With check-in & check-out (lock)	Enabled
Home File Gallery (main file gallery)	Select the default file gallery ☰ No file gallery available (create one first)	None
Storage	Specify if uploaded files should be stored in the Database or Directory ☰ Store in database Store in directory	Store in database
Path to store files in the file gallery	Set a directory on your server. Ex.: /var/www/ It's recommended that this directory not be web accessible. PHP must be able to read/write to the directory.	None
Podcast directory	File system directory for storing podcast files <i>The server must be able to read/write the directory. Required for podcasts.</i>	files/
Rankings	Users can view the "top" or "most" downloaded files.	Disabled
File Gallery Comments	Users can post comments on file galleries	Disabled
Display zip option in gallery	Display in the gallery the zip option (in upload and gallery file)	Disabled
Allow download limit per file		Disabled
Prevent download if score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow same file to be uploaded more than once	Allow the same file to be uploaded more than once. ☰ Never Yes, even in the same gallery Only in different galleries	Yes, even in the same gallery
Batch uploading	Direct import of local files into a File Gallery. Can handle large files. User can upload file via FTP to target folder <i>Use batch uploading to integrate large files into File Galleries</i>	Disabled

Option	Description	Default
Path	<i>If you enable Directory Batch Loading, you need to setup a web-readable directory (outside of your web space is better). Then setup a way to upload files in that dir, either by scp, ftp, or other protocols The server must be able to read the directory. The directory can be outside the web space.</i>	None
Require file author's name for anonymous uploads		Disabled
Automatic deletion of old files	The user will have an option when uploading a file to specify the time after which the file is deleted ⚠ A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	These emails will receive a copy of each deleted file. Emails are separated with comma	None
Keep the same fileId for the latest version of a file	If checked, the fileId of the latest version of a file stays the same. Link to a file will always give you the latest version. If not checked, the fileId is attached to the file for ever, link to file will give you the precise version of a file	Enabled
Use file galleries for user files	<i>Use the file gallery admin and the individual file gallery settings to manage file storage preferences.</i> ⚠ experimental ⚠	Disabled
Use file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. ⚠ experimental ⚠	Disabled
Save files as drafts	allow saving of files as drafts	Disabled
File Galleries configuration templates		Disabled
Upload progressbar	☰ None Ajax / Flash (Browser-based)	None
Allow searching for existing files in the tracker files field	Search files using the search index.	Disabled
Fix mime types based on file suffix	Fixes mime type of image files based on file suffixes when they are incorrectly detected as application/octet-stream ⚠	Disabled

Option	Description	Default
Upload files from remote source	Allow to create files in file galleries using a URL that will be polled for new revisions.	Disabled
Remote source refresh frequency limit	Minimum amount of seconds to be elapsed between source checks to prevent flooding servers. <i>Set to zero to disable refresh seconds</i>	3600
Display controls to attempt refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Quota for all the files and archives	It is possible to limit the volume that is uploaded to all the file galleries or a specific file gallery. A quota to a file gallery applies to this file gallery and all the file galleries under it. As soon as the limit is reached not other files can be uploaded. The user will see an error message that the quota is reached. A mail can be sent via the Mail notifications feature.) <i>Mb (0 for unlimited)</i>	0
Quota can be defined for each file gallery	You can define a different quota for each file gallery.)	Disabled
Default quota for each new gallery	<i>Mb (0 for unlimited)</i>	0
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that if matched rejects the file, example .gif (rejects gif images note that the period must be escaped since we are using regular expressions) If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None

See also [File Storage](#)