

Freetagged 플러그인

[Tiki5](#) 에서 소개됨

이 [Wiki Plugin](#) 을 사용하여 유사하게 태그가 붙은 개체들을 나열합니다. 개체는 실질적으로는 위키 페이지, 블로그 게시물, 기사, 파일 갤러리, 파일, 투표, 퀴즈 등등과 같은 티키 페이지의 한 종류가 될 수 있습니다.

Table of contents

- [Freetagged 플러그인](#)
 - [사용법과 매개변수](#)
 - [예제](#)
 - [Related pages](#)
 - [별칭](#)

사용법과 매개변수

이 플러그인을 위키 페이지 내부에서 사용하려면, 다음 문법을 사용하십시오:

```
{FREETAGGED(tags= , type= , offset= , maxRecords= , sort_mode= , find= , broaden= , h_level= , titles_only= , max_image_size= )}{FREETAGGED}
```

Introduced in Tiki 5.

[Go to the source code](#)

Preferences required: feature_freetags, wikiplugin_freetagged

Parameters	Accepted Values	Description	Default	Since
<code>find</code>	text	Show objects with names or descriptions similar to the text entered here		5.0
<code>h_level</code>	int	Choose the header level for formatting. Default is <code>3</code> (for header level h3). Set to <code>-1</code> for no header tags.	3	5.0
<code>max_image_size</code>	digits	Height or width in pixels. Default: (no maximum)	0	5.0
<code>maxRecords</code>	int	Default -1 (all)	-1	5.0
<code>more</code>	(blank) y n	Show a 'more' link that links to the full list of tagged objects (not shown by default)	n	

<code>moreurl</code>	url	Alternate "more" link pointing to specified URL instead of default full list of tagged objects	tiki-browse_freetags.php	
<code>moretext</code>	raw	Alternate text to display on the "more" link (default is "more")	more	
<code>offset</code>	int	Start record	0	5.0
<code>tags</code>	text	Leave blank to use the object's own tags.		5.0
<code>broaden</code>	(blank) y n	n y	n	5.0
<code>titles_only</code>	n y	Choose whether to show titles only (not shown by default)	n	5.0
<code>sort_mode</code>	(blank) comments_locked_asc comments_locked_desc created_asc created_desc description_asc description_desc hits_asc hits_desc href_asc href_desc itemid_asc itemid_desc name_asc name_desc objectid_asc objectid_desc type_asc type_desc	Determine sort order based on various fields (Default: <u>created_desc</u>)	created_desc	5.0
<code>type</code>	(blank) all all wiki page blog post article directory faq file gallery file poll quiz survey tracker	Type of objects to extract. Set to All to find all types.		5.0

예제

다음과 같은 코드,

```
{FREETAGGED(tags=syntax h_level=5 maxRecords=5 sort_mode=hits)}{FREETAGGED}
```

는 본 사이트에서 다음의 결과를 가져옵니다:

[Wiki Plugins](#)

Introduction and index to Wiki plugins

Sat 15 May, 2021 11:51 GMT-0000

[Wiki-Syntax Text](#)

How to Format Text on a Wiki Page

Fri 10 Dec, 2021 19:34 GMT-0000

[AutoLinks](#)

Fri 20 Sep, 2019 14:42 GMT-0000

[PluginTrackerList](#)

List, filter and sort the items in a tracker

Thu 10 Nov, 2022 11:18 GMT-0000

[Wiki Syntax](#)

Tue 10 Aug, 2021 21:00 GMT-0000

Related pages

- [Wiki Plugin](#) - has links to all plugins and describes how the syntax works for a plugin
- [Mods Type Wikiplugins](#)
- [PluginAddFreeTag](#)

별칭

[Free Tagged 플러그인](#)