

Incoming Feeds tab

Overview

Use this tab to configure the global options for incoming rss feeds.

Related Topics

- [RSS Config](#)
- [PluginRSS](#)

To Access

From the [Feeds Admin](#) page, click the **Incoming Feeds** tab.

Option	Description	Default
Fetch page content from incoming feeds	Page content from the source will be fetched before sending the content to the generators.	Disabled
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
Index article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled

Option	Description	Default
Fetch page content from incoming feeds	Page content from the source will be fetched before sending the content to the generators.	Disabled
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
Index article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled

Option	Description	Default
Fetch page content from incoming feeds	Page content from the source will be fetched before sending the content to the generators.	Disabled
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None

Option	Description	Default
Index article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled

Option	Description	Default
Fetch page content from incoming feeds	Page content from the source will be fetched before sending the content to the generators.	Disabled
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
Index article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled

Option	Description	Default
Fetch page content from incoming feeds	Page content from the source will be fetched before sending the content to the generators.	Disabled
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
Index article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled

Option	Description	Default
Fetch page content from incoming feeds	Page content from the source will be fetched before sending the content to the generators.	Disabled
Path to PHP-Readability library	Enter path to PHP-Readability library php file here. * <i>Not included with Tiki due to licensing reasons.</i>	None
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None

Option	Description	Default
Index article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled

Option	Description	Default
Fetch page content from incoming feeds	Page content from the source will be fetched before sending the content to the generators	Disabled
Path to PHP-Readability library	Enter path to PHP-Readability library php file here. * <i>Not included with Tiki due to licensing reasons.</i>	None
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field.	None
Index article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled

Option	Description	Default
Fetch page content from incoming feeds	Page content from the source will be fetched before sending the content to the generators	Disabled
Path to PHP-Readability library	Enter path to PHP-Readability library php file here. * <i>Not included with Tiki due to licensing reasons.</i>	None
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	The tracker that is for articles must contain an "Articles" field	None
Index article info in tracker item	Sets whether the article info should be indexed in the tracker item. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled

Option	Description	Default
Fetch page content from incoming feeds	Page content from the source will be fetched before sending the content to the generators	Disabled

Option	Description	Default
Path to PHP-Readability library	Enter path to PHP-Readability library php file here (not included with Tiki due to licensing reasons * <i>Not included with Tiki due to licensing reasons.</i>	None
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	The tracker that is for articles must contain an "Articles" field	None
Index article info in trackeritem. See Description for more info.	Sets whether the article info should be indexed in the trackeritem. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled

Option	Description	Default
Fetch page content from incoming feeds	Page content from the source will be fetched before sending the content to the generators	Disabled
Path to PHP-Readability library	Enter path to PHP-Readability library php file here (not included with Tiki due to licensing reasons * <i>Not included with Tiki due to licensing reasons.</i>	None
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	The tracker that is for articles must contain an "Articles" field	None
Index article info in trackeritem. See Description for more info.	Sets whether the article info should be indexed in the trackeritem. This automatically sets the article field to read-only and sets up categorization synchronization between articles and tracker items.	Disabled