

This is all deprecated. Anything interesting has been moved to the main code base. Please see: [Mods](#)


Mods User

Where to get Mods from










You can get them through:

1. Download them from <http://mods.tiki.org>, and install them by hand
2. Download and install them directly from "**Admin -> Mods**" (**tiki-mods.php**) interface in your tiki web site
3. From svn mods, and install them by hand
https://dev.tiki.org/Get+code#Using_Mods

1. Manually from mods.tiki.org



This public repository lists the mods packages available from tikiwiki.org server. It's used by tikiwiki admins to update features that are not included in the public release of Tikiwiki. see [TikiMods](#) page on tw.o

| Type | DI Name | LastUpdate | Version | Licence | Description |
|-----------------|---|------------|---------|----------------------------|---|
| avatars |  dragonballz | 2004.09.29 | 1.3 | unkown | Collection of 31 avatars from the Dragon Ball Z (tm) serie. |
| |  gnumes | 2004.11.01 | 1.2 | Free Images | Collection of 16 avatars from the Gnumes collection |
| |  goldorak | 2004.09.29 | 1.3 | unknown | Collection of 19 avatars from Goldorak (tm) serie. |
| |  mcdonald | 2004.09.29 | 1.3 | unknown | Collection of 19 avatars from McDonald (tm). |
| |  xmen | 2004.09.29 | 1.3 | unknown | Collection of 46 avatars from the Xmen (tm) serie. |
| |  all | 2007.03.15 | 1.1 | unknown | This is a meta package containing all avatars package. |
| features |  cc | 2005.04.13 | 1.3.10 | GNU/LGPL | Multi-currencies management system |
| |  config | 2005.09.28 | 1.1 | Public Domain (no license) | A work-in-progress Config menu |
| |  import-plpwiki | 2004.10.29 | 1.1 | GNU/LGPL | Import content from PHP Wiki |

2. Automatically from tiki-mods.php web interface

| TikiWiki Mods | | | | | | |
|---------------------------|---------------|--------------------|-----------------|---|-------------------------|------------------------|
| Mods Configuration | | Update index | | Rebuild local list | | |
| avatars | | | | | | |
| unpublish | not on remote | dragonballz | 1.3 unknwn | Collection of 31 avatars from the Dragon Ball Z (tm) serie. | install | |
| unpublish | not on remote | gnumes | 1.1 Free Images | Collection of 16 avatars from the Gnumes collection | up to date r1.1 | remove |
| unpublish | not on remote | goldorak | 1.3 unknown | Collection of 19 avatars from Goldorak (tm) serie. | install | |
| unpublish | not on remote | mcdonald | 1.3 unknown | Collection of 19 avatars from McDonald (tm). | install | |
| unpublish | not on remote | xmen | 1.3 unknown | Collection of 46 avatars from the Xmen (tm) serie. | install | |
| menus | | | | | | |
| unpublish | not on remote | tikiring | 1.2 GNU/LGPL | The menu including all tiki sites. hardstamped to menuId=41 | install | |
| themes | | | | | | |

Installing a Mod

We will see the process of installing a Mod through the Web interface, while installing PluginR Mod, as example.

You can see a short video here:

Installing PluginR for the first time

Alternatively, you can keep reading below.

First you should click on **Admin mods: tiki-mods.php**. There is no link from the main application menu in the side column, but only in the admin panels, at the bottom, where it says "**Crosslinks to other features and settings > Administration features: > Mods**":


We could switch to use other mod providers, but in this case, we will use the standard mods.tiki.org provided by default.

Now you will need to download and install the package. You may need to go to the root of your install and run the fixperms.sh script to allow you to install this. To ensure that you have the latest version, click on **Update remote index**. Lets say that the latest version is 0.8. Click on the **install** link on the right of the table row.

| Tiki Mods | | | | | | |
|--|------------------|---------------------|--|--|-------------|------------------------|
| Mods Configuration | | Update remote index | | Rebuild local list | | |
| Find <input type="text"/> Find in <input type="text"/> all types <input type="text"/> for version <input type="text"/> 7.x <input type="text"/> or later | | | | | | |
| wikiplugins | | | | | | |
| 0.80 | r | 9 GNU/GPL | | Allows using R syntax for statistics, scientific computing & graphs (see http://www.r-project.org). In wiki syntax, type {R()} or with some params, as reported at the documentation. This same version works for Tiki3 up to Tiki9. | 0.76- >0.80 | Remove |
| themes | | | | | | |
| 34590 | andreas09_tikl_7 | 7 GNU/GPL | | Andreas09 is based on the original design by Andreas Viklund (http://andreasviklund.com/templates/). If | 34590 | Remove |


Click to expand

If you already have an earlier version of the Mod installed on your site (for instance, 0.76 and the latest version is 0.8), then you'll have the option to upgrade your Mod (you'll see the option **0.76 > 0.8**). Click on the **>0.8** link next to the install field to upgrade your Plugin R Mod. Then you will be shown a confirmation step where you have to confirm that this is what you wanted to do (if there were some other packages that needed to be installed along this one, they would be shown there in the confirmation step) :



Click to expand

Finally, once finished, you will see a message confirming that the package installed successfully, and that you don't have the option to install it again any more but only to remove it.



Click to expand

When new versions are released, you'll have the chance to update the remote index again and proceed again with a new upgrade.

Further instructions on the usage of this Mod can be found at:
<https://doc.tiki.org/PluginR>

Related pages

- [Mods](#)
- [Mods Admin](#)
- [Mods Details](#)

- [Mod aulawiki](#)