

# Performance Tab

## Overview




Use this tab to configure Tiki's general [performance](#) features.

Related Topics

- [Performance](#)

## To Access

From the [Performance Admin Panel](#) page, click the **Performance** tab.

Option	Description	Default
Monitor Tiki Performance	Register multiple parameters related to tiki's performance	Disabled
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network (CDN).  None   Google   jQuery	None
<a href="#">Content delivery networks</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. <i>List of URI prefixes to include before static files (one per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None
<a href="#">Content delivery networks in SSL</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI prefixes to include before static files (one per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None
<a href="#">Check CDN files exists</a>	Check that minified JS and CSS files exist before including them in the page.	Enabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes.  <i>May be replaced by a server-side option soon.</i> 	Disabled
Minify CSS	Compress CSS files (notably by removing white space). Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled

Option	Description	Default
Minify CSS into a single file	In addition to reducing the size of the CSS files, reduce the number of files by consolidating them. ⚠️ <i>This setting may not work out of the box for all styles. Import needs to use <code>@import url("...")</code> and not <code>@import "..."</code></i>	Disabled
GZip output	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-control header	Custom HTTP header to use when a session is active <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty compilation	Indicates when the template cache should be refreshed. ☰ Modified   Never check (performance)   Always (development, slow)	Modified
Serve profile pictures statically	When enabled, feature checks and permission checks will be skipped.	Enabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled

Option	Description	Default
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network (CDN). ☰ None   Google   jQuery	None
Content delivery networks	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. <i>List of URI prefixes to include before static files (one per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None
Content delivery networks in SSL	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI prefixes to include before static files (one per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None
Check CDN files exists	Check that minified JS and CSS files exist before including them in the page.	Enabled

Option	Description	Default
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes. ⚠ <i>May be replaced by a server-side option soon.</i> ⚠	Disabled
Minify CSS	Compress CSS files (notably by removing white space). Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify CSS into a single file	In addition to reducing the size of the CSS files, reduce the number of files by consolidating them. ⚠ <i>This setting may not work out of the box for all styles. Import needs to use @import url("../") and not @import "..."</i>	Disabled
GZip output	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-control header	Custom HTTP header to use when a session is active <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty compilation	Indicates when the template cache should be refreshed. ☰ Modified   Never check (performance)   Always (development, slow)	Modified
Serve profile pictures statically	When enabled, feature checks and permission checks will be skipped.	Enabled





Option	Description	Default
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network (CDN). ☰ None   Google   jQuery	None
Content delivery networks	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. <i>List of URI prefixes to include before static files (one per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None
Content delivery networks in SSL	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI prefixes to include before static files (one per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None

Option	Description	Default
<a href="#">Check CDN files exists</a>	Check that minified JS and CSS files exist before including them in the page.	Enabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes. ⚠ <i>May be replaced by a server-side option soon.</i> ⚠	Disabled
Minify CSS	Compress CSS files (notably by removing white space). Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify CSS into a single file	In addition to reducing the size of the CSS files, reduce the number of files by consolidating them. ⚠ <i>This setting may not work out of the box for all styles. Import needs to use @import url("../") and not @import "..."</i>	Disabled
<a href="#">GZip output</a>	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-control header	Custom HTTP header to use when a session is active <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty compilation	Indicates when the template cache should be refreshed. ☰ Modified   Never check (performance)   Always (development, slow)	Modified
Serve profile pictures statically	When enabled, feature checks and permission checks will be skipped.	Enabled

Option	Description	Default
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network (CDN). ☰ None   Google   jQuery	None
<a href="#">Content delivery networks</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. <i>List of URI prefixes to include before static files (one per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None

Option	Description	Default
<a href="#">Content delivery networks in SSL</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI prefixes to include before static files (one per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None
<a href="#">Check CDN files exists</a>	Check that minified JS and CSS files exist before including them in the page.	Enabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes. ⚠ <i>May be replaced by a server-side option soon.</i> ⚠	Disabled
Minify CSS	Compress CSS files (notably by removing white space). Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify CSS into a single file	In addition to reducing the size of the CSS files, reduce the number of files by consolidating them. ⚠ <i>This setting may not work out of the box for all styles. Import needs to use @import url("../") and not @import "..."</i>	Disabled
<a href="#">GZip output</a>	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-control header	Custom HTTP header to use when a session is active <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty compilation	Indicates when the template cache should be refreshed. ☰ Modified   Never check (performance)   Always (development, slow)	Modified
Serve profile pictures statically	When enabled, feature checks and permission checks will be skipped.	Enabled

Option	Description	Default
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network (CDN). ☰ None   Google   jQuery	None

Option	Description	Default
<a href="#">Content delivery networks</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. <i>List of URI prefixes to include before static files (one per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None
<a href="#">Content delivery networks in SSL</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI prefixes to include before static files (one per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None
<a href="#">Check CDN files exists</a>	Check that minified JS and CSS files exist before including them in the page.	Enabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes.  <i>May be replaced by a server-side option soon.</i> 	Disabled
Minify CSS	Compress CSS files (notably by removing white space). Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify CSS into a single file	In addition to reducing the size of the CSS files, reduce the number of files by consolidating them.  <i>This setting may not work out of the box for all styles. Import needs to use @import url("...") and not @import "..."</i>	Disabled
<a href="#">GZip output</a>	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-control header	Custom HTTP header to use when a session is active <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty compilation	Indicates when the template cache should be refreshed.  Modified   Never check (performance)   Always (development, slow)	Modified
Serve profile pictures statically	When enabled, feature checks and permission checks will be skipped.	Enabled

Option	Description	Default
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled

Option	Description	Default
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network (CDN). ☰ None   Google   jQuery	None
<a href="#">Content delivery networks</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. <i>List of URI prefixes to include before static files (one per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None
<a href="#">Content delivery networks in SSL</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI prefixes to include before static files (one per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None
<a href="#">Check CDN files exists</a>	Check that minified JS and CSS files exist before including them in the page.	Enabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes. ⚠ <i>May be replaced by a server-side option soon.</i> 🗑	Disabled
Minify CSS	Compress CSS files (notably by removing white space). Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify CSS into a single file	In addition to reducing the size of the CSS files, reduce the number of files by consolidating them. ⚠ <i>This setting may not work out of the box for all styles. Import needs to use @import url("...") and not @import "..."</i>	Disabled
<a href="#">GZip output</a>	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-control header	Custom HTTP header to use when a session is active <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty compilation	Indicates when the template cache should be refreshed. ☰ Modified   Never check (performance)   Always (development, slow)	Modified
Serve profile pictures statically	When enabled, feature checks and permission checks will be skipped.	Enabled

Option	Description	Default
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled

Option	Description	Default
Minify late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network (CDN). ☰ None   Google   jQuery	None
<a href="#">Content delivery networks</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. <i>List of URI prefixes to include before static files (one per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None
<a href="#">Content delivery networks in SSL</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI prefixes to include before static files (one per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None
<a href="#">Check CDN files exists</a>	Check that minified JS and CSS files exist before including them in the page.	Enabled
Minify CSS	Compress CSS files (notably by removing white space). Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify CSS into a single file	In addition to reducing the size of the CSS files, reduce the number of files by consolidating them. ⚠ <i>This setting may not work out of the box for all styles. Import needs to use <code>@import url("...")</code> and not <code>@import "..."</code></i>	Disabled
<a href="#">GZip output</a>	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-control header	Custom HTTP header to use when a session is active <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty compilation	Indicates when the template cache should be refreshed. ☰ Modified   Never check (performance)   Always (development, slow)	Modified
Serve profile pictures statically	When enabled, feature checks and permission checks will be skipped.	Enabled

Option	Description	Default
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled



Option	Description	Default
Minify late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network (CDN). ☰ None   Google (supports SSL via HTTPS)   jQuery	None
<a href="#">Content delivery networks</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. <i>List of URI prefixes to include before static files (one per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None
<a href="#">Content delivery networks in SSL</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI prefixes to include before static files (one per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None
Minify CSS	Compress CSS files by removing additional spaces and grouping multiple files into one. Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify CSS into a single file	In addition to reducing the size of the CSS, reduce the number of included files. ⚠ <i>This setting may not work out of the box for all styles. Import needs to use @import url("...") and not @import "..."</i>	Disabled
<a href="#">GZip output</a>	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-control header	Custom HTTP header to use when a session is active. <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty compilation	Indicates when the template cache should be refreshed. ☰ Modified   Never check (performance)   Always (development, slow)	Modified
Serve profile pictures statically	When enabled, feature checks and permission checks will be skipped.	Enabled

Option	Description	Default
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify Late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled

Option	Description	Default
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network (CDN). ☰ None   Google (supports SSL via HTTPS)   jQuery	None
Content Delivery Networks	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. <i>List of URI prefixes to include before static files (one per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None
Content Delivery Networks (in SSL)	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI prefixes to include before static files (one per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None
Minify CSS	Compress CSS files by removing additional spaces and grouping multiple files into one. Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify CSS into a single file	In addition to reducing the size of the CSS, reduce the number of included files. ⚠ <i>This setting may not work out of the box for all styles. Import needs to use <code>@import url("...")</code> and not <code>@import "..."</code></i>	Disabled
GZip output	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-control header	Custom HTTP header to use when a session is active. <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty compilation	Indicates when the template cache should be refreshed. ☰ Modified   Never check (performance)   Always (development, slow)	Modified
Serve profile pictures statically	When enabled, feature checks and permission checks will be skipped.	Enabled

Option	Description	Default
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify Late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network (CDN). ☰ None   Google (supports SSL via HTTPS)   jQuery	None

Option	Description	Default
<a href="#">Content Delivery Networks</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. <i>List of URI prefixes to include before static files (one per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None
<a href="#">Content Delivery Networks (in SSL)</a>	Use alternate domains to serve static files from this Tiki site to avoid sending cookies, improve local caching and generally improve user-experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI prefixes to include before static files (one per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None
Minify CSS	Compress CSS files by removing additional spaces and grouping multiple files into one. Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify CSS into a single file	In addition to reducing the size of the CSS, reduce the number of included files. <b>⚠</b> <i>This setting may not work out of the box for all styles. Import needs to use <code>@import url("...")</code> and not <code>@import "..."</code></i>	Disabled
<a href="#">GZip output</a>	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-control header	Custom HTTP header to use when a session is active. <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty compilation	Indicates when the template cache should be refreshed. ☰ Modified   Never check (performance)   Always (development, slow)	Modified
Serve profile pictures statically	When enabled, feature checks and permission checks will be skipped.	Enabled


Option	Description	Default
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify Late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network. ☰ None   Google (supports SSL via HTTPS)   jQuery	None

Option	Description	Default
<a href="#">Content Delivery Networks</a>	Use alternate domain names to serve static files from tiki to avoid sending cookies, improve local caching and generally improve user experience performance. <i>List of URI Prefixes to include before static files (One per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None
<a href="#">Content Delivery Networks (in SSL)</a>	Use alternate domain names to serve static files from tiki to avoid sending cookies, improve local caching and generally improve user experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI Prefixes to include before static files (One per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None
Minify CSS	Compress CSS files by removing additional spaces and grouping multiple files into one. Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify CSS into a single file	In addition to reducing the size of the CSS, reduce the number of included files. <b>⚠️</b> <i>This setting may not work out of the box for all styles. import needs to use <code>@import url("...")</code> and not <code>@import "..."</code></i>	Disabled
<a href="#">GZip output</a>	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-Control header	Custom HTTP header to use when a session is active. <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty Compilation	Indicates when the template cache should be refreshed. <small>☰ Modified   Never check (performance)   Always (development, slow)</small>	Modified
Serve avatar images statically	When enabled, feature checks and permission checks will be skipped.	Enabled

Option	Description	Default
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify Late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network. <small>☰ None   Google (supports SSL via HTTPS)   jQuery</small>	None

Option	Description	Default
<a href="#">Content Delivery Networks</a>	Use alternate domain names to serve static files from tiki to avoid sending cookies, improve local caching and generally improve user experience performance. <i>List of URI Prefixes to include before static files (One per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None
<a href="#">Content Delivery Networks (in SSL)</a>	Use alternate domain names to serve static files from tiki to avoid sending cookies, improve local caching and generally improve user experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI Prefixes to include before static files (One per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None
Minify CSS	Compress CSS files by removing additional spaces and grouping multiple files into one. Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify CSS into a single file	In addition to reducing the size of the CSS, reduce the number of included files. <b>⚠</b> <i>This setting may not work out of the box for all styles. import needs to use <code>@import url("...")</code> and not <code>@import "..."</code></i>	Disabled
<a href="#">GZip output</a>	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-Control header	Custom HTTP header to use when a session is active. <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty Compilation	Indicates when the template cache should be refreshed. <small>☰ Modified   Never check (performance)   Always (development, slow)</small>	Modified
Serve avatar images statically	When enabled, feature checks and permission checks will be skipped.	Enabled

Option	Description	Default
Minify JavaScript	Compress JavaScript files used in the page into a single file to be distributed statically. Changes to JavaScript files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify Late JavaScript	Compress extra JavaScript files used in the page after tiki-setup into a separate file which may vary from page to page.	Disabled
Use CDN for JavaScript	Obtain jQuery and jQuery UI libraries through a content delivery network. <small>☰ None   Google (supports SSL via HTTPS)   jQuery</small>	None

Option	Description	Default
<a href="#">Content Delivery Networks</a>	Use alternate domain names to serve static files from tiki to avoid sending cookies, improve local caching and generally improve user experience performance. <i>List of URI Prefixes to include before static files (One per line), for example: <a href="http://cdn1.example.com">http://cdn1.example.com</a></i>	None
<a href="#">Content Delivery Networks (in SSL)</a>	Use alternate domain names to serve static files from tiki to avoid sending cookies, improve local caching and generally improve user experience performance. Leave empty to disable CDN in SSL mode. <i>List of URI Prefixes to include before static files (One per line), for example: <a href="https://sslcdn1.example.com">https://sslcdn1.example.com</a></i>	None
Minify CSS	Compress CSS files by removing additional spaces and grouping multiple files into one. Changes to CSS files will require cache to be cleared. Uses <a href="http://code.google.com/p/minify/">http://code.google.com/p/minify/</a>	Disabled
Minify CSS into a single file	In addition to reducing the size of the CSS, reduce the number of included files. <b>⚠</b> <i>This setting may not work out of the box for all styles. import needs to use <code>@import url("...")</code> and not <code>@import "..."</code></i>	Disabled
<a href="#">GZip output</a>	Compress your pages on-the-fly, if the requesting browser supports this	Disabled
Cache-Control header	Custom HTTP header to use when a session is active. <i>Example: no-cache, pre-check=0, post-check=0</i>	None
Smarty Compilation	Indicates when the template cache should be refreshed.  Modified   Never check (performance)   Always (development, slow)	Modified
Serve avatar images statically	When enabled, feature checks and permission checks will be skipped.	Enabled