

Plugin Aliases tab

Overview

Use this tab to create a new [wiki plugin](#), by using a modified copy of an existing [plugin](#).

Related Topics

- [Wiki Plugin](#)
- [Plugin Alias](#)

To Access

From the [Text Area Admin](#) page, click the **Plugin Aliases** tab.

Note

if applicable

Text area

General Settings | Plugins | Plugin Aliases | No Tabs

About plugin aliases

Tiki plugin aliases allow you to define your own custom configurations of existing plugins.
Find out more here:

General Information

Plugin Name:

Base Plugin: addtocart

Name:

Description:

Body Label:

Dependencies:

Filter: xss

Validation: none

Inline (No Plugin Edit UI):

Simple Plugin Arguments

New Argument: Default:

Plugin Parameter Documentation

Plugin Body

Ignore User Input:

Default Content:

Parameters:

Composed Plugin Arguments

[Change preferences](#)

Plugin Aliases tab

Setting

Description

Default

Available Alias

exhibitor exposant pavillon schedule speaker

Enable Plugins

New

General Information

Plugin Name pavillon
Base Plugin trackerlist
Name Pavillon
Description Liste of pavillons
Dependencies wikiplugin_pavillon
Filter xss
Validation none
Inline (No Plugin Edit UI)

Plugin Parameter Documentation

filtervalue	Name	Pavillon
	Description	Name of pavillon
	Required	<input checked="" type="checkbox"/>
	Safe	<input type="checkbox"/>
	Filter	xss
	Name	
	Description	
	Required	<input type="checkbox"/>
	Safe	<input type="checkbox"/>
	Filter	xss

Plugin Body

Ignore User Input
Default Content

Parameters

Encoding none
Argument Source (if different)
Default Value

Simple Plugin Arguments

trackerId	Default	11
fields	Default	194:220:196
showlinks	Default	y
status	Default	oc
max	Default	-1
filterfield	Default	220
filtervalue	Default	
showlastm	Default	y
	Default	

Composed Plugin Arguments

Pattern

Parameters

Encoding none
Argument Source (if different)
Default Value

Save

