

Plugin Aliases tab

Overview

Use this tab to create a new [wiki plugin](#), by using a modified copy of an existing [plugin](#).

- Related Topics
- [Wiki Plugin](#)
 - [Plugin Alias](#)

To Access

From the [Text Area](#) Admin page, click the **Plugin Aliases** tab.

Note

if applicable

Text area

General SettingsPluginsPlugin AliasesNo Tabs

About plugin aliases

Tiki plugin aliases allow you to define your own custom configurations of existing plugins.
Find out more here:

General Information

Plugin Name:

Base Plugin: addtocart

Name:

Description:

Body Label:

Dependencies:

Filter: xss

Validation: none

Inline (No Plugin Edit UI):

Simple Plugin Arguments

New Argument:

Default:

Plugin Parameter Documentation

Plugin Body

Ignore User Input:

Default Content:

Parameters

Composed Plugin Arguments

Change preferences

Plugin Aliases tab

Setting	Description	Default
---------	-------------	---------

Available Alias

☒ exhibitor ☒ exposant ☒ pavillon ☒ schedule ☒ speaker

Enable Plugins

New

General Information

Plugin Name pavillon
Base Plugin trackerlist
Name Pavillon
Description Liste of pavillons
Dependencies wikiplugin_pavillon
Filter xss
Validation none
Inline (No Plugin Edit UI) ☐

Plugin Parameter Documentation

filtervalue	Name	Pavillon
	Description	Name of pavillon
	Required	☒
	Safe	☐
	Filter	xss
	Name	
	Description	
	Required	☐
	Safe	☐
	Filter	xss

Plugin Body

Ignore User Input ☐
Default Content

Parameters

Encoding none
Argument Source (if different)
Default Value

Simple Plugin Arguments

trackerId	Default	11
fields	Default	194:220:196
showlinks	Default	y
status	Default	oc
max	Default	-1
filterfield	Default	220
filtervalue	Default	
showlastm	Default	y
	Default	

Composed Plugin Arguments

Pattern

Parameters

Encoding none
Argument Source (if different)
Default Value

Save

