

Plugin Add to Cart

Use this [wiki plugin](#), introduced in [Tiki5](#), to display a button for adding one or more items to the shopping cart. The shopping cart is displayed and accessed using [Module Cart](#). Once the order is placed in the shopping cart, the user is taken to [Payment](#).

Parameters

Introduced in Tiki 5. Required parameters are in **boxed**.

[Go to the source code](#)

Preferences required: `wikiplugin_addtocart`, `payment_feature`

Parameters	Accepted Values	Description	Default	Since
<code>description</code>	text	Label for the product in the cart.		5.0
<code>price</code>	text	The price to charge for the item.		5.0
<code>code</code>	text	Unique identifier for the product. Two products with the same code will be the same and the information used will be the one of the first in.		5.0
<code>exchangeorderamount</code>	int	Should normally be set to the amount of products in the order being exchanged	1	7.0
<code>eventcode</code>	text	Unique identifier for the event that is associated to the product.		7.0
<code>autocheckout</code>	text	Automatically check out for purchase and send the user to pay (this is disabled when there is already something in the cart)	n	7.0
<code>bundleclass</code>	text	The class the bundle belongs to		7.0
<code>label</code>	text	Text for the submit button. default: "Add to cart"	Add to cart	6.0
<code>onbehalf</code>	text	Allows the selection of user to make purchase on behalf of	n	7
<code>forwardafterfree</code>	url	Forward to this URL after free purchase		7.0
<code>href</code>	url	URL of the product's information. The URL may be relative or absolute (begin with <code>http://</code>).		5.0
<code>productbundle</code>	text	The bundle the product belongs to. Will automatically add other products in the same class to the cart		7.0
<code>productclass</code>	text	The class the product belongs to		7.0

<code>exchangeproductid</code>	int			5.0
<code>producttype</code>	text	The product type that is being sold, which will affect fulfillment, for example, standard product, event ticket		7.0
<code>forceanon</code>	text	Add to cart as anonymous shopper even if logged in	n	7.0
<code>weight</code>	text	The weight of the item.		12.1
<code>ajaxaddtocart</code>	(blank) y n	Attempts to turn on Ajax for the cart	n	7.0
<code>hidequantity</code>	n y	Hide the quantity field so you can create buy now button for a single item, quantity = 1 (not available with the exchange feature)	n	17.0
<code>exchangeorderid</code>	int	Used in conjunction with exchange feature		7.0

Example

This code,

```
{addtocart description="Panama Hat" code="A150" price="45.00"}
```

Would produce:

The add to cart button would typically be used along with item information like below:



(screenshot)



Panama Hat

\$45.00%%
1 Add to cart

Related pages

- [Payment](#)
- [Shopping Cart](#)
- [PluginAdjustInventory](#)
- [PluginCartMissingUserInfo](#)
- [PluginExtendCartHold](#)
- [PluginHasBought](#)
- [PluginPayment](#)
- [PluginShopperInfo](#)

Aliases

[Plugin Cart](#) | [Plugin Add to Cart](#) | [Plugin AddtoCart](#)