

Plugin Benchmark

Introduced in Tiki17

Use this [wiki plugin](#) to perform some benchmarking analysis of the parsing of the wiki page or tiki object where the plugin is called in.

Table of contents

Parameters

Performance-test wiki content (used by developers to optimize plugins).

Introduced in Tiki 17.

[Go to the source code](#)

Preferences required: `wikiplugin_benchmark`

Parameters	Accepted Values	Description	Default	Since
<code>details</code>	alpha	Provides time and memory of each iteration.	true	17.0
<code>times</code>	alpha	The number of iterations to process.	1000	17.0

Examples

Example 1

This code:

```
{benchmark}
```

Would produce on this site:

Iteration

Seconds

Microseconds

Memory in Bytes

Real Memory

1 - 100

0.0003

0.0204

25120

0

Average

0

0

0

0

Iteration

Microsecs

Memory

Real Memory

1

0

0

0

2

0

0

0

3

0

0

0

4

0

0

0

5

0

0

0

6

0

0

0

7

0

0

0

8

0

0

0

9

0

0

0

10

0

0

0

11

0

0

0

12

0

0

0

13

0

0

0
14
0
0
0
15
0
0
0
0
16
0
0
0
0
17
0
0
0
0
18
0
0
0
0
19
0
0
0
0
20
0
0
0
0
21
0
0
0
0
22
0
0
0
0
23
0
0
0
0
24
0
0
0
0
25
0
0
0
0
26
0
0
0

27
0
0
0
28
0
0
0
29
0
0
0
30
0
0
0
31
0
0
0
32
0
0
0
33
0
0
0
34
0
0
0
35
0
0
0
36
0
0
0
37
0
0
0
38
0
0
0
39
0
0
0
40

0
0
0
41
0
0
0
0
42
0
0
0
0
43
0
0
0
0
44
0
0
0
0
45
0
0
0
0
46
0
0
0
0
47
0
0
0
0
48
0
0
0
0
49
0
0
0
0
50
0
0
0
0
51
0
0
0
0
52
0
0
0
0
53
0

0
0
54
0
0
0
55
0
0
0
0
56
0
0
0
0
57
0
0
0
0
58
0
0
0
0
59
0
0
0
0
60
0
0
0
0
61
0
0
0
0
62
0
0
0
0
63
0
0
0
0
64
0
0
0
0
65
0
0
0
0
66
0
0

0
67
0
0
0
68
0
0
0
0
69
0
0
0
0
70
0
0
0
0
71
0
0
0
0
72
0
0
0
0
73
0
0
0
0
74
0
0
0
0
75
0
0
0
0
76
0
0
0
0
77
0
0
0
0
78
0
0
0
0
79
0
0
0

80
0
0
0
81
0
0
0
82
0
0
0
83
0
0
0
84
0
0
0
85
0
0
0
0
86
0
0
0
0
87
0
0
0
88
0
0
0
89
0
0
0
90
0
0
0
91
0
0
0
92
0
0
0
93

0
0
0
94
0
0
0
0
95
0
0
0
0
96
0
0
0
0
97
0
0
0
0
98
0
0
0
0
99
0
0
0
0
100
0
0
0

Related pages

- [Stats](#)

Aliases

[Plugin Benchmark](#) | [Benchmark](#)