

# Plugin Module

Use this [wiki plugin](#) to display [Modules](#) in a page, column or other module zone.

## Parameters

Introduced in Tiki 1. Required parameters are in **boxed**.

[Go to the source code](#)

Preferences required: `wikiplugin_module`

Parameters	Accepted Values	Description	Default	Since
<b>module</b>	. (cont.)  (cont'd)  (cont'd)	Module name as known in Tiki		1
<b>notitle</b>	(blank) y n	Select Yes ( <input checked="" type="checkbox"/> ) to hide the title (default is to show the title)		3.0
<b>title</b>	text	Title to display at the top of the box, assuming No Title is not set to Yes ( <input checked="" type="checkbox"/> )		1
<b>float</b>	(blank) nofloat left right	Align the module to the left or right on the page allowing other elements to align against it		1
<b>max</b>	digits	Number of rows (default: <input type="text" value="10"/> )	10	1
<b>np</b>	(blank) 0 1	Parse wiki syntax. Default: No	1	1
<b>nobox</b>	(blank) y n	y n Show only the content with no title or borders, etc. around the content.		9.0
<b>decoration</b>	(blank) 1 0	Show module title (heading) background, etc. (default is to show them)		1
<b>flip</b>	(blank) 1 0	Add ability to show/hide the content of the module (default is the site admin setting for modules)		1

<code>bgcolor</code>	text	Override the background color for the title (if the title is shown). The value can be a color name (ex: <code>bgcolor="blue"</code> ) or a hexadecimal value (ex: <code>bgcolor="#FFEBCD"</code> )	9.0
<code>module_style</code>	Valid CSS styling	Inline CSS for the containing div element, for example, <code>max-width:80%</code>	9.0
<code>style</code>	Valid CSS styling	CSS styling for the module data itself.	9.0
<code>topclass</code>	Valid CSS class	Custom CSS class of div around the module.	9.0
<code>class</code>	Valid CSS class	Custom CSS class.	9.0
<code>device</code>	<code>separator: ;</code>	On which device the module must be displayed, by default it is displayed on all devices.	24
<code>category</code>	alnum <code>separator: ;</code>	Module displayed depending on category. Multiple category ids or names can be separated by semi-colons.	9.0
<code>nocategory</code>	alnum <code>separator: ;</code>	Module hidden depending on category. Multiple category ids or names can be separated by semi-colons. This takes precedence over the category parameter above.	9.0
<code>perspective</code>	digits <code>separator: ;</code>	Only display the module if in one of the listed perspective IDs. Semi-colon separated.	9.0
<code>lang</code>	lang <code>separator: ;</code>	Module only applicable for the specified languages. Languages are defined as two character language codes. Multiple values can be separated by semi-colons.	9.0
<code>section</code>	text <code>separator: ;</code>	Module only applicable for the specified sections. Multiple values can be separated by semi-colons.	9.0
<code>page</code>	pagename <code>separator: ;</code>	Module only applicable on the specified page names. Multiple values can be separated by semi-colons.	9.0
<code>nopage</code>	pagename <code>separator: ;</code>	Module not applicable on the specified page names. Multiple values can be separated by semi-colons.	9.0
<code>theme</code>	themename <code>separator: ;</code>	Module enabled or disabled depending on the theme file name (e.g. <code>thenews.css</code> ). Specified themes can be either included or excluded. Theme names prefixed by <code>!</code> are in the exclusion list. Multiple values can be separated by semi-colons.	9.0

<code>creator</code>	alpha	Module only available based on the relationship of the user with the wiki page. Either only creators ( <code>{y}</code> ) or only non-creators ( <code>{n}</code> ) will see the module.	9.0
<code>contributor</code>	alpha	Module only available based on the relationship of the user with the wiki page. Either only contributors ( <code>{0y%1}</code> ) or only non-contributors ( <code>{0n%1}</code> ) will see the module.	9.0

## Examples

### Basic syntax

*This code:*

```
{module module="wiki_last_comments"}
```

*Would produce on this site:*

#### Last wiki comments

1. **Mail notifications:** Setting' → Mail Notifications?
2. **Move Tiki to a new server:** Slightly different
3. **Roles:** How to activate Roles?
4. **Pretty Tracker:** This is exactly what I needed
5. **Web Monetization:** Most popular
6. **PluginSlideshowSlide:** Any wiki syntax
7. **PluginSlideshowSlide:** body of plugin
8. **Web Monetization:** Missing info
9. **H5P test:** Status
10. **Save and Comment:** Similar but different

## Displaying a module in a Template (.tpl)

You can place a module anywhere (header, footer) using the following syntax in a `.tpl` file:

```
{module module="wiki_last_comments"}
```

Older version of Tiki can revert to embedding wiki syntax:

```
{wiki}{literal}{module module="wiki_last_comments"}{/literal}{/wiki}
```