

Plugin Snarf

Use this [wiki plugin](#) to include the body (HTML) text at the URL given in the `url` argument. It is similar to [Integrator](#).

Parameters

Display the contents of another web page

*Introduced in Tiki 1. Required parameters are in **bold**.*

[Go to the source code](#)

Preferences required: `wikiplugin_snarf`

Parameters	Accepted Values	Description	Default	Since
<code>url</code>	<code>url</code>	Full URL to the page to include.	1	
<code>cache</code>	<code>int</code>	Cache time in minutes. Default is to use site preference, Set to <code>0</code> for no cache.	5.0	
<code>colors</code>	<code>text</code>	Syntax highlighting to use for code snippets (Plugin Code is used for this)	3.0	
<code>ajax</code>	<code>text</code>	Text to click on to fetch the URL via Ajax	6.0	
<code>regex</code>	<code>text</code>	PCRE-compliant regular expression pattern to find the parts you want changed	1	
<code>regexres</code>	<code>text</code>	PCRE-compliant regular expression replacement syntax showing what the content should be changed to	1	
<code>ishtml</code>	<code>(blank)</code> 1 0	Set to Yes (1) to display the content as is instead of escaping HTML special characters (not set by default).	3.0	
<code>ln</code>	<code>(blank)</code> 1 0	Set to Yes (1) to add line numbers to code snippets (not shown by default)	3.0	
<code>rtl</code>	<code>(blank)</code> 1 0	Switch the text display from left to right to right to left	3.0	
<code>wiki</code>	<code>(blank)</code> 1 0	Parse wiki syntax within the code snippet (not parsed by default).	0	3.0
<code>wrap</code>	<code>(blank)</code> 1 0	Enable/disable word wrapping of snippets of code (enabled by default)	1	3.0

Arbitrary `regex` replacement can be done on this content using `regex` and `regexres`, which are used as

the first and second arguments to `preg_replace` PHP function, respectively, after pulling out just the `<body>` data.

Examples

```
{SNARF (url="http://www.livejournal.com/users/rpowell/2418.html" regex="/.*<!-- Content - ->.*?<td>(.*)</td>.*?</div>(.*)<hr.*?<!-- \Content -->.*?/s"  
regexres="<p>$1</p>$2")}[http://www.livejournal.com/users/rpowell/2418.html] {SNARF}
```

To include the content of a page of another Tiki installation you can use the following syntax:

```
{snarf url="http://my.foo.bar/tiki-index_raw.php?page=ExamplePage" wrap="1" ishtml="1"  
cache="20"}
```

Include Tiki.org Footer Page

```
{snarf url="https://tiki.org/tiki-index_raw.php?page=Shared_t_o_footer&clean" ishtml=1}
```

Produces:

(currently output is "broken" in Tiki 20.x on this site)

[Shared_t_o_footer](#)

[About Tiki](#)

[News](#)

[Download](#)

[Demo](#)

[Features](#)

[Tiki Association](#)

[Contact Tiki](#)

[Donation](#)

[Support](#)

[Forums](#)

[Chat](#)

[Documentation](#)

[Mailing lists](#)

[FAQs](#)

[Consultants](#)

[Community](#)

[Model](#)

[Join Tiki](#)

[Feature request / Bug report](#)

[Featured Tikis](#)

[Events](#)

[Videos](#)

[Documentation](#)

[Installation guide](#)

[Configuration](#)

[Features](#)

[Tutorials](#)

[Become an author](#)

[Development](#)

[The 3 rules](#)

[Commit access](#)

[Get the code](#)

[Legal](#)

[Terms of Service](#)

[Privacy Policy](#)

[Tiki Project Sites](#)

[Community](#)

[Development](#)

[Documentation](#)

[Themes](#)

[Profiles](#)

[Security](#)

[Networks](#)

[Twitter](#)

[Facebook](#)

[LinkedIn](#)

[Open Hub](#)

[YouTube](#)

Tiki® and TikiWiki® are registered trademarks of the [Tiki Software Community Association](#).



Related pages

- <http://wikipedia.org/wiki/regex>

- [PluginInclude](#)

- [PluginTransclude](#)

- [PluginHTMLfeed](#)