

| Option | Description | Default |
|--|--|----------|
| Site theme | The default theme for the site. Themes are bootstrap.css variants, including original Tiki themes as well as implementations of themes from Bootswatch.com. For more information about Bootstrap, see getbootstrap.com . Default Custom theme by specifying URL Amelia BookStacked Boosted Business Cerulean Cosmo Cyborg Darkly Darkroom Darkshine Feb12 Fivealive-lite Fivealive Flatly Greenvalley Journal Jqui Lighty Litera Lumen Lux Materia Minty Morph Neubrutiki Ohia Pulse Quartz Sandstone Simplex Sketchy Slate Solar Spacelab Strasa Superhero ... | Default |
| Custom theme URL | Local or external URL of the custom Bootstrap-compatible CSS file to use. | None |
| Site theme option | Supplemental style sheet for the selected theme None akebi grape kiwi lemon orange plum raspberry watermelon akebi_classic grape_classic kiwi_classic lemon_classic orange_classic plum_classic raspberry_classic watermelon_classic blue trontastic bordered light shadows | None |
| Option theme includes main theme CSS | Don't include the main theme stylesheet because its contents are included in the option stylesheet. | Disabled |
| Navbar background color | Select a dark or light navbar (containing horizontal menu, etc.), as styled by the theme. Dark Light | Light |
| Users can change theme | <i>Users can override the theme with this setting.</i> | Disabled |
| Available themes | Restrict available themes All Default Bootstrap Amelia BookStacked Boosted Business Cerulean Cosmo Cyborg Darkly Darkroom Darkshine Feb12 Fivealive Fivealive-lite Fivealive-lite/akebi Fivealive-lite/grape Fivealive-lite/kiwi Fivealive-lite/lemon Fivealive-lite/orange Fivealive-lite/plum Fivealive-lite/raspberry Fivealive-lite/watermelon Fivealive/akebi Fivealive/akebi_clas... | None |
| Group theme | Enable groups to each have their own visual theme. | Disabled |
| Unified Admin Backend | Use modern layout for control panels. | Disabled |

| Option | Description | Default |
|---|--|----------------------------|
| Admin theme | Theme for the settings panels and other administration pages Site theme Default Amelia BookStacked Boosted Business Cerulean Cosmo Cyborg Darkly Darkroom Darkshine Feb12 Fivealive-lite Fivealive Flatly Greenvalley Journal Jqui Lighty Litera Lumen Lux Materia Minty Morph Neubrutiki Ohia Pulse Quartz Sandstone Simplex Sketchy Slate Solar Spacelab Strasa Superhero Thenews Tikicorp... | None |
| Admin theme option | Supplemental style sheet for the selected theme None akebi grape kiwi lemon orange plum raspberry watermelon akebi_classic grape_classic kiwi_classic lemon_classic orange_classic plum_classic raspberry_classic watermelon_classic blue trontastic bordered light shadows | None |
| Admin navbar background color | Select a dark or light navbar (containing horizontal menu, etc.), as styled by the theme. Dark Light | Dark |
| Admin navbar icon | Icon (logo) that displays in the admin pages navbar. (Set the overall site logo using the logo module on tiki-admin_modules.php). <i>Recommended image height: 32 pixels, or legible when scaled down to that size</i> | img/tiki/tikilogo_icon.png |
| Icons | Icon set used by the site. Bootstrap icon font Default (Font-awesome) Legacy (pre Tiki14) icons Icons of the displayed theme | Default (Font-awesome) |
| jQuery UI theme | jQuery UI theme. Used in some modal popups and in the TikiSheet feature, etc. None black-tie blitzer cupertino dark-hive dot-luv eggplant excite-bike flick hot-sneaks humanity le-frog mint-choc overcast pepper-grinder redmond smoothness south-street start sunny swanky-purse trontastic ui-darkness ui-lightness vader | Flick |
| Theme Control | Assign different themes to various sections, categories, and objects. | Disabled |
| Store session variable for current theme | Store a session variable for current theme so that it can be used for auto-selecting a category when categorizing | Disabled |

| Option | Description | Default |
|--|---|----------|
| Parent category of theme control categories | Choose the parent category of categories used for theme control None Archived (35) Editorial Board Meeting (10) Files example (13) Keywords (12) Retired (34) Status (1) 3.In Progress (4) Templates (33) Versions (14) 1.x (15) 10.x (24) 11.x (25) 12.x (26) 13.x (27) 14.x (28) 15.x (29) 16.x (30) 17.x (31) 18.x (32) 2.x (16) 3.x (17) 4.x (18) 5.x (19) 6.x (20) 7.x (21) 8.x (22) 9.x (23) | Disabled |
| Automatically select the theme-control category of the current theme when categorizing | When creating or editing an object, automatically select the category that matches the theme-control category of the current theme | Disabled |

| Option | Description | Default |
|--|--|----------|
| Site theme | The default theme for the site. Themes are bootstrap.css variants, including original Tiki themes as well as implementations of themes from Bootswatch.com. For more information about Bootstrap, see getbootstrap.com . Default Custom theme by specifying URL Amelia Business Cerulean Cosmo Cyborg Darkly Darkroom Darkshine Feb12 Fivealive Fivealive-lite Flatly Greenvalley Journal Jqui Lighty Litera Lumen Lux Materia Minty Morph Ohia Pulse Quartz Sandstone Simplex Sketchy Slate Solar Spacelab Strasa Superhero Thenews Tikicorp Tikinewt Tik... | Default |
| Custom theme URL | Local or external URL of the custom Bootstrap-compatible CSS file to use. | None |
| Site theme option | Supplemental style sheet for the selected theme None akebi grape kiwi lemon orange plum raspberry watermelon akebi_classic grape_classic kiwi_classic lemon_classic orange_classic plum_classic raspberry_classic watermelon_classic blue element excitebike flat good haus horizons rising trontastic cool mono light shadows | None |
| Option theme includes main theme CSS | Don't include the main theme stylesheet because its contents are included in the option stylesheet. | Disabled |
| Navbar background color | Select a dark or light navbar (containing horizontal menu, etc.), as styled by the theme. Dark Light | Light |
| Fixed topbar offset | The offset value of the top padding should be the same height as the navbar in the fixed top position to prevent the navbar from obscuring the page content. | None |

| Option | Description | Default |
|---|---|------------------------|
| Users can change theme | <i>Users can override the theme with this setting.</i> | Disabled |
| Available themes | Restrict available themes All Default Bootstrap Amelia Business Cerulean Cosmo Cyborg Darkly Darkroom Darkshine Feb12 Fivealive Fivealive-lite Fivealive-lite/akebi Fivealive-lite/grape Fivealive-lite/kiwi Fivealive-lite/lemon Fivealive-lite/orange Fivealive-lite/plum Fivealive-lite/raspberry Fivealive-lite/watermelon Fivealive/akebi Fivealive/akebi_classic Fivealive/grape ... | None |
| Group theme | Enable groups to each have their own visual theme. | Disabled |
| Unified Admin Backend | Use modern layout for control panels. | Disabled |
| Admin theme | Theme for the settings panels and other administration pages Site theme Default Amelia Business Cerulean Cosmo Cyborg Darkly Darkroom Darkshine Feb12 Fivealive Fivealive-lite Flatly Greenvally Journal Jqui Lighty Litera Lumen Lux Materia Minty Morph Ohia Pulse Quartz Sandstone Simplex Sketchy Slate Solar Spacelab Strasa Superhero Thenews Tikicorp Tikinewt Tikipedia United Ut... | None |
| Admin theme option | Supplemental style sheet for the selected theme None akebi grape kiwi lemon orange plum raspberry watermelon akebi_classic grape_classic kiwi_classic lemon_classic orange_classic plum_classic raspberry_classic watermelon_classic blue element excitebike flat good haus horizons rising trontastic cool mono light shadows | None |
| Admin navbar background color | Select a dark or light navbar (containing horizontal menu, etc.), as styled by the theme. Dark Light | Dark |
| Icons | Icon set used by the site. Default (Font-awesome) Legacy (pre Tiki14) icons Icons of the displayed theme | Default (Font-awesome) |
| jQuery UI theme | jQuery UI theme. Used in some modal popups and in the TikiSheet feature, etc. None black-tie blitzer cupertino dark-hive dot-luv eggplant excite-bike flick hot-sneaks humanity le-frog mint-choc overcast pepper-grinder redmond smoothness south-street start sunny swanky-purse trontastic ui-darkness ui-lightness vader | Flick |
| Theme Control | Assign different themes to various sections, categories, and objects. | Disabled |

| Option | Description | Default |
|--|--|----------|
| Store session variable for current theme | Store a session variable for current theme so that it can be used for auto-selecting a category when categorizing | Disabled |
| Parent category of theme control categories | Choose the parent category of categories used for theme control None | Disabled |
| Automatically select the theme-control category of the current theme when categorizing | When creating or editing an object, automatically select the category that matches the theme-control category of the current theme | Disabled |

| Option | Description | Default |
|--|---|----------|
| Site theme | The default theme for the site. Themes are bootstrap.css variants, including original Tiki themes as well as implementations of themes from Bootswatch.com. For more information about Bootstrap, see getbootstrap.com. Default Custom theme by specifying URL Amelia Business Cerulean Cosmo Cyborg Darkly Darkroom Darkshine Feb12 Fivealive Fivealive-lite Flatly Greenvalley Journal Jqui Lighty Litera Lumen Lux Materia Minty Ohia Pulse Sandstone Simplex Sketchy Slate Solar Spacelab Strasa Superhero Thenews Tikicorp Tikinewt Tikipedia United ... | Default |
| Custom theme URL | Local or external URL of the custom Bootstrap-compatible CSS file to use. | None |
| Site theme option | Supplemental style sheet for the selected theme None akebi grape kiwi lemon orange plum raspberry watermelon akebi_classic grape_classic kiwi_classic lemon_classic orange_classic plum_classic raspberry_classic watermelon_classic blue element excitebike flat good haus horizons rising trontastic cool mono light shadows | None |
| Option theme includes main theme CSS | Don't include the main theme stylesheet because its contents are included in the option stylesheet. | Disabled |
| Navbar background color | Select a dark or light navbar (containing horizontal menu, etc.), as styled by the theme. Dark Light | Light |
| Fixed topbar offset | The offset value of the top padding should be the same height as the navbar in the fixed top position to prevent the navbar from obscuring the page content. | None |

| Option | Description | Default |
|---|---|------------------------|
| Users can change theme | <i>Users can override the theme with this setting.</i> | Disabled |
| Available themes | Restrict available themes All Default Bootstrap Amelia Business Cerulean Cosmo Cyborg Darkly Darkroom Darkshine Feb12 Fivealive Fivealive-lite Fivealive-lite/akebi Fivealive-lite/grape Fivealive-lite/kiwi Fivealive-lite/lemon Fivealive-lite/orange Fivealive-lite/plum Fivealive-lite/raspberry Fivealive-lite/watermelon Fivealive/akebi Fivealive/akebi_classic Fivealive/grape ... | None |
| Group theme | Enable groups to each have their own visual theme. | Disabled |
| Admin theme | Theme for the settings panels and other administration pages Site theme Default Amelia Business Cerulean Cosmo Cyborg Darkly Darkroom Darkshine Feb12 Fivealive Fivealive-lite Flatly Greenvalley Journal Jqui Lighty Litera Lumen Lux Matera Minty Ohia Pulse Sandstone Simplex Sketchy Slate Solar Spacelab Strasa Superhero Thenews Tikicorp Tikinewt Tikipedia United Utopias Yeti | None |
| Admin theme option | Supplemental style sheet for the selected theme None akebi grape kiwi lemon orange plum raspberry watermelon akebi_classic grape_classic kiwi_classic lemon_classic orange_classic plum_classic raspberry_classic watermelon_classic blue element excitebike flat good haus horizons rising trontastic cool mono light shadows | None |
| Icons | Icon set used by the site. Default (Font-awesome) Legacy (pre Tiki14) icons Icons of the displayed theme | Default (Font-awesome) |
| jQuery UI theme | jQuery UI theme. Used in some modal popups and in the TikiSheet feature, etc. None black-tie blitzer cupertino dark-hive dot-luv eggplant excite-bike flick hot-sneaks humanity le-frog mint-choc overcast pepper-grinder redmond smoothness south-street start sunny swanky-purse trontastic ui-darkness ui-lightness vader | Flick |
| Theme Control | Assign different themes to various sections, categories, and objects. | Disabled |
| Store session variable for current theme | Store a session variable for current theme so that it can be used for auto-selecting a category when categorizing | Disabled |
| Parent category of theme control categories | Choose the parent category of categories used for theme control None | Disabled |

| Option | Description | Default |
|--|--|----------|
| Automatically select the theme-control category of the current theme when categorizing | When creating or editing an object, automatically select the category that matches the theme-control category of the current theme | Disabled |

Look and Feel - Customization

| Option | Description | Default |
|--|--|----------|
| Custom CSS | Additional CSS rules can be entered here and will apply to all pages, or the CSS ID of a page can be used to limit the scope of the rule (check the HTML source of the particular page to find its body ID tag.) | None |
| Custom HTML head content | Additional content such as meta or link tags can be added to the head section of HTML files. Smarty filters can be used here. <i>Example: <code>{if \$page eq 'Slideshow'}{literal}yle type="text/css">.slideshow { height: 232px; width: 232px; }{/literal}{/if}</code></i> | None |
| Custom code just before the closing <code></body></code> tag | Enter lines here to be placed near the end of the HTML file. | None |
| Google Analytics account number | The account number for the site. The account number from Google is something like UA-XXXXXXX-YY. <i>Enter only XXXXXXX-YY (without the UA)</i> | None |
| Custom JavaScript | Includes a block of inline JavaScript after the inclusion of jQuery and other JavaScript libs in all pages. <i>Use PluginJS to include Javascript on a single wiki page. Do not include the <code>< script ></code> tags.</i> | None |
| Add group CSS info | Either <code>grp_Anonymous</code> or <code>grp_Registered</code> and possibly <code>grp_Admins</code> as well <i>Add CSS classes to the page BODY tag based on the user's group membership</i> | Disabled |
| Categories to add as CSS classes to <code><body></code> ; | Pages in selected categories will have a class with syntax like <code>"cat_catname"</code> added to the body tag. | None |
| Theme Customizer tool | Activate the theme customizer tool to enable easy theme customization. | Disabled |
| Edit CSS | Edit CSS files directly in the browser. <i>May not be functional in Tiki 14+</i> | Disabled |

| Option | Description | Default |
|---------------------------------------|---|----------|
| Tiki template viewing | May not be functional in Tiki 14+ | Disabled |
| Edit templates | May not be functional in Tiki 14+ | Disabled |
| Editable Icons | Edit icons with the icon picker No Yes | No |

| Option | Description | Default |
|--|--|----------|
| Custom CSS | Additional CSS rules can be entered here and will apply to all pages, or the CSS ID of a page can be used to limit the scope of the rule (check the HTML source of the particular page to find its body ID tag.) | None |
| Custom Less | Compiles a new version of the currently selected theme and option using definitions declared here. <i>Custom Less (CSS precompiler) - no longer used</i> | None |
| Custom HTML head content | Additional content such as meta or link tags can be added to the head section of HTML files. Smarty filters can be used here. <i>Example: <code>{if \$page eq 'Slideshow'}{literal}yle type="text/css">.slideshow { height: 232px; width: 232px; }{/literal}{/if}</code></i> | None |
| Custom code just before the closing <code></body></code> tag | Enter lines here to be placed near the end of the HTML file. | None |
| Google Analytics account number | The account number for the site. The account number from Google is something like UA-XXXXXXX-YY. <i>Enter only XXXXXXX-YY (without the UA)</i> | None |
| Custom JavaScript | Includes a block of inline JavaScript after the inclusion of jQuery and other JavaScript libs in all pages. <i>Use PluginJS to include Javascript on a single wiki page. Do not include the <code>< script ></code> tags.</i> | None |
| Add group CSS info | Either <code>grp_Anonymous</code> or <code>grp_Registered</code> and possibly <code>grp_Admins</code> as well <i>Add CSS classes to the page BODY tag based on the user's group membership</i> | Disabled |
| Categories to add as CSS classes to <code><body></code> ; | Pages in selected categories will have a class with syntax like <code>"cat_catname"</code> added to the body tag. | None |
| Theme Customizer tool | Activate the theme customizer tool to enable easy theme customization. | Disabled |

| Option | Description | Default |
|---------------------------------------|---|----------|
| Edit CSS | Edit CSS files directly in the browser. <i>May not be functional in Tiki 14+</i> | Disabled |
| Tiki template viewing | <i>May not be functional in Tiki 14+</i> | Disabled |
| Edit templates | <i>May not be functional in Tiki 14+</i> | Disabled |

| Option | Description | Default |
|---|---|----------|
| Custom CSS | Additional CSS rules can be entered here and will apply to all pages, or the CSS ID of a page can be used to limit the scope of the rule (check the HTML source of the particular page to find its body ID tag.) | None |
| Custom Less | Compiles a new version of the currently selected theme and option using definitions declared here. <i>Custom Less (CSS precompiler) - no longer used</i> | None |
| Custom HTML head content | Additional content such as meta or link tags can be added to the head section of HTML files. Smarty filters can be used here. <i>Example: {if \$page eq 'Slideshow'}{literal}yle type="text/css">.slideshow { height: 232px; width: 232px; }{/literal}{/if}</i> | None |
| Custom code just before the closing </body> tag | Enter lines here to be placed near the end of the HTML file. | None |
| Google Analytics account number | The account number for the site. The account number from Google is something like UA-XXXXXXX-YY. <i>Enter only XXXXXX-YY (without the UA)</i> | None |
| Custom JavaScript | Includes a block of inline JavaScript after the inclusion of jQuery and other JavaScript libs in all pages. <i>Use PluginJS to include Javascript on a single wiki page. Do not include the < script > tags.</i> | None |
| Add group CSS info | Either grp_Anonymous or grp_Registered and possibly grp_Admins as well <i>Add CSS classes to the page BODY tag based on the user's group membership</i> | Disabled |
| Categories to add as CSS classes to </body> | Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag. | None |
| Theme Customizer tool | Activate the theme customizer tool to enable easy theme customization. | Disabled |

| Option | Description | Default |
|---------------------------------------|---|----------|
| Edit CSS | Edit CSS files directly in the browser. <i>May not be functional in Tiki 14+</i> | Disabled |
| Tiki template viewing | <i>May not be functional in Tiki 14+</i> | Disabled |
| Edit templates | <i>May not be functional in Tiki 14+</i> | Disabled |

Look and Feel - Layout

| Option | Description | Default |
|--|--|------------------|
| Fixed width | Restrict the width of the site content area, in contrast to a liquid (full-width) layout. | Enabled |
| Layout width | The width of the site's content area (Bootstrap container div), centered in the browser window. <i>The default is 1170px.</i> | 1170px |
| Site layout | Changes the template for the overall site layout <i>Important: when using the Classic Bootstrap (fixed top navbar) layout, be sure to set the fixed-top navbar height, below, to prevent content overlap.</i> Single Container Classic Tiki (3 containers - header, middle, footer) Classic Bootstrap (fixed top navbar) | Single Container |
| Enable layout per page, etc. | Specify an alternate layout for a particular wiki page, etc. | Disabled |
| Fixed-top navbar height | For the Classic Bootstrap or equivalent layout, specify the height of the navbar in fixed position at the top of the page. The logo module image assigned to the top module zone will scale to display correctly here. <i>Clear the Tiki system cache for this change to take effect.</i> | None |
| Header bar and Address bar color | Change the color of header bar and address bar according to the theme. | Disabled |
| Admin layout | Specify which layout template to use for admin pages. Single Container Classic Tiki (3 containers - header, middle, footer) Classic Bootstrap (fixed top navbar) | Single Container |

| Option | Description | Default |
|----------------------------|---|--------------------------------|
| Site logo and title | Display a site logo image and/or title in the page header area. <i>This setting is expected to be moved from here to the admin-modules page.</i> | Enabled |
| Logo source (image path) | This can be a conventional path to the image file, or the syntax for an image in a Tiki gallery. | img/tiki/Tiki_WCG.png |
| Logo title (on mouseover) | This appears as tool tip text. The site logo is also a link to the site index (top page). | Tiki-powered site |
| HTML "alt" tag description | Normally a description of the image, such as "Example.com logo" <i>Used by text browsers, screen readers, etc.</i> | Site Logo |
| Site logo upload icon | Display an icon for admins to be able to change or upload the site logo. | Enabled |
| Site title | The displayed title of the website. | None |
| Subtitle | A short phrase that, for example, describes the site. | None |
| Top module zone | Activate zone for modules such as site logo, log-in form, etc. (page header) Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Topbar module zone | Activate zone for modules such as horizontal menu (navbar), search form, page-wide content, etc. Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Page top module zone | Activate zone for modules such as breadcrumbs, banners, share icons, etc Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Left column | <i>Controls visibility of the left column of modules</i> Only if one or more modules are assigned Always User decides Never | User decides |
| Right column | <i>Controls visibility of the right column of modules</i> Only if one or more modules are assigned Always User decides Never | User decides |
| Page bottom module zone | Activate zone for modules at the bottom of the main column of each page Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Bottom module zone | Activate zone for modules such as "powered by" and "rss list" (page footer) Only if one or more modules are assigned Always Never | Only if one or more modules... |

| Option | Description | Default |
|------------------------------|--|----------|
| Module file | Use a static module definition file instead of relying on the dynamic values generated by Tiki. Useful for custom themes. The file must be in YAML format, following the format used in profiles. | None |
| Extra module zones available | Extra module zones to be managed through the module administration interface. Useful if a custom theme or layout requires a special zone other than the predefined ones. <i>Comma-separated list, maximum of 20 characters per entry.</i> | None |
| Webmaster report | Activate the feature to report a problematic page to the webmaster.. | Disabled |
| Webmaster email | A specific email address can be set for receiving the webmaster reports. <i>Leave blank to use the default sender email</i> | None |

| Option | Description | Default |
|------------------------------|--|------------------|
| Fixed width | Restrict the width of the site content area, in contrast to a liquid (full-width) layout. | Enabled |
| Layout width | The width of the content area of the site, centered in the browser window. <i>for example, 960px</i> | 1170px |
| Site layout | Changes the template for the overall site layout <i>Important: when using the Classic Bootstrap (fixed top navbar) layout, be sure to set the fixed-top navbar height, below, to prevent content overlap.</i> Single Container Classic Tiki (3 containers - header, middle, footer) Classic Bootstrap (fixed top navbar) | Single Container |
| Enable layout per page, etc. | Specify an alternate layout for a particular wiki page, etc. | Disabled |
| Admin layout | Specify which layout template to use for admin pages. Single Container Classic Tiki (3 containers - header, middle, footer) Classic Bootstrap (fixed top navbar) | Single Container |

| Option | Description | Default |
|--------------------------------------|--|--------------------------------|
| Site logo and title | Display a site logo image and/or title in the page header area. <i>This setting is expected to be moved from here to the admin-modules page.</i> | Enabled |
| Logo source (image path) | This can be a conventional path to the image file, or the syntax for an image in a Tiki gallery. | img/tiki/Tiki_WCG.png |
| Site icon | This is used in narrow (top to bottom) page headers. In some layouts, the image is scaled down to fit in the available space. <i>Recommended image height: 32 pixel</i> | img/tiki/tikilogo_icon.png |
| Logo background color | A legacy option to add a background color to the div that contains the logo image. <i>Examples: 1) silver - 2) #fff</i> | Transparent |
| Logo title (on mouseover) | This appears as tool tip text. The site logo is also a link to the site index (top page). | Tiki powered site |
| HTML "alt" tag description | Normally a description of the image, such as "Example.com logo" <i>Used by text browsers, screen readers, etc.</i> | Site Logo |
| Site title | The displayed title of the website. | None |
| Subtitle | A short phrase that, for example, describes the site. | None |
| Top module zone | Activate zone for modules such as site logo, log-in form, etc. (page header) Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Topbar module zone | Activate zone for modules such as horizontal menu (navbar), search form, page-wide content, etc. Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Page top module zone | Activate zone for modules such as breadcrumbs, banners, share icons, etc Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Left column | <i>Controls visibility of the left column of modules</i> Only if one or more modules are assigned Always User decides Never | User decides |

| Option | Description | Default |
|---|--|--------------------------------|
| Right column | <i>Controls visibility of the right column of modules</i> Only if one or more modules are assigned Always User decides Never | User decides |
| Page bottom module zone | Activate zone for modules at the bottom of the main column of each page Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Bottom module zone | Activate zone for modules such as "powered by" and "rss list" (page footer) Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Module file | Use a static module definition file instead of relying on the dynamic values generated by Tiki. Useful for custom themes. The file must be in YAML format, following the format used in profiles. | None |
| Extra module zones available | Extra module zones to be managed through the module administration interface. Useful if a custom theme or layout requires a special zone other than the predefined ones. <i>Comma-separated list, maximum of 20 characters per entry.</i> | None |
| Webmaster report | Activate the feature to report a problematic page to the webmaster.. | Disabled |
| Webmaster email | A specific email address can be set for receiving the webmaster reports. <i>Leave blank to use the default sender email</i> | None |

| Option | Description | Default |
|--------------|---|---------|
| Fixed width | Restrict the width of the site content area, in contrast to a liquid (full-width) layout. | Enabled |
| Layout width | The width of the content area of the site, centered in the browser window. <i>for example, 960px</i> | 1170px |

| Option | Description | Default |
|------------------------------|--|--------------------------------|
| Site layout | Changes the template for the overall site layout <i>Important: when using the Classic Bootstrap (fixed top navbar) layout, be sure to set the fixed-top navbar height, below, to prevent content overlap.</i> Single Container Classic Tiki (3 containers - header, middle, footer) Classic Bootstrap (fixed top navbar) | Single Container |
| Enable layout per page, etc. | Specify an alternate layout for a particular wiki page, etc. | Disabled |
| Admin layout | Specify which layout template to use for admin pages. Single Container Classic Tiki (3 containers - header, middle, footer) Classic Bootstrap (fixed top navbar) | Single Container |
| Site logo and title | Display a site logo image and/or title in the page header area. <i>This setting is expected to be moved from here to the admin-modules page.</i> | Enabled |
| Logo source (image path) | This can be a conventional path to the image file, or the syntax for an image in a Tiki gallery. | img/tiki/Tiki_WCG.png |
| Site icon | This is used in narrow (top to bottom) page headers. In some layouts, the image is scaled down to fit in the available space. <i>Recommended image height: 32 pixel</i> | img/tiki/tikilogo_icon.png |
| Logo background color | A legacy option to add a background color to the div that contains the logo image. <i>Examples: 1) silver - 2) #fff</i> | Transparent |
| Logo title (on mouseover) | This appears as tool tip text. The site logo is also a link to the site index (top page). | Tiki powered site |
| HTML "alt" tag description | Normally a description of the image, such as "Example.com logo" <i>Used by text browsers, screen readers, etc.</i> | Site Logo |
| Site title | The displayed title of the website. | None |
| Subtitle | A short phrase that, for example, describes the site. | None |
| Top module zone | Activate zone for modules such as site logo, log-in form, etc. (page header) Only if one or more modules are assigned Always Never | Only if one or more modules... |

| Option | Description | Default |
|------------------------------|---|--------------------------------|
| Topbar module zone | <p>Activate zone for modules such as horizontal menu (navbar), search form, page-wide content, etc.</p> <p>Only if one or more modules are assigned Always Never</p> | Only if one or more modules... |
| Page top module zone | <p>Activate zone for modules such as breadcrumbs, banners, share icons, etc</p> <p>Only if one or more modules are assigned Always Never</p> | Only if one or more modules... |
| Left column | <p><i>Controls visibility of the left column of modules</i></p> <p>Only if one or more modules are assigned Always User decides Never</p> | User decides |
| Right column | <p><i>Controls visibility of the right column of modules</i></p> <p>Only if one or more modules are assigned Always User decides Never</p> | User decides |
| Page bottom module zone | <p>Activate zone for modules at the bottom of the main column of each page</p> <p>Only if one or more modules are assigned Always Never</p> | Only if one or more modules... |
| Bottom module zone | <p>Activate zone for modules such as "powered by" and "rss list" (page footer)</p> <p>Only if one or more modules are assigned Always Never</p> | Only if one or more modules... |
| Module file | <p>Use a static module definition file instead of relying on the dynamic values generated by Tiki. Useful for custom themes. The file must be in YAML format, following the format used in profiles.</p> | None |
| Extra module zones available | <p>Extra module zones to be managed through the module administration interface. Useful if a custom theme or layout requires a special zone other than the predefined ones.</p> <p><i>Comma-separated list, maximum of 20 characters per entry.</i></p> | None |
| Webmaster report | <p>Activate the feature to report a problematic page to the webmaster..</p> | Disabled |
| Webmaster email | <p>A specific email address can be set for receiving the webmaster reports.</p> <p><i>Leave blank to use the default sender email</i></p> | None |

| Option | Description | Default |
|---|---|----------------------|
| Use tabs | Separates page content into tabbed panels | Enabled |
| Tabs optional | Users can choose not to have tabs. A no tabs button will be displayed. | Enabled |
| Favicons | Custom favicon image files can be put in the /themes/(themename)/favicons directory, or the default Tiki favicons can be used. | Enabled |
| Default for img-fluid class used in the IMG plugin | Default option for whether an image produced with the IMG plugin has the img-fluid class - a plugin parameter allows this to be overridden | Enabled |
| Use context menus for actions (icons) | <i>Currently used in File Galleries only.</i> | Enabled |
| Use context menus for actions (text) | <i>Currently used in File Galleries only.</i> | Enabled |
| Locations (breadcrumbs) | <i>Examples: » / > : -> →</i> | » |
| Choices | <i>Examples: / :</i> | |
| Smarty template usage indicator | Add HTML comment at start and end of each Smarty template (.tpl file) <i>Clear the Tiki system cache for this change to take effect. Use only for development, not in production at a live site, because these warnings are added to emails as well, and are visible to users in the page source. May impact performance</i> | Disabled |
| Smarty compilation | Indicates when the template cache should be refreshed. Modified Never check (performance) Always (development, slow) | Modified |
| Smarty cache permissions | Permissions that enable Smarty to write to the templates_c directory. User writable (0644) User & group writable (0664) | User writable (0644) |
| Provides the current categories to Smarty templates | When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance. | Disabled |
| Add base tag in the HTML head section | The base tag specifies a default address for all links on a page. | Disabled |

| Option | Description | Default |
|---|---|----------------------|
| Use tabs | Separates page content into tabbed panels | Enabled |
| Tabs optional | Users can choose not to have tabs. A no tabs button will be displayed. | Enabled |
| Favicons | Custom favicon image files can be put in the /themes/(themename)/favicons directory, or the default Tiki favicons can be used. | Enabled |
| Default for img-fluid class used in the IMG plugin | Default option for whether an image produced with the IMG plugin has the img-fluid class - a plugin parameter allows this to be overridden | Enabled |
| Use context menus for actions (icons) | <i>Currently used in File Galleries only.</i> | Enabled |
| Use context menus for actions (text) | <i>Currently used in File Galleries only.</i> | Enabled |
| Locations (breadcrumbs) | <i>Examples: » / > : -> →</i> | » |
| Choices | <i>Examples: / † :</i> | |
| Smarty template usage indicator | Add HTML comment at start and end of each Smarty template (.tpl file) <i>You need to clear your Tiki template cache for this change to take effect</i> <i>Use only for development, not in production at a live site, because these warnings are added to emails as well, and are visible to users in the page source.</i> <i>May impact performance</i> | Disabled |
| Smarty compilation | Indicates when the template cache should be refreshed. Modified Never check (performance) Always (development, slow) | Modified |
| Smarty cache permissions | Permissions that enable Smarty to write to the templates_c directory. User writable (0644) User & group writable (0664) | User writable (0644) |
| Provides the current categories to Smarty templates | When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance. | Disabled |
| Add base tag in the HTML head section | The base tag specifies a default address for all links on a page. | Disabled |

| Option | Description | Default |
|---|---|----------------------|
| Use tabs | Separates page content into tabbed panels | Enabled |
| Tabs optional | Users can choose not to have tabs. A no tabs button will be displayed. | Enabled |
| Favicons | Custom favicon image files can be put in the /themes/(themename)/favicons directory, or the default Tiki favicons can be used. | Enabled |
| Default for img-fluid class used in the IMG plugin | Default option for whether an image produced with the IMG plugin has the img-fluid class - a plugin parameter allows this to be overridden | Enabled |
| Use context menus for actions (icons) | <i>Currently used in File Galleries only.</i> | Enabled |
| Use context menus for actions (text) | <i>Currently used in File Galleries only.</i> | Enabled |
| Locations (breadcrumbs) | <i>Examples: » / > : -> →</i> | » |
| Choices | <i>Examples: / † :</i> | |
| Smarty template usage indicator | Add HTML comment at start and end of each Smarty template (.tpl file) <i>You need to clear your Tiki template cache for this change to take effect</i> <i>Use only for development, not in production at a live site, because these warnings are added to emails as well, and are visible to users in the page source.</i> <i>May impact performance</i> | Disabled |
| Smarty compilation | Indicates when the template cache should be refreshed. Modified Never check (performance) Always (development, slow) | Modified |
| Smarty cache permissions | Permissions that enable Smarty to write to the templates_c directory. User writable (0644) User & group writable (0664) | User writable (0644) |
| Provides the current categories to Smarty templates | When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance. | Disabled |
| Add base tag in the HTML head section | The base tag specifies a default address for all links on a page. | Disabled |

Look and Feel - Pagination

| Option | Description | Default |
|---|---|-------------|
| Use relative (next / previous) pagination links | | Enabled |
| Use direct pagination links | | Enabled |
| Maximum number of links around the current item | | 2 links |
| Maximum number of links after the first or before the last item | | 0 links |
| Display 'First' and 'Last' links | if set, will display 'first' and 'last' links on pages | Enabled |
| Display "fast-forward" links | Display "fast-forward" links (to advance 10 percent of the total number of pages) | Enabled |
| Hide pagination when there is only one page | Don't display pagination on single pages. | Enabled |
| Use Icons | | Enabled |
| Maximum users in drop-down lists | Use jQuery autocomplete text input to prevent out-of-memory errors and performance issues when the user list is very large. | 50 users |
| Maximum number of records in listings | | 25 records |
| Object selector threshold | Number of records after which the object selectors will request searching instead of selecting from a list. | 250 records |
| Object selector search field | Field or (comma separated) fields to search when filtering in an object selector. e.g. "content" (default "title") | Title |
| Number of comments per page | | 25 |

| Option | Description | Default |
|---|-------------|---------|
| Use relative (next / previous) pagination links | | Enabled |
| Use direct pagination links | | Enabled |

| Option | Description | Default |
|---|---|-------------|
| Maximum number of links around the current item | | 2 links |
| Maximum number of links after the first or before the last item | | 0 links |
| Display 'First' and 'Last' links | if set, will display 'first' and 'last' links on pages | Enabled |
| Display "fast-forward" links | Display "fast-forward" links (to advance 10 percent of the total number of pages) | Enabled |
| Hide pagination when there is only one page | Don't display pagination on single pages. | Enabled |
| Use Icons | | Enabled |
| Maximum users in drop-down lists | Use jQuery autocomplete text input to prevent out-of-memory errors and performance issues when the user list is very large. | 50 users |
| Maximum number of records in listings | | 25 records |
| Object selector threshold | Number of records after which the object selectors will request searching instead of selecting from a list. | 250 records |
| Object selector search field | Field or (comma separated) fields to search when filtering in an object selector. e.g. "content" (default "title") | Title |
| Number of comments per page | | 25 |

| Option | Description | Default |
|---|--|---------|
| Use relative (next / previous) pagination links | | Enabled |
| Use direct pagination links | | Enabled |
| Maximum number of links around the current item | | 2 links |
| Maximum number of links after the first or before the last item | | 0 links |
| Display 'First' and 'Last' links | if set, will display 'first' and 'last' links on pages | Enabled |

| Option | Description | Default |
|---|---|-------------|
| Display "fast-forward" links | Display "fast-forward" links (to advance 10 percent of the total number of pages) | Enabled |
| Hide pagination when there is only one page | Don't display pagination on single pages. | Enabled |
| Use Icons | | Enabled |
| Maximum users in drop-down lists | Use jQuery autocomplete text input to prevent out-of-memory errors and performance issues when the user list is very large. | 50 users |
| Maximum number of records in listings | | 25 records |
| Object selector threshold | Number of records after which the object selectors will request searching instead of selecting from a list. | 250 records |
| Object selector search field | Field or (comma separated) fields to search when filtering in an object selector. e.g. "content" (default "title") | Title |
| Object Selectors Events | Trigger ready.object_selector events when Object Selectors have been loaded. | Disabled |
| Number of comments per page | | 25 |

Look and Feel - Shadow Layer

| Option | Description | Default |
|--------------------------|--|----------|
| Shadow layer | <i>Additional div elements for shadows, radiused corners or other decorative styling</i> | Disabled |
| Main shadow start | | None |
| Main shadow end | | None |
| HHeader shadow div start | | None |
| Header shadow div end | | None |
| Middle shadow div start | | None |
| Middle shadow div end | | None |
| Center shadow start | | None |

| Option | Description | Default |
|---------------------------|-------------|---------|
| Center shadow end | | None |
| Footer shadow div start | | None |
| Footer shadow div end | | None |
| Module (box) shadow start | | None |
| Module (box) shadow end | | None |

| Option | Description | Default |
|---------------------------|--|----------|
| Shadow layer | <i>Additional div elements for shadows, radiused corners or other decorative styling</i> | Disabled |
| Main shadow start | | None |
| Main shadow end | | None |
| HHeader shadow div start | | None |
| Header shadow div end | | None |
| Middle shadow div start | | None |
| Middle shadow div end | | None |
| Center shadow start | | None |
| Center shadow end | | None |
| Footer shadow div start | | None |
| Footer shadow div end | | None |
| Module (box) shadow start | | None |
| Module (box) shadow end | | None |

| Option | Description | Default |
|--------------------------|--|----------|
| Shadow layer | <i>Additional div elements for shadows, radiused corners or other decorative styling</i> | Disabled |
| Main shadow start | | None |
| Main shadow end | | None |
| HHeader shadow div start | | None |

| Option | Description | Default |
|---------------------------|-------------|---------|
| Header shadow div end | | None |
| Middle shadow div start | | None |
| Middle shadow div end | | None |
| Center shadow start | | None |
| Center shadow end | | None |
| Footer shadow div start | | None |
| Footer shadow div end | | None |
| Module (box) shadow start | | None |
| Module (box) shadow end | | None |

Look and Feel - UI Effects

| Option | Description | Default |
|--|--|----------|
| Effect for modules | Default None Slide Fade Blind (UI) Clip (UI) Drop (UI) Explode (UI) Fold (UI) Puff (UI) Slide (UI) | None |
| Speed | Fast Normal Slow | Normal |
| Direction | Vertical Horizontal Left Right Up Down | Vertical |
| Effect for tabs | Default None Slide Fade Blind (UI) Clip (UI) Drop (UI) Explode (UI) Fold (UI) Puff (UI) Slide (UI) | Slide |
| Speed | Fast Normal Slow | Fast |
| Direction | Vertical Horizontal Left Right Up Down | Vertical |
| Shadowbox / ColorBox | Display images in a modal popup window (also referred to as shadowbox, lightbox or colorbox). | Enabled |
| Allow image lazy loading | Allow that images are loaded in a lazy way | Disabled |
| Visual style of Colorbox (a.k.a. "Shadowbox") | One Two Three Four Five | One |
| Date picker for date selection | JavaScript popup date selector (uses jQuery UI DatePicker). | Enabled |

| Option | Description | Default |
|--|--|--------------|
| Anchor links on headings | Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page. h1 only h2 and above h3 and above h4 and above h5 and above h6 and above none (disabled) | h6 and above |
| Enable JavaScript plugin for equal-height rows | Enable responsive rows, the contained elements of which have the same height. | Disabled |
| Conditional formatting | Use different coloring for certain system objects. Only groups are supported for now. | Disabled |
| Draggable Modals | Modal popups can be moved around. | Disabled |
| Resizable Modals | Modal popups can be resized. | Disabled |

| Option | Description | Default |
|--|--|----------|
| Effect for modules | Default None Slide Fade Blind (UI) Clip (UI) Drop (UI) Explode (UI) Fold (UI) Puff (UI) Slide (UI) | None |
| Speed | Fast Normal Slow | Normal |
| Direction | Vertical Horizontal Left Right Up Down | Vertical |
| Effect for tabs | Default None Slide Fade Blind (UI) Clip (UI) Drop (UI) Explode (UI) Fold (UI) Puff (UI) Slide (UI) | Slide |
| Speed | Fast Normal Slow | Fast |
| Direction | Vertical Horizontal Left Right Up Down | Vertical |
| Shadowbox / ColorBox | Display images in a modal popup window (also referred to as shadowbox, lightbox or colorbox). | Enabled |
| Allow image lazy loading | Allow that images are loaded in a lazy way | Disabled |
| Visual style of Colorbox (a.k.a. "Shadowbox") | One Two Three Four Five | One |
| Date picker for date selection | JavaScript popup date selector (uses jQuery UI DatePicker). | Enabled |
| Anchor links on headings | Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page. | Enabled |
| Enable JavaScript plugin for equal-height rows | Enable responsive rows, the contained elements of which have the same height. | Disabled |

| Option | Description | Default |
|------------------------|---|----------|
| Conditional formatting | Use different coloring for certain system objects. Only groups are supported for now. | Disabled |
| Draggable Modals | Modal popups can be moved around. | Disabled |
| Resizable Modals | Modal popups can be resized. | Disabled |

| Option | Description | Default |
|--|--|----------|
| Effect for modules | Default None Slide Fade Blind (UI) Clip (UI) Drop (UI) Explode (UI) Fold (UI) Puff (UI) Slide (UI) | None |
| Speed | Fast Normal Slow | Normal |
| Direction | Vertical Horizontal Left Right Up Down | Vertical |
| Effect for tabs | Default None Slide Fade Blind (UI) Clip (UI) Drop (UI) Explode (UI) Fold (UI) Puff (UI) Slide (UI) | Slide |
| Speed | Fast Normal Slow | Fast |
| Direction | Vertical Horizontal Left Right Up Down | Vertical |
| Shadowbox / ColorBox | Display images in a modal popup window (also referred to as shadowbox, lightbox or colorbox). | Enabled |
| Visual style of Colorbox (a.k.a. "Shadowbox") | One Two Three Four Five | One |
| Date picker for date selection | JavaScript popup date selector (uses jQuery UI DatePicker). | Enabled |
| Anchor links on headings | Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page. | Enabled |
| Enable JavaScript plugin for equal-height rows | Enable responsive rows, the contained elements of which have the same height. | Disabled |
| Conditional formatting | Use different coloring for certain system objects. Only groups are supported for now. | Disabled |
| Draggable Modals | Modal popups can be moved around. | Disabled |
| Resizable Modals | Modal popups can be resized. | Disabled |

Maps

| Option | Description | Default |
|--|--|--------------------------------|
| Maps & Location Enabled | Provide controls to load map and location libraries. | Disabled |
| Map Zone | [-180 180] [0 360] | [-180 180] |
| OpenLayers version | OpenLayers 2.x (for use up to at least 15.x) OpenLayers 3+ (experimental) | OpenLayers 2.x (for use up ... |
| Available tile layers on maps | Enables replacement of the default OpenStreetMap tiles with tiles from other mapping services, such as Google or Bing. <i>Valid options for OpenLayers 2 are: openstreetmap, mapquest_street, mapquest_aerial, google_street, google_satellite, google_physical, google_hybrid, blank and for OpenLayers 3+ are: openstreetmap, bing_road, bing_road_on_demand, bing_aerial, bing_aerial_with_labels, bing_collins_bart, bing_ordnance_survey</i> | Openstreetmap |
| Google Street View | Open Google Street View in a new window to see the visible coordinates. | Disabled |
| Google Street View overlay | Open Google Street View in a new window to see the visible coordinates. <i>This is not guaranteed to work.</i> | Disabled |
| Geolocate blog posts | Provide controls to indicate a geographic location in the blog post edit form. | Disabled |
| Geolocate wiki pages | Provide controls to indicate a geographic location of wiki pages in the edit form. | Disabled |
| Show map mode buttons in page list | | Disabled |
| Geolocate articles | Provide controls to indicate a geographic location in the article edit form. | Disabled |
| Show map mode buttons in articles list | | Disabled |
| Plugin Map | Display a map | Enabled |
| Location | Enable a geographic location to be selected for the item and displayed on a map. | Enabled |
| Always load OpenLayers | Load the OpenLayers library even if no map is explicitly included in the page | Disabled |
| Google Maps API Key | Needed for Street View or other advanced features | None |

| Option | Description | Default |
|---|--|-------------|
| Bing Maps API Key | Needed for Bing Map Layers | None |
| Nextzen Maps API Key | Needed for Nextzen Map Layers | None |
| Zoom level for the found location | Zoom level when a searched-for location is found Street Town Region Country Continent World | Street |
| Full path to gdaltindex | | None |
| Full path to ogr2ogr | | None |
| Default x for map center | | 0 |
| Default y for map center | | 0 |
| Default zoom level | whole earth 2 3 4 country size 6 7 8 9 10 city size 12 13 14 15 16 17 max zoom | whole earth |
| default mapfile | | None |

| Option | Description | Default |
|-------------------------------|--|--------------------------------|
| Maps & Location Enabled | Provide controls to load map and location libraries. | Disabled |
| Map Zone | [-180 180] [0 360] | [-180 180] |
| OpenLayers version | OpenLayers 2.x (for use up to at least 15.x) OpenLayers 3+ (experimental) | OpenLayers 2.x (for use up ... |
| Available tile layers on maps | Enables replacement of the default OpenStreetMap tiles with tiles from other mapping services, such as Google or Bing. <i>Valid options for OpenLayers 2 are: openstreetmap, mapquest_street, mapquest_aerial, google_street, google_satellite, google_physical, google_hybrid, blank and for OpenLayers 3+ are: openstreetmap, bing_road, bing_road_on_demand, bing_aerial, bing_aerial_with_labels, bing_collins_bart, bing_ordnance_survey</i> | Openstreetmap |
| Google Street View | Open Google Street View in a new window to see the visible coordinates. | Disabled |
| Google Street View overlay | Open Google Street View in a new window to see the visible coordinates. <i>This is not guaranteed to work.</i> | Disabled |

| Option | Description | Default |
|---|--|-------------|
| Geolocate blog posts | Provide controls to indicate a geographic location in the blog post edit form. | Disabled |
| Geolocate wiki pages | Provide controls to indicate a geographic location of wiki pages in the edit form. | Disabled |
| Show map mode buttons in page list | | Disabled |
| Geolocate articles | Provide controls to indicate a geographic location in the article edit form. | Disabled |
| Show map mode buttons in articles list | | Disabled |
| Plugin Map | Display a map | Enabled |
| Location | Enable a geographic location to be selected for the item and displayed on a map. | Enabled |
| Always load OpenLayers | Load the OpenLayers library even if no map is explicitly included in the page | Disabled |
| Google Maps API Key | Needed for Street View or other advanced features | None |
| Bing Maps API Key | Needed for Bing Map Layers | None |
| Nextzen Maps API Key | Needed for Nextzen Map Layers | None |
| Zoom level for the found location | Zoom level when a searched-for location is found Street Town Region Country Continent World | Street |
| Full path to gdaltindex | | None |
| Full path to ogr2ogr | | None |
| Default x for map center | | 0 |
| Default y for map center | | 0 |
| Default zoom level | whole earth 2 3 4 country size 6 7 8 9 10 city size 12 13 14 15 16 17 max zoom | whole earth |
| default mapfile | | None |

| Option | Description | Default |
|-------------------------|--|----------|
| Maps & Location Enabled | Provide controls to load map and location libraries. | Disabled |

| Option | Description | Default |
|--|--|--------------------------------|
| Map Zone | [-180 180] [0 360] | [-180 180] |
| OpenLayers version | OpenLayers 2.x (for use up to at least 15.x) OpenLayers 3+ (experimental) | OpenLayers 2.x (for use up ... |
| Available tile layers on maps | Enables replacement of the default OpenStreetMap tiles with tiles from other mapping services, such as Google or Bing. <i>Valid options for OpenLayers 2 are: openstreetmap, mapquest_street, mapquest_aerial, google_street, google_satellite, google_physical, google_hybrid, blank and for OpenLayers 3+ are: openstreetmap, bing_road, bing_road_on_demand, bing_aerial, bing_aerial_with_labels, bing_collins_bart, bing_ordnance_survey</i> | Openstreetmap |
| Google Street View | Open Google Street View in a new window to see the visible coordinates. | Disabled |
| Google Street View overlay | Open Google Street View in a new window to see the visible coordinates. <i>This is not guaranteed to work.</i> | Disabled |
| Geolocate blog posts | Provide controls to indicate a geographic location in the blog post edit form. | Disabled |
| Geolocate wiki pages | Provide controls to indicate a geographic location of wiki pages in the edit form. | Disabled |
| Show map mode buttons in page list | | Disabled |
| Geolocate articles | Provide controls to indicate a geographic location in the article edit form. | Disabled |
| Show map mode buttons in articles list | | Disabled |
| Plugin Map | Display a map | Enabled |
| Location | Enable a geographic location to be selected for the item and displayed on a map. | Enabled |
| Always load OpenLayers | Load the OpenLayers library even if no map is explicitly included in the page | Disabled |
| Google Maps API Key | Needed for Street View or other advanced features | None |
| Bing Maps API Key | Needed for Bing Map Layers | None |

| Option | Description | Default |
|---|--|-------------|
| Nextzen Maps API Key | Needed for Nextzen Map Layers | None |
| Zoom level for the found location | Zoom level when a searched-for location is found Street Town Region Country Continent World | Street |
| Full path to gdaltindex | | None |
| Full path to ogr2ogr | | None |
| Default x for map center | | 0 |
| Default y for map center | | 0 |
| Default zoom level | whole earth 2 3 4 country size 6 7 8 9 10 city size 12 13 14 15 16 17 max zoom | whole earth |
| default mapfile | | None |

Messages

| Option | Description | Default |
|---|--|--------------|
| User messages | Enables inter-user messages (for this to work for new users, the tiki_p_messages permission must be assigned to at least the Registered group).. | Disabled |
| Users accept internal messages by default | | Enabled |
| Users can opt out of internal messages | | Enabled |
| Maximum mailbox size | Maximum number of messages allowed in the mailbox. <i>0 for unlimited</i> | 0 messages |
| Maximum mail archive size | Maximum number of archive messages allowed. <i>0 for unlimited</i> | 200 messages |
| Maximum sent box size | Maximum number of sent messages allowed in the mailbox. <i>0 for unlimited</i> | 200 messages |
| Show user's real name | Use the user's real name instead of log-in name in the autocomplete selector in the messaging feature. | Disabled |

| Option | Description | Default |
|--|---|-----------------|
| Truncate internal message notification | Number of characters to show in the message notification sent through email, with a link to read the full internal message. | 2500 characters |

| Option | Description | Default |
|---|--|-----------------|
| User messages | Enables inter-user messages (for this to work for new users, the tiki_p_messages permission must be assigned to at least the Registered group).. | Disabled |
| Users accept internal messages by default | | Enabled |
| Users can opt out of internal messages | | Enabled |
| Maximum mailbox size | Maximum number of messages allowed in the mailbox. <i>0 for unlimited</i> | 0 messages |
| Maximum mail archive size | Maximum number of archive messages allowed. <i>0 for unlimited</i> | 200 messages |
| Maximum sent box size | Maximum number of sent messages allowed in the mailbox. <i>0 for unlimited</i> | 200 messages |
| Show user's real name | Use the user's real name instead of log-in name in the autocomplete selector in the messaging feature. | Disabled |
| Truncate internal message notification | Number of characters to show in the message notification sent through email, with a link to read the full internal message. | 2500 characters |

| Option | Description | Default |
|---|--|----------|
| User messages | Enables inter-user messages (for this to work for new users, the tiki_p_messages permission must be assigned to at least the Registered group).. | Disabled |
| Users accept internal messages by default | | Enabled |
| Users can opt out of internal messages | | Enabled |

| Option | Description | Default |
|--|---|-----------------|
| Maximum mailbox size | Maximum number of messages allowed in the mailbox. <i>0 for unlimited</i> | 0 messages |
| Maximum mail archive size | Maximum number of archive messages allowed. <i>0 for unlimited</i> | 200 messages |
| Maximum sent box size | Maximum number of sent messages allowed in the mailbox. <i>0 for unlimited</i> | 200 messages |
| Show user's real name | Use the user's real name instead of log-in name in the autocomplete selector in the messaging feature. | Disabled |
| Truncate internal message notification | Number of characters to show in the message notification sent through email, with a link to read the full internal message. | 2500 characters |

Meta Tags - Geo Meta Tags

| Option | Description | Default |
|-------------------------------|---|---------|
| geo.position | The latitude and longitude of the physical location of the site. For example "38.898748, -77.037684". | None |
| geo.region | The ISO-3166 country and region codes for your location. For example, "US-NY". | None |
| geo.placename | A free-text description of your location. | None |

| Option | Description | Default |
|-------------------------------|---|---------|
| geo.position | The latitude and longitude of the physical location of the site. For example "38.898748, -77.037684". | None |
| geo.region | The ISO-3166 country and region codes for your location. For example, "US-NY". | None |
| geo.placename | A free-text description of your location. | None |

| Option | Description | Default |
|------------------------------|---|---------|
| geo.position | The latitude and longitude of the physical location of the site. For example "38.898748, -77.037684". | None |

| Option | Description | Default |
|-------------------------------|--|---------|
| geo.region | The ISO-3166 country and region codes for your location. For example, "US-NY". | None |
| geo.placename | A free-text description of your location. | None |

Meta Tags - Meta Tags

| Option | Description | Default |
|--------------------------|--|----------|
| Keywords | A list of keywords (separated by commas) that describe this website. | None |
| Include tags | If the Tags feature is enabled, the tags for each page with tags set will be used as meta keywords. This allows individual pages at the site to have different meta tags. | Disabled |
| Use thread title instead | Use the forum thread title in the meta title tag. | Disabled |
| Description | A short description of the website. Some search engines display this information with the website's listing. | None |
| Page description | Use each page description as the title meta tag for that page. | Disabled |
| Custom Meta robots | Add the ability to set custom meta robots on each wiki page that will override the global meta robots value. | Disabled |
| Author | The author of this website. Typically this is the Admin or Webmaster. | None |
| Twitter site name | The default website name that will be used by Twitter (twitter:site) for every web page. This parameter will be used instead of the browser title. | None |
| Twitter site image | The default image (logo, picture, etc) that will be used by Twitter (twitter:image) for every web page. The image must be specified as a URL. | None |
| Facebook site name | The default website name that will be used by Facebook (og:site_name) for every webpage. This parameter will be used instead of the browser title. | None |
| Facebook site image | The default image (logo, picture, etc.) that will be used by Facebook (og:image) for every webpage. It must be specified as a URL. The minimum valid image size is 200x200px. However, Facebook recommends 1200x630px or larger for the best display on high resolution devices. | None |

| Option | Description | Default |
|--------------------------|--|----------|
| Keywords | A list of keywords (separated by commas) that describe this website. | None |
| Include tags | If the Tags feature is enabled, the tags for each page with tags set will be used as meta keywords. This allows individual pages at the site to have different meta tags. | Disabled |
| Use thread title instead | Use the forum thread title in the meta title tag. | Disabled |
| Description | A short description of the website. Some search engines display this information with the website's listing. | None |
| Page description | Use each page description as the title meta tag for that page. | Disabled |
| Author | The author of this website. Typically this is the Admin or Webmaster. | None |
| Twitter site name | The default website name that will be used by Twitter (twitter:site) for every web page. This parameter will be used instead of the browser title. | None |
| Twitter site image | The default image (logo, picture, etc) that will be used by Twitter (twitter:image) for every web page. The image must be specified as a URL. | None |
| Facebook site name | The default website name that will be used by Facebook (og:site_name) for every webpage. This parameter will be used instead of the browser title. | None |
| Facebook site image | The default image (logo, picture, etc.) that will be used by Facebook (og:image) for every webpage. It must be specified as a URL. The minimum valid image size is 200x200px. However, Facebook recommends 1200x630px or larger for the best display on high resolution devices. | None |

| Option | Description | Default |
|-----------------------------|---|----------|
| Keywords | A list of keywords (separated by commas) that describe this website. | None |
| Include tags | If the Tags feature is enabled, the tags for each page with tags set will be used as meta keywords. This allows individual pages at the site to have different meta tags. | Disabled |
| Use thread title instead | Use the forum thread title in the meta title tag. | Disabled |
| Use the image title instead | Use the image title in the meta title tag | Disabled |

| Option | Description | Default |
|------------------|--|----------|
| Description | A short description of the website. Some search engines display this information with the website's listing. | None |
| Page description | Use each page description as a meta tag for that page. | Disabled |
| Author | The author of this website. Typically this is the Admin or Webmaster. | None |

Meta Tags - Robots

| Option | Description | Default |
|-----------------------------|--|---------|
| Meta robots | Specify how search engines robots should index your site. Will override page defaults. Valid values include: noindex, nofollow, none, all, noimageindex, noarchive, nocache, nosnippet, notranslate, unavailable_after and noyaca. <i>Should be comma separated eg. noimageindex, nocache.</i> | None |
| Revisit after | Specify how often (in days) Web robots should visit your site. | None |

| Option | Description | Default |
|-----------------------------|--|---------|
| Meta robots | Specify how search engines robots should index your site. Will override page defaults. Valid values include: noindex, nofollow, none, all, noimageindex, noarchive, nocache, nosnippet, notranslate, unavailable_after and noyaca. <i>Should be comma separated eg. noimageindex, nocache.</i> | None |
| Revisit after | Specify how often (in days) Web robots should visit your site. | None |

| Option | Description | Default |
|-----------------------------|--|---------|
| Meta robots | Specify how search engines robots should index your site. Will override page defaults. Valid values include: noindex, nofollow, none, all, noimageindex, noarchive, nocache, nosnippet, notranslate, unavailable_after and noyaca. <i>Should be comma separated eg. noimageindex, nocache.</i> | None |
| Revisit after | Specify how often (in days) Web robots should visit your site. | None |

Module

| Option | Description | Default |
|---|--|--------------------------------|
| Show module controls | Enable controls in modules | Disabled |
| Users can configure modules | Modules aren't reflected in the screen until they are configured on MyAccount->Modules, including for the admin user | Disabled |
| Users can open and close the modules | Allows users to open and close modules using the icon in the module header. Always Module decides Never | Module decides |
| Always display modules to all groups | Any setting for the Groups parameter will be ignored and the module will be displayed to all users. | Disabled |
| Hide anonymous-only modules from registered users | If an individual module is assigned to the Anonymous group, the module will be displayed only to anonymous visitors. Registered users will not see the module. | Disabled |
| Hide anonymous-only modules from Admins | | Disabled |
| Top module zone | Activate zone for modules such as site logo, log-in form, etc. (page header) Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Topbar module zone | Activate zone for modules such as horizontal menu (navbar), search form, page-wide content, etc. Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Page top module zone | Activate zone for modules such as breadcrumbs, banners, share icons, etc Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Left column | <i>Controls visibility of the left column of modules</i> Only if one or more modules are assigned Always User decides Never | User decides |
| Right column | <i>Controls visibility of the right column of modules</i> Only if one or more modules are assigned Always User decides Never | User decides |
| Page bottom module zone | Activate zone for modules at the bottom of the main column of each page Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Bottom module zone | Activate zone for modules such as "powered by" and "rss list" (page footer) Only if one or more modules are assigned Always Never | Only if one or more modules... |

| Option | Description | Default |
|------------------------------|--|---------|
| Module file | Use a static module definition file instead of relying on the dynamic values generated by Tiki. Useful for custom themes. The file must be in YAML format, following the format used in profiles. | None |
| Extra module zones available | Extra module zones to be managed through the module administration interface. Useful if a custom theme or layout requires a special zone other than the predefined ones. <i>Comma-separated list, maximum of 20 characters per entry.</i> | None |

| Option | Description | Default |
|--|--|--------------------------------|
| Show module controls | Enable controls in modules | Disabled |
| Users can configure modules | Modules aren't reflected in the screen until they are configured on MyAccount->Modules, including for the admin user | Disabled |
| Users can open and close the modules | Allows users to open and close modules using the icon in the module header. Always Module decides Never | Module decides |
| Always display modules to all groups | Any setting for the Groups parameter will be ignored and the module will be displayed to all users. | Disabled |
| Hide anonymous-only modules from registered users | If an individual module is assigned to the Anonymous group, the module will be displayed only to anonymous visitors. Registered users will not see the module. | Disabled |
| Hide anonymous-only modules from Admins | | Disabled |
| Top module zone | Activate zone for modules such as site logo, log-in form, etc. (page header) Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Topbar module zone | Activate zone for modules such as horizontal menu (navbar), search form, page-wide content, etc. Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Page top module zone | Activate zone for modules such as breadcrumbs, banners, share icons, etc Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Left column | <i>Controls visibility of the left column of modules</i> Only if one or more modules are assigned Always User decides Never | User decides |

| Option | Description | Default |
|---|--|--------------------------------|
| Right column | <i>Controls visibility of the right column of modules</i> Only if one or more modules are assigned Always User decides Never | User decides |
| Page bottom module zone | Activate zone for modules at the bottom of the main column of each page Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Bottom module zone | Activate zone for modules such as "powered by" and "rss list" (page footer) Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Module file | Use a static module definition file instead of relying on the dynamic values generated by Tiki. Useful for custom themes. The file must be in YAML format, following the format used in profiles. | None |
| Extra module zones available | Extra module zones to be managed through the module administration interface. Useful if a custom theme or layout requires a special zone other than the predefined ones. <i>Comma-separated list, maximum of 20 characters per entry.</i> | None |

| Option | Description | Default |
|--|--|--------------------------------|
| Show module controls | Enable controls in modules | Disabled |
| Users can configure modules | Modules aren't reflected in the screen until they are configured on MyAccount->Modules, including for the admin user | Disabled |
| Users can open and close the modules | Allows users to open and close modules using the icon in the module header. Always Module decides Never | Module decides |
| Always display modules to all groups | Any setting for the Groups parameter will be ignored and the module will be displayed to all users. | Disabled |
| Hide anonymous-only modules from registered users | If an individual module is assigned to the Anonymous group, the module will be displayed only to anonymous visitors. Registered users will not see the module. | Disabled |
| Hide anonymous-only modules from Admins | | Disabled |
| Top module zone | Activate zone for modules such as site logo, log-in form, etc. (page header) Only if one or more modules are assigned Always Never | Only if one or more modules... |

| Option | Description | Default |
|------------------------------|--|--------------------------------|
| Topbar module zone | Activate zone for modules such as horizontal menu (navbar), search form, page-wide content, etc. Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Page top module zone | Activate zone for modules such as breadcrumbs, banners, share icons, etc Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Left column | <i>Controls visibility of the left column of modules</i> Only if one or more modules are assigned Always User decides Never | User decides |
| Right column | <i>Controls visibility of the right column of modules</i> Only if one or more modules are assigned Always User decides Never | User decides |
| Page bottom module zone | Activate zone for modules at the bottom of the main column of each page Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Bottom module zone | Activate zone for modules such as "powered by" and "rss list" (page footer) Only if one or more modules are assigned Always Never | Only if one or more modules... |
| Module file | Use a static module definition file instead of relying on the dynamic values generated by Tiki. Useful for custom themes. The file must be in YAML format, following the format used in profiles. | None |
| Extra module zones available | Extra module zones to be managed through the module administration interface. Useful if a custom theme or layout requires a special zone other than the predefined ones. <i>Comma-separated list, maximum of 20 characters per entry.</i> | None |