

Video - Kaltura

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID <small>☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark</small>	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail <small>☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark</small>	None
KCW UI configuration ID	Kaltura Configuration Wizard (KCW) user interface configuration ID	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/

Option	Description	Default
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
KCW UI configuration ID	Kaltura Configuration Wizard (KCW) user interface configuration ID	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None

Option	Description	Default
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
KCW UI configuration ID	Kaltura Configuration Wizard (KCW) user interface configuration ID	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
KCW UI configuration ID	Kaltura Configuration Wizard (KCW) user interface configuration ID	None

Option	Description	Default
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
KCW UI configuration ID	Kaltura Configuration Wizard (KCW) user interface configuration ID	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled

Option	Description	Default
Kaltura Video	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None

Option	Description	Default
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Displays a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
Kaltura Video Management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Displays a series of attached Kaltura videos.	Disabled
Kaltura Service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura Video Player ID	Kaltura Dynamic Player (KDP) user interface configuration ID	None
Kaltura Video Player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
Kaltura Video Management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Displays a series of attached Kaltura videos.	Disabled
Kaltura Service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura Video Player ID	Kaltura Dynamic Player (KDP) user interface configuration ID	None

Option	Description	Default
Kaltura Video Player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
Kaltura Video Management	Integration to the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Displays a series of attached kaltura videos.	Disabled
Kaltura Service URL	e.g. https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner setting admin secret.	None
User secret	Kaltura partner setting user secret.	None
Kaltura Video Player ID	Kaltura Dynamic Player (KDP) user interface configuration ID	None
Kaltura Video Player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
Kaltura Video Management	Integration to the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Displays a series of attached kaltura videos.	Disabled
Kaltura Service URL	e.g. https://www.kaltura.com/	https://www.kaltura.com/

Option	Description	Default
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner setting admin secret.	None
User secret	Kaltura partner setting user secret.	None
Kaltura Video Player ID	Kaltura Dynamic Player (KDP) user interface configuration ID	None
Kaltura Video Player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
Kaltura Video Management	Integration to the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Displays a series of attached kaltura videos.	Disabled
Kaltura Service URL	e.g. https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner setting admin secret.	None
User secret	Kaltura partner setting user secret.	None
Kaltura Video Player ID	Kaltura Dynamic Player (KDP) user interface configuration ID	None
Kaltura Video Player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Web Services

Option	Description	Default
Web services	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

Option	Description	Default
Web services	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

Option	Description	Default
Web services	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

Option	Description	Default
Web services	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

Option	Description	Default
Web services	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

Option	Description	Default
Web services	Can receive web services via JSON or YAML.	Disabled

Option	Description	Default
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

Option	Description	Default
Web services	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

Option	Description	Default
Web services	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

Option	Description	Default
Web Services	Can receive web services via JSON or YAML	Disabled

Option	Description	Default
Web Services	Can receive web services via JSON or YAML	Disabled

Option	Description	Default
Web Services	Can consume webservices in JSON or YAML	Disabled

Option	Description	Default
Web Services	Can consume webservices in JSON or YAML	Disabled

Option	Description	Default
Web Services	Can consume webservices in JSON or YAML	Disabled

Wiki - Features

Wiki - Flagged revision

Option	Description	Default
Revision approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

Option	Description	Default
Revision approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

Option	Description	Default
Revision approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

Option	Description	Default
Revision approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

Option	Description	Default
Revision approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

Option	Description	Default
Revision approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

Option	Description	Default
Revision approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

Option	Description	Default
Revision approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

Option	Description	Default
Revision Approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision Approval Categories	List of category IDs for which revision approval is required.	None

Option	Description	Default
Revision Approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision Approval Categories	List of category IDs for which revision approval is required.	None

Option	Description	Default
Revision Approval	Uses flagged revisions to hide unapproved wiki page revisions from users with lower privileges.	Disabled
Revision Approval Categories	List of category IDs on which revision approval is required.	None

Option	Description	Default
Revision Approval	Uses flagged revisions to hide unapproved wiki page revisions from users with lower privileges.	Disabled
Revision Approval Categories	List of category IDs on which revision approval is required.	None

Option	Description	Default
Revision Approval	Uses flagged revisions to hide unapproved wiki page revisions from users with lower privileges.	Disabled
Revision Approval Categories	List of category IDs on which revision approval is required.	None

Wiki - General preferences

Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> ☰ Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éàî * "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict". ☰ Complete Relaxed Strict	Complete

Option	Description	Default
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Show the page description	Display the wiki page description between the page title and the page content.	Disabled
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. ☰ Top Bottom Both	Bottom

Option	Description	Default
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) ☰ Top Bottom Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. ☰ All 1 2 3 4 5 6	None
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. ⚠ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled

Option	Description	Default
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. ☰ Properties tab Edit tab Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When another user is editing a page, spreadsheet or tracker item, you will be warned about a possible conflict. This feature is useful to prevent collisions when editing.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. ☰ 1 2 5 10 15 30	2 minutes
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🗸	Disabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ☰ None All Editorial Board Meeting Files example Keywords Status Status::3.In Progress Templates Versions Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::1.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versions::7.x Versions::...	None
Log bytes changes (+/-) in action logs	⚠️ <i>May impact performance</i>	Disabled
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Table of contents default	Set the default for the table of contents (default "on" and can be toggled per page) ☰ On Off	On

Option	Description	Default
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) ☰ Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Backlinks	List all pages and tracker items that link to a particular page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled

Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> ☰ Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éâî * "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict". ☰ Complete Relaxed Strict	Complete
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Show the page description	Display the wiki page description between the page title and the page content.	Disabled

Option	Description	Default
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) ☰ Top Bottom Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled

Option	Description	Default
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections.  All 1 2 3 4 5 6	None
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code.  <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab.  Properties tab Edit tab Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When another user is editing a page, spreadsheet or tracker item, you will be warned about a possible conflict. This feature is useful to prevent collisions when editing.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains.  1 2 5 10 15 30	2 minutes
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 	Disabled

Option	Description	Default
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ☰ None All Editorial Board Meeting Files example Keywords Status Status::3.In Progress Templates Versions Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::1.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versions::7.x Versions::...	None
Log bytes changes (+/-) in action logs	⚠ <i>May impact performance</i>	Disabled
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Table of contents default	Set the default for the table of contents (default "on" and can be toggled per page) ☰ On Off	On
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) ☰ Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Backlinks	List all pages that link to a particular page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
Plugin List Pages	List pages based on various criteria	Disabled

Option	Description	Default
Plugin Random Include	Include a random page's content.	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with <code>PluginFootnoteArea</code>)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with <code>PluginFootnote</code>)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled

Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> ☰ Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éàî * "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict". ☰ Complete Relaxed Strict	Complete

Option	Description	Default
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Show the page description	Display the wiki page description between the page title and the page content.	Disabled
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. ☰ Top Bottom Both	Bottom

Option	Description	Default
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) ☰ Top Bottom Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. ☰ All 1 2 3 4 5 6	None
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. ⚠ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled

Option	Description	Default
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. ☰ Properties tab Edit tab Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When another user is editing a page, spreadsheet or tracker item, you will be warned about a possible conflict. This feature is useful to prevent collisions when editing.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. ☰ 1 2 5 10 15 30	2 minutes
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🗸	Disabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ☰ None All Editorial Board Meeting Files example Keywords Status Status::3.In Progress Templates Versions Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::1.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versions::7.x Versions::...	None
Log bytes changes (+/-) in action logs	⚠️ <i>May impact performance</i>	Disabled
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Table of contents default	Set the default for the table of contents (default "on" and can be toggled per page) ☰ On Off	On

Option	Description	Default
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) ☰ Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Backlinks	List all pages that link to a particular page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled

Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> ☰ Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éàî * "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict". ☰ Complete Relaxed Strict	Complete
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Show the page description	Display the wiki page description between the page title and the page content.	Disabled

Option	Description	Default
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) ☰ Top Bottom Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled

Option	Description	Default
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections.  All 1 2 3 4 5 6	None
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code.  <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab.  Properties tab Edit tab Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When a user is editing a page, the edit button will be colored red and the name of the user editing the page will be displayed as a tooltip. If the user saves or cancels his or her edit or if the indicated amount of time passes the edit button will be displayed normally. This feature is useful to prevent collisions when editing pages.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains.  1 2 5 10 15 30	2 minutes
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🗸	Disabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ☰ None All Editorial Board Meeting Files example Keywords Status Status::3.In Progress Templates Versions Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::1.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versions::7.x Versions::...	None
Log bytes changes (+/-) in action logs	⚠️ <i>May impact performance</i>	Disabled
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Table of contents default	Set the default for the table of contents (default "on" and can be toggled per page) ☰ On Off	On
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) ☰ Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Backlinks	List all pages that link to a particular page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled

Option	Description	Default
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled

Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i>  Replace spaces with dashes  Replace spaces with underscores  URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled

Option	Description	Default
Wiki link format	<p>Level of special characters acceptable in wiki links for page names. For example: Page éàî</p> <p>✳️ "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</p> <p>☰ Complete Relaxed Strict</p>	Complete
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Show the page description	Display the wiki page description between the page title and the page content.	Disabled
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	<p>Change the list format that is used to display the authors of the page.</p> <p>☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)</p>	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled

Option	Description	Default
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) ☰ Top Bottom Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. ☰ All 1 2 3 4 5 6	None
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. ⚠ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled

Option	Description	Default
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. ☰ Properties tab Edit tab Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When a user is editing a page, the edit button will be colored red and the name of the user editing the page will be displayed as a tooltip. If the user saves or cancels his or her edit or if the indicated amount of time passes the edit button will be displayed normally. This feature is useful to prevent collisions when editing pages.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. ☰ 1 2 5 10 15 30	2 minutes
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🗿	Disabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ☰ None All Editorial Board Meeting Files example Keywords Status Status::3.In Progress Templates Versions Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::1.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versions::7.x Versions::...	None
Log bytes changes (+/-) in action logs	⚠️ <i>May impact performance</i>	Disabled
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled

Option	Description	Default
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Table of contents default	Set the default for the table of contents (default "on" and can be toggled per page) ☰ On Off	On
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) ☰ Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Backlinks	List all pages that link to a particular page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled

Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> ☰ Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éâî * "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict". ☰ Complete Relaxed Strict	Complete
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Show the page description	Display the wiki page description between the page title and the page content.	Disabled

Option	Description	Default
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) ☰ Top Bottom Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled

Option	Description	Default
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections.  All 1 2 3 4 5 6	None
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code.  <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab.  Properties tab Edit tab Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When a user is editing a page, the edit button will be colored red and the name of the user editing the page will be displayed as a tooltip. If the user saves or cancels his or her edit or if the indicated amount of time passes the edit button will be displayed normally. This feature is useful to prevent collisions when editing pages.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains.  1 2 5 10 15 30	2 minutes
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🗸	Disabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ☰ None All Editorial Board Meeting Files example Keywords Status Status::3.In Progress Templates Versions Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::1.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versions::7.x Versions::...	None
Log bytes changes (+/-) in action logs	⚠️ <i>May impact performance</i>	Disabled
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Table of contents default	Set the default for the table of contents (default "on" and can be toggled per page) ☰ On Off	On
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) ☰ Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Backlinks	List all pages that link to a particular page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled

Option	Description	Default
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled

Option	Description	Default
Wiki	Collaboratively authored documents with edit history.	Enabled
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> <small>☰ Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)</small>	Replace spaces with dashes
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Include	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
Plugin Transclude	Include the content of another page, with specified changes.	Enabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Backlinks	List all pages that link to a particular page	Disabled
Plugin List Pages	List pages based on various criteria	Disabled

Option	Description	Default
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Wanted Pages	Show the locations (on wiki pages) of links to pages not yet created.	Disabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Display page description	Display the wiki page description between the page title and the page content.	Disabled
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display page name above page	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display page name inside page	Display the page name inside the page content.	Disabled
Display page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Display page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... ☰ Top Bottom Both Neither	Top

Option	Description	Default
Wiki buttons	The location of the row of Edit, Source, Rename, History, More buttons, etc. ☰ Top Bottom Neither	Bottom
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Hide title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default). ☰ Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éâî * <i>"Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i> ☰ Complete Relaxed Strict	Complete
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled

Option	Description	Default
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Warn on edit conflict	When a user is editing a page, the edit button will be colored red and the name of the user editing the page will be displayed as a tooltip. If the user saves or cancels his or her edit or if the indicated amount of time passes the edit button will be displayed normally. This feature is useful to prevent collisions when editing pages.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains.  1 2 5 10 15 30	2 minutes
Undo		Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code.  <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Disabled
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Allow plugin-specific edits	Adds an icon next to each plugin usage which enables to edit that plugin call via a popup form, without needing to edit its whole container. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarkated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled

Option	Description	Default
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections.  All 1 2 3 4 5 6	None
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None".  None All Editorial Board Meeting Files example Keywords Status Status::3.In Progress Versions Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::1.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versions::7.x Versions::8.x Versio...	None
Log bytes changes (+/-) in action logs	 <i>May impact performance</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab.  Properties tab Edit tab Tags tab	Properties tab
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).	Disabled

Option	Description	Default
Wiki	Collaboratively authored documents with edit history.	Enabled

Option	Description	Default
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> ☰ Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)	Replace spaces with dashes
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Include	Include a portion of another wiki page	Enabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Backlinks	List all pages that link to a particular page	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Display page description	Display the wiki page description between the page title and the page content.	Disabled
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display page name above page	Tiki will display the page name in small text at the top of each page (above the page's content).	Disabled
Display page name inside page	Display page name inside page content.	Disabled
Display page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Display page version	Display the page version information when viewing the page.	Disabled

Option	Description	Default
Wiki author list style	Changes the list format used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Allows the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Checking will display the showhide switch at the left of the heading, otherwise it displays below.	Disabled
Wiki action bar location	Specify the location of the edit buttons (such as Save, Preview, and Cancel) when editing wiki pages. ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) ☰ Top Bottom Neither	Bottom
Encourage contribution to wiki pages by anonymous	When a page is not editable and the user is anonymous, display the edit links anyway. The visitor will be prompted with a login screen and be encouraged to register.	Disabled
Hide title per wiki page	Allow the title to be hidden for individual wiki pages	Enabled
Anchor links on headings	Add links that appear on hover for each heading, useful for sharing the URL to an exact location on a page	Enabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position for table of contents. One of top, left, right (right is the default) ☰ Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels

Option	Description	Default
Wiki link format	<p>Level of special characters acceptable in wiki links for page names. For example: Page éâî</p> <p>✳️ <i>“Strict” includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use “strict”.</i></p> <p>☰ Complete Relaxed Strict</p>	Complete
Prevent special characters in page names	Some characters may prevent the pages from being easily accessible from the URL or through wiki links. This option prevents from creating pages with such characters.	Enabled
Page name display stripper	Character to use as a delimiter in the page name. The portion of the name after this character will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped	None
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Warn on edit conflict	If enabled then when a user is editing a page the edit button will be colored red and the name of the user editing the page will be displayed as a tooltip. If the user saves or cancels his or her edit or if the indicated amount of time passes the edit button will be displayed normally. This feature is useful to prevent collisions when editing pages.	Enabled
Edit idle timeout	<p>Select the amount of time (in minutes) after which a user’s edit session will expire. If the user does not save or preview their work, it will be lost. Tikiwiki will display a “countdown time” in the user’s browser and display an alert when only a minute remains.</p> <p>☰ 1 2 5 10 15 30</p>	2 minutes
Undo		Disabled
Footnotes	If enabled logged users can write personal footnotes when editing a page. The footnotes will be displayed only to the user who edited them immediately below the Wiki page. This can be used as a good way to let users make personal notes and observations about pages.	Disabled
Allow HTML	<p>Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code.</p> <p>⚠️ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i></p>	Disabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for “What You See Is What You Get”. CKEditor is used to provide a word-processor-like editing experience.	Disabled
Warn before page lock timeout	Provide a JavaScript alert before the user’s lock on a page times out.	Enabled
Toggle display of section and plugin edit icons	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Edit section	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Edit section level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections.  All 1 2 3 4 5 6	None
Allow minor edits of wiki pages	Minor edits do not flag new content for translation and do not send watch notifications (unless “Watch minor edits” is enabled).	Disabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to “None”.  None All Editorial Board Meeting Files example Keywords Status Status::3.In Progress Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versions::7.x Versions::8.x Versio...	None
Log bytes changes (+/-) in action logs	 <i>May impact performance</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Position of tags selection	To place tags selection more prominently than in the properties tab.  Properties tab Edit tab Tags tab	Properties tab
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by showing the ShareThis icon (default is hiding icon in drop-down)	Disabled

Option	Description	Default
Wiki	Collaboratively authored documents with edit history.	Enabled
Wiki URL Scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> ☰ Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)	URL Encode (Tiki Classic)
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Include	Include a portion of another wiki page	Enabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Backlinks	List all pages that link to a particular page	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Display page description	Display the wiki page description between the page title and the page content.	Disabled
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display page name above page	Display page name above page instead of inside page.	Disabled
Display page name inside page	Display page name inside page content.	Disabled
Display page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Display page version	Display the page version information when viewing the page.	Disabled

Option	Description	Default
Wiki author list style	Changes the list format used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Allows the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Show/hide icon before headings	Display before headings an icon to show or hide the content that follows the headings	Disabled
Wiki action bar location	Buttons: Save, Preview, Cancel, ... ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Page description, icons, backlinks.... ☰ Top Bottom Neither	Bottom
Encourage contribution to wiki pages by anonymous	When a page is not editable and the user is anonymous, display the edit links anyway. The visitor will be prompted with a login screen and be encouraged to register.	Disabled
Hide title per wiki page	Allow the title to be hidden for individual wiki pages	Enabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position for table of contents. One of top, left, right (right is the default) ☰ Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navbar (Default is 10). If used with inline TOC, will behave as a top margin.	10

Option	Description	Default
Wiki link format	<p>Level of special characters acceptable in wiki links for page names. For example: Page éàî</p> <p>* <i>"Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i></p> <p><i>"Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i></p> <p>☰ Complete Relaxed Strict</p>	Complete
Prevent special characters in page names	Some characters may prevent the pages from being easily accessible from the URL or through wiki links. This option prevents from creating pages with such characters.	Enabled
Page name display stripper	Character to use as a delimiter in the page name. The portion of the name after this character will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped	None
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Warn on edit conflict	Provide a warning to a user who attempts to edit a page that it is currently being edited by another user.	Enabled
Edit idle timeout	<p>Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tikiwiki will display a "countdown time" in the user's browser and display an alert when only a minute remains.</p> <p><i>minutes</i></p> <p>☰ 1 2 5 10 15 30</p>	2
Undo		Disabled
Footnotes	Enable creating private notes for a page that are visible only to the author.	Disabled
Allow HTML	<p>Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code.</p> <p>⚠ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i></p>	Disabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Disabled
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Toggle display of section and plugin edit icons	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Edit section	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Edit section level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections.  All 1 2 3 4 5 6	None
Allow minor edits of wiki pages	Minor edits do not flag new content for translation and do not send watch notifications (unless "Watch minor edits" is enabled).	Disabled
Wiki: Limit categorization to within the subtree of	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None".  None	None
Log bytes changes (+/-) in action logs	<i>May impact performance</i>  <i>May impact performance</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Position of tags selection	To place tags selection more prominently than in the properties tab.  Properties tab Edit tab Tags tab	Properties tab
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by showing the ShareThis icon (default is hiding icon in drop-down)	Disabled

Option	Description	Default
Wiki	Collaboratively authored documents with edit history.	Enabled
Wiki URL Scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> ☰ Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)	URL Encode (Tiki Classic)
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Include	Include a portion of another wiki page	Enabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Backlinks	List all pages that link to a particular page	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Display page description	Display the wiki page description between the page title and the page content.	Disabled
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display page name above page	Display page name above page instead of inside page.	Disabled
Display page name inside page	Display page name inside page content.	Disabled
Display page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Display page version	Display the page version information when viewing the page.	Disabled

Option	Description	Default
Wiki author list style	Changes the list format used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Allows the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Print wiki authors	Include wiki authors and date in wiki page print outs.	Disabled
Show/hide icon before headings	Display before headings an icon to show or hide the content that follows the headings	Disabled
Wiki action bar location	Buttons: Save, Preview, Cancel, ... ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Page description, icons, backlinks.... ☰ Top Bottom Neither	Bottom
Encourage contribution to wiki pages by anonymous	When a page is not editable and the user is anonymous, display the edit links anyway. The visitor will be prompted with a login screen and be encouraged to register.	Disabled
Hide title per wiki page	Allow the title to be hidden for individual wiki pages	Enabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position for table of contents. One of top, left, right (right is the default) ☰ Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navbar (Default is 10). If used with inline TOC, will behave as a top margin.	10

Option	Description	Default
Wiki link format	<p>Level of special characters acceptable in wiki links for page names. For example: Page éàî</p> <p>* <i>"Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i></p> <p><i>"Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i></p> <p>☰ Complete Relaxed Strict</p>	Complete
Prevent special characters in page names	Some characters may prevent the pages from being easily accessible from the URL or through wiki links. This option prevents from creating pages with such characters.	Enabled
Page name display stripper	Character to use as a delimiter in the page name. The portion of the name after this character will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped	None
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Warn on edit conflict	Provide a warning to a user who attempts to edit a page that it is currently being edited by another user.	Enabled
Edit idle timeout	<p>Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tikiwiki will display a "countdown time" in the user's browser and display an alert when only a minute remains.</p> <p><i>minutes</i></p> <p>☰ 1 2 5 10 15 30</p>	2
Undo		Disabled
Footnotes	Enable creating private notes for a page that are visible only to the author.	Disabled
Allow HTML	<p>Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code.</p> <p>⚠ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i></p>	Disabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Disabled
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Toggle display of section and plugin edit icons	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Edit section	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Edit section level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections.  All 1 2 3 4 5 6	None
Allow minor edits of wiki pages	Minor edits do not flag new content for translation and do not send watch notifications (unless "Watch minor edits" is enabled).	Disabled
Wiki: Limit categorization to within the subtree of	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None".  None	None
Log bytes changes (+/-) in action logs	<i>May impact performance</i>  <i>May impact performance</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Position of tags selection	To place tags selection more prominently than in the properties tab.  Properties tab Edit tab Tags tab	Properties tab
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by showing the ShareThis icon (default is hiding icon in drop-down)	Disabled

Option	Description	Default
Wiki	Collaboratively authored documents with history of changes.	Enabled
Plugin Author	View author contributions to a wiki page	Enabled
Plugin Include	Include content from a wiki page	Enabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Slideshow	Configure a slideshow. Extends the existing wiki page slideshow with notes & styles.	Disabled
Plugin Attachment	Displays an attachment or a list of them	Enabled
Plugin Backlinks	Lists all pages that link to a particular page	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Title Search	Search pages by title	Disabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Wiki Home page	Landing page used for the wiki when no page is specified. The page will be created if it does not exist.	HomePage
Display page description	Display the page description below the heading when viewing the page.	Disabled
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should be structured to contain a header.	Enabled
Display page name above page	Display page name above page instead of inside page.	Disabled
Display page ID	Display the internal page ID when viewing the page.	Disabled
Display page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Changes the list format used to display the authors of the page. ☰ Creator & Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Allows the style in which the author list is displayed to be modified on a per-page basis.	Disabled

Option	Description	Default
Show/Hide before Headings	Display show/hide icon displayed before headings	Disabled
Wiki action bar location	Buttons: Save, Preview, Cancel, ... ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, icons, backlinks, ... ☰ Top Bottom Both Neither	Top
Wiki buttons	Page description, icons, backlinks, ... ☰ Top Bottom Neither	Bottom
Encourage contribution to wiki pages by anonymous	When a page is not editable and the user is anonymous, display the edit links anyway. The visitor will be prompted with a login screen and be encouraged to register.	Disabled
Wiki auto-toc	Automatic Table of Contents generation for wiki pages. It will automatically generate 2 Table Of Contents: one in the wiki page and one floating when scrolling down the page. Enable fast(!) header navigation.	Disabled
Add inline auto-toc	Automatically add an inline Table of Contents for wiki pages. This setting can be toggled per page, in the page properties	Enabled
Inline toc position	Position for inline Table of Contents. One of top, left, right (right = default)	Right
Hide title per wiki page	Allow the title to be hidden for individual wiki pages	Enabled
Wiki link format	What level of special characters are accepted as wiki links for page names. Ex.: Page éâî * <i>“Strict” includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use “strict”. Strict will only be basic characters like a-z and 0-9. If you have accented or special characters in page names, you should not use strict.</i> ☰ Complete Relaxed Strict	Complete
Prevent special characters in page names	Some characters may prevent the pages from being easily accessible from the URL or through wiki links. This option prevents from creating pages with such characters.	Enabled

Option	Description	Default
Page name display stripper	Character to use as a delimiter in the page name. The portion of the name after this character will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped	None
Wiki content templates	Predefined content for a wiki page	Disabled
Warn on edit conflict	Tiki will warn users who attempt to edit a page that another user is currently editing.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tikiwiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. <i>minutes</i> ☰ 1 2 5 10 15 30	2
Undo		Disabled
Footnotes	Create private notes for a page that are visible only by the author.	Disabled
Allow HTML	Per-page option: HTML in Wiki Pages is parsed by the browser, instead of HTML tags being displayed as typed. ⚠ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Full Wysiwyg editor	WYSIWYG is an acronym for What You See Is What You Get. Uses CKEditor.	Disabled
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Edit section	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Edit section level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. ☰ All 1 2 3 4 5 6	None
Toggle display of section and plugin edit icons	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Disabled

Option	Description	Default
Allow minor edits of wiki pages	Minor edits do not flag new content for translation and do not send watch notifications (unless "Watch minor edits" is enabled).	Disabled
Wiki: Force and limit categorization to within subtree of	If you get an error message indicating a mandatory category is required when editing a wiki page, this is the option to blame. Set it to None. ☰ None	None
Log bytes changes (+/-) in action logs	<i>May impact performance</i> ⚠ <i>May impact performance</i>	Disabled
Mandatory edit summary on wiki pages	Reject save attempts not providing an edit summary to describe the changes made.	Disabled
Choose position of freetags selection	If you wish to place freetags selection more prominently than in the properties tab. ☰ Properties tab Edit tab Freetags tab	Properties tab

Option	Description	Default
Wiki	Collaboratively authored documents with history of changes.	Enabled
Plugin Author	View author contributions to a wiki page	Enabled
Plugin Include	Include content from a wiki page	Enabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Slideshow	Configure a slideshow. Extends the existing wiki page slideshow with notes & styles.	Disabled
Plugin Attachment	Displays an attachment or a list of them	Enabled
Plugin Backlinks	Lists all pages that link to a particular page	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Title Search	Search pages by title	Disabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Wiki Home page	Landing page used for the wiki when no page is specified. The page will be created if it does not exist.	HomePage

Option	Description	Default
Display page description	Display the page description below the heading when viewing the page.	Disabled
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should be structured to contain a header.	Enabled
Display page name above page	Display page name above page instead of inside page.	Disabled
Display page ID	Display the internal page ID when viewing the page.	Disabled
Display page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Changes the list format used to display the authors of the page. ☰ Creator & Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Allows the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Show/Hide before Headings	Display show/hide icon displayed before headings	Disabled
Wiki action bar location	Buttons: Save, Preview, Cancel, ... ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, icons, backlinks, ... ☰ Top Bottom Both Neither	Top
Wiki buttons	Page description, icons, backlinks, ... ☰ Top Bottom Neither	Bottom
Encourage contribution to wiki pages by anonymous	When a page is not editable and the user is anonymous, display the edit links anyway. The visitor will be prompted with a login screen and be encouraged to register.	Disabled
Wiki auto-toc	Automatic Table of Contents generation for wiki pages. It will automatically generate 2 Table Of Contents: one in the wiki page and one floating when scrolling down the page. Enable fast(!) header navigation.	Disabled
Add inline auto-toc	Automatically add an inline Table of Contents for wiki pages. This setting can be toggled per page, in the page properties	Enabled

Option	Description	Default
Inline toc position	Position for inline Table of Contents. One of top, left, right (right = default)	Right
Hide title per wiki page	Allow the title to be hidden for individual wiki pages	Enabled
Wiki link format	<p>What level of special characters are accepted as wiki links for page names. Ex.: Page èâî</p> <p>✳️ <i>“Strict” includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use “strict”.</i></p> <p><i>Strict will only be basic characters like a-z and 0-9. If you have accented or special characters in page names, you should not use strict.</i></p> <p>☰ Complete Relaxed Strict</p>	Complete
Prevent special characters in page names	Some characters may prevent the pages from being easily accessible from the URL or through wiki links. This option prevents from creating pages with such characters.	Enabled
Page name display stripper	Character to use as a delimiter in the page name. The portion of the name after this character will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped	None
Wiki content templates	Predefined content for a wiki page	Disabled
Warn on edit conflict	Tiki will warn users who attempt to edit a page that another user is currently editing.	Enabled
Edit idle timeout	<p>Select the amount of time (in minutes) after which a user’s edit session will expire. If the user does not save or preview their work, it will be lost. Tikiwiki will display a “countdown time” in the user’s browser and display an alert when only a minute remains.</p> <p><i>minutes</i></p> <p>☰ 1 2 5 10 15 30</p>	2
Undo		Disabled
Footnotes	Create private notes for a page that are visible only by the author.	Disabled
Allow HTML	<p>Per-page option: HTML in Wiki Pages is parsed by the browser, instead of HTML tags being displayed as typed.</p> <p>⚠️ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i></p>	Disabled

Option	Description	Default
Full Wysiwyg editor	WYSIWYG is an acronym for What You See Is What You Get. Uses CKEditor.	Disabled
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Edit section	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Edit section level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections.  All 1 2 3 4 5 6	None
Toggle display of section and plugin edit icons	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Disabled
Allow minor edits of wiki pages	Minor edits do not flag new content for translation and do not send watch notifications (unless "Watch minor edits" is enabled).	Disabled
Wiki: Force and limit categorization to within subtree of	If you get an error message indicating a mandatory category is required when editing a wiki page, this is the option to blame. Set it to None.  None	None
Log bytes changes (+/-) in action logs	<i>May impact performance</i>  <i>May impact performance</i>	Disabled
Mandatory edit summary on wiki pages	Reject save attempts not providing an edit summary to describe the changes made.	Disabled
Choose position of freetags selection	If you wish to place freetags selection more prominently than in the properties tab.  Properties tab Edit tab Freetags tab	Properties tab

Option	Description	Default
Wiki	Collaboratively authored documents with history of changes.	Enabled
Plugin Author	View author contributions to a wiki page	Enabled
Plugin Include	Include content from a wiki page	Enabled
Plugin Transclude	Include the content of another page with certain changes	Enabled

Option	Description	Default
Plugin Random Include	Include a random page's content.	Disabled
Plugin Slideshow	Configure a slideshow. Extends the existing wiki page slideshow with notes & styles.	Disabled
Plugin Attachment	Displays an attachment or a list of them	Enabled
Plugin Backlinks	Lists all pages that link to a particular page	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Title Search	Search pages by title	Disabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Wiki Home page	Landing page used for the wiki when no page is specified. The page will be created if it does not exist.	HomePage
Display page description	Display the page description below the heading when viewing the page.	Disabled
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should be structured to contain a header.	Enabled
Display page name above page	Display page name above page instead of inside page.	Disabled
Display page ID	Display the internal page ID when viewing the page.	Disabled
Display page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Changes the list format used to display the authors of the page. ☰ Creator & Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Allows the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Show/Hide before Headings	Display show/hide icon displayed before headings	Disabled
Wiki action bar location	Buttons: Save, Preview, Cancel, ... ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom

Option	Description	Default
Wiki top line location	Page description, icons, backlinks, ... ☰ Top Bottom Both Neither	Top
Wiki buttons	Page description, icons, backlinks, ... ☰ Top Bottom Neither	Bottom
Encourage contribution to wiki pages by anonymous	When a page is not editable and the user is anonymous, display the edit links anyway. The visitor will be prompted with a login screen and be encouraged to register.	Disabled
Wiki auto-toc	Automatic Table of Contents generation for wiki pages. It will automatically generate 2 Table Of Contents: one in the wiki page and one floating when scrolling down the page. Enable fast(!) header navigation.	Disabled
Add inline auto-toc	Automatically add an inline Table of Contents for wiki pages. This setting can be toggled per page, in the page properties	Enabled
Inline toc position	Position for inline Table of Contents. One of top, left, right (right = default)	Right
Hide title per wiki page	Allow the title to be hidden for individual wiki pages	Enabled
Wiki link format	What level of special characters are accepted as wiki links for page names. Ex.: Page éàî * <i>“Strict” includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use “strict”. Strict will only be basic characters like a-z and 0-9. If you have accented or special characters in page names, you should not use strict.</i> ☰ Complete Relaxed Strict	Complete
Prevent special characters in page names	Some characters may prevent the pages from being easily accessible from the URL or through wiki links. This option prevents from creating pages with such characters.	Enabled
Page name display stripper	Character to use as a delimiter in the page name. The portion of the name after this character will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped	None
Wiki content templates	Predefined content for a wiki page	Disabled
Warn on edit conflict	Tiki will warn users who attempt to edit a page that another user is currently editing.	Enabled

Option	Description	Default
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tikiwiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. <i>minutes</i> ☰ 1 2 5 10 15 30	2
Undo		Disabled
Footnotes	Create private notes for a page that are visible only by the author.	Disabled
Allow HTML	Per-page option: HTML in Wiki Pages is parsed by the browser, instead of HTML tags being displayed as typed. ⚠ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Full Wysiwyg editor	WYSIWYG is an acronym for What You See Is What You Get. Uses CKEditor.	Disabled
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Edit section	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Edit section level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. ☰ All 1 2 3 4 5 6	None
Toggle display of section and plugin edit icons	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Disabled
Allow minor edits of wiki pages	Minor edits do not flag new content for translation and do not send watch notifications (unless "Watch minor edits" is enabled).	Disabled
Wiki: Force and limit categorization to within subtree of	If you get an error message indicating a mandatory category is required when editing a wiki page, this is the option to blame. Set it to None. ☰ None	None
Log bytes changes (+/-) in action logs	<i>May impact performance</i> ⚠ <i>May impact performance</i>	Disabled

Option	Description	Default
Mandatory edit summary on wiki pages	Reject save attempts not providing an edit summary to describe the changes made.	Disabled
Choose position of freetags selection	If you wish to place freetags selection more prominently than in the properties tab. ☰ Properties tab Edit tab Freetags tab	Properties tab

Wiki Page listings

Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of "orphan pages" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled

Option	Description	Default
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	☰ Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	☰ Descending Ascending	Descending
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating	⚠	Disabled
Status		Disabled
Version		Disabled
Versions		Enabled

Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of \"orphan pages\" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled

Option	Description	Default
Backlinks	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	☰ Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	☰ Descending Ascending	Descending
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating	▲	Disabled
Status		Disabled
Version		Disabled
Versions		Enabled

Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of \"orphan pages\" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value \"0\" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	 Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	 Descending Ascending	Descending

Option	Description	Default
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating		Disabled
Status		Disabled
Version		Disabled
Versions		Enabled

Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of \"orphan pages\" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled

Option	Description	Default
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	☰ Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	☰ Descending Ascending	Descending
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating	🏆	Disabled
Status		Disabled
Version		Disabled
Versions		Enabled

Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of \"orphan pages\" (pages not linked to from another page).	Disabled

Option	Description	Default
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	 Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	 Descending Ascending	Descending
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating		Disabled
Status		Disabled

Option	Description	Default
Version		Disabled
Versions		Enabled

Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of \"orphan pages\" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled

Option	Description	Default
Page ID		Disabled
Default sort order	☰ Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	☰ Descending Ascending	Descending
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating	⚠	Disabled
Status		Disabled
Version		Disabled
Versions		Enabled

Option	Description	Default
List pages	Allow viewing the wiki page list	Enabled
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
Orphan pages	Allow listing of \"orphan pages\" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
Default sort order	☰ Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	☰ Descending Ascending	Descending
Page ID		Disabled
Name		Enabled

Option	Description	Default
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Hits		Enabled
Last modification date		Enabled
Creator		Disabled
Last modified by		Enabled
Version		Disabled
Comment of the latest edit		Enabled
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Description		Enabled
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Status		Disabled
Versions		Enabled
Links		Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Size		Disabled
Language		Disabled
Categories		Disabled
Categories path		Disabled
Rating		Disabled

Option	Description	Default
List pages	Allow viewing the wiki page list	Enabled
Latest changes	If enabled users (with permission) can see the sortable, searchable list of Wiki pages (tiki-lastchanges.php) organized by last updated date. Use the Configuration area to specify which items to display.	Enabled

Option	Description	Default
Orphan pages	Allow listing of "orphan pages" (pages not linked to from another page)	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of Wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
Default sort order	☰ Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	☰ Descending Ascending	Descending
Page ID		Disabled
Name		Enabled
Name length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Hits		Enabled
Last modification date		Enabled
Creator		Disabled
Last modified by		Enabled
Version		Disabled
Edit comments		Enabled
Edit comment length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Description		Enabled
Description length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Status		Disabled
Versions		Enabled
Links		Disabled
Backlinks	Allows users to view a list of pages, called backlinks, that link to the current page.	Disabled
Size		Disabled

Option	Description	Default
Language		Disabled
Categories		Disabled
Categories path		Disabled
Rating		Disabled

Option	Description	Default
List pages	Allow viewing the wiki page list	Enabled
Latest Changes	Show the list of last-changed items	Enabled
Orphan pages	Allow listing of \"orphan pages\" (pages not linked to from another page)	Disabled
Pages not in structure	List pages not in structure	Disabled
Show map mode buttons in page list		Disabled
Default sort order	☰ Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	☰ Descending Ascending	Descending
Page ID		Disabled
Name		Enabled
Name length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40
Hits		Enabled
Last modification date		Enabled
Creator		Disabled
Last modified by		Enabled
Version		Disabled
Edit comments		Enabled
Edit comment length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200
Description		Enabled

Option	Description	Default
Description length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200
Status		Disabled
Versions		Enabled
Links		Disabled
Backlinks	Allows users to view a list of pages, called backlinks, that link to the current page.	Disabled
Size		Disabled
Language		Disabled
Categories		Disabled
Categories path		Disabled
Rating		Disabled

Option	Description	Default
List pages	Allow viewing the wiki page list	Enabled
Latest Changes	Show the list of last-changed items	Enabled
Orphan pages	Allow listing of \"orphan pages\" (pages not linked to from another page)	Disabled
Pages not in structure	List pages not in structure	Disabled
Show map mode buttons in page list		Disabled
Default sort order	☰ Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	☰ Descending Ascending	Descending
Page ID		Disabled
Name		Enabled
Name length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40
Hits		Enabled

Option	Description	Default
Last modification date		Enabled
Creator		Disabled
Last modified by		Enabled
Version		Disabled
Edit comments		Enabled
Edit comment length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200
Description		Enabled
Description length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200
Status		Disabled
Versions		Enabled
Links		Disabled
Backlinks	Allows users to view a list of pages, called backlinks, that link to the current page.	Disabled
Size		Disabled
Language		Disabled
Categories		Disabled
Categories path		Disabled
Rating		Disabled

Option	Description	Default
List pages	allow viewing the Page list	Enabled
Latest Changes	show a list of last changed items	Enabled
Orphan pages	allow listing of orphaned (non-categorised) items	Disabled
Pages not in structure	List pages not in structure	Disabled
Show map mode buttons in page list		Disabled

Option	Description	Default
Default sort order		PageName
Sort Direction	☰ Descending Ascending	Ascending
Page ID		Disabled
Name		Enabled
Name length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40
Hits		Enabled
Last modification date		Enabled
Creator		Disabled
Last modified by		Enabled
Version		Disabled
Edit comments		Enabled
Edit Comment length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200
Description		Enabled
Description length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200
Status		Disabled
Versions		Enabled
Links		Disabled
Backlinks	Allows users to view a list of pages, called backlinks, that link to the current page.	Disabled
Size		Disabled
Language		Disabled
Categories		Disabled
Categories path		Disabled
Rating		Disabled

Option	Description	Default
List pages	allow viewing the Page list	Enabled
Latest Changes	show a list of last changed items	Enabled
Orphan pages	allow listing of orphaned (non-categorised) items	Disabled
Pages not in structure	List pages not in structure	Disabled
Show map mode buttons in page list		Disabled
Default sort order		PageName
Sort Direction	 Descending Ascending	Ascending
Page ID		Disabled
Name		Enabled
Name length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40
Hits		Enabled
Last modification date		Enabled
Creator		Disabled
Last modified by		Enabled
Version		Disabled
Edit comments		Enabled
Edit Comment length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200
Description		Enabled
Description length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200
Status		Disabled
Versions		Enabled
Links		Disabled
Backlinks	Allows users to view a list of pages, called backlinks, that link to the current page.	Disabled

Option	Description	Default
Size		Disabled
Language		Disabled
Categories		Disabled
Categories path		Disabled
Rating		Disabled

Option	Description	Default
List pages	allow viewing the Page list	Enabled
Latest Changes	show a list of last changed items	Enabled
Orphan pages	allow listing of orphaned (non-categorised) items	Disabled
Pages not in structure	List pages not in structure	Disabled
Show map mode buttons in page list		Disabled
Default sort order		PageName
Sort Direction	☰ Descending Ascending	Ascending
Page ID		Disabled
Name		Enabled
Name length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40
Hits		Enabled
Last modification date		Enabled
Creator		Disabled
Last modified by		Enabled
Version		Disabled
Edit comments		Enabled
Edit Comment length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200
Description		Enabled

Option	Description	Default
Description length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200
Status		Disabled
Versions		Enabled
Links		Disabled
Backlinks	Allows users to view a list of pages, called backlinks, that link to the current page.	Disabled
Size		Disabled
Language		Disabled
Categories		Disabled
Categories path		Disabled
Rating		Disabled

Workspaces

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces feature for wiki pages. 🚧	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Pages and collaboratively authored documents with edit history.	Enabled

Option	Description	Default
Workspace root category	ID of the root category containing all workspaces. ⚠️ <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces feature for wiki pages. 🏠	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces. ⚠️ <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces feature for wiki pages. 🏠	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled

Option	Description	Default
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces. ⚠ <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces feature for wiki pages. ⚠	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces. ⚠ <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces feature for wiki pages. ⚠	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:

Option	Description	Default
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces.  <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces feature for wiki pages. 	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces.  <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combine site features to create a workspace experience for work groups.	Disabled

Option	Description	Default
Namespace	Enable namespaces feature for wiki pages. 	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically.	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces.  <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces feature for wiki pages. 	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces.  <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces for wiki pages. 	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces.  <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces for wiki pages. 	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Collaboratively authored documents with edit history.	Enabled

Option	Description	Default
Workspace root category	ID of the root category containing all workspaces. ⚠ <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Binds multiple features in Tiki to form a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces for wiki pages. 🏠	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Perspectives	Permits to override preferences.	Disabled
Category	Global content category system. Items of different types (wiki pages, articles, tracker items, etc) can be added to one or many content categories. Categories can have permissions, so that content access can be controlled, and e.g. only granted to a certain group	Disabled
Wiki	Collaboratively authored documents with history of changes.	Enabled
Workspace root category	ID of the root category containing all workspaces. ⚠ <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Binds multiple features in Tiki to form a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces for wiki pages. 🏠	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Perspectives	Permits to override preferences.	Disabled
Category	Global content category system. Items of different types (wiki pages, articles, tracker items, etc) can be added to one or many content categories. Categories can have permissions, so that content access can be controlled, and e.g. only granted to a certain group	Disabled
Wiki	Collaboratively authored documents with history of changes.	Enabled

Option	Description	Default
Workspace root category	ID of the root category containing all workspaces. ⚠️ <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Binds multiple features in Tiki to form a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces for wiki pages. 🏠	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Perspectives	Permits to override preferences.	Disabled
Category	Global content category system. Items of different types (wiki pages, articles, tracker items, etc) can be added to one or many content categories. Categories can have permissions, so that content access can be controlled, and e.g. only granted to a certain group	Disabled
Wiki	Collaboratively authored documents with history of changes.	Enabled
Workspace root category	ID of the root category containing all workspaces. ⚠️ <i>This value is automatically managed and should not need to be modified manually.</i>	0

Workspaces - Areas

Option	Description	Default
Areas	Binding categories and perspectives to each other 🏠	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

Option	Description	Default
Areas	Binding categories and perspectives to each other 🏠	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

Option	Description	Default
Areas	Binding categories and perspectives to each other 	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

Option	Description	Default
Areas	Binding categories and perspectives to each other 	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

Option	Description	Default
Areas	Binding categories and perspectives to each other 	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

Option	Description	Default
Areas	Binding categories and perspectives to each other 	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

Option	Description	Default
Areas	Binding categories and perspectives to each other 	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

Option	Description	Default
Areas	Binding categories and perspectives to each other 	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas.	0

Option	Description	Default
Areas	Binding categories and perspectives to each other ⚠ <i>Experimental</i> ⚠	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas.	0

Option	Description	Default
Areas	Binding categories and perspectives to each other ⚠ <i>Experimental</i> ⚠	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas.	0

Option	Description	Default
Areas	Binding categories and perspectives to each other ⚠ <i>Experimental</i> ⚠	Disabled
Areas root category id	Id of category whose children are bound to a perspective by areas.	0

Option	Description	Default
Areas	Binding categories and perspectives to each other ⚠ <i>Experimental</i> ⚠	Disabled
Areas root category id	Id of category whose children are bound to a perspective by areas.	0

Option	Description	Default
Areas	Binding categories and perspectives to each other ⚠ <i>Experimental</i> ⚠	Disabled
Areas root category id	Id of category whose children are bound to a perspective by areas.	0

Webmail

Option	Description	Default
Webmail	Provides a webmail interface for site users' own IMAP or POP accounts. 🚩	Disabled
HTML email	Allow viewing HTML emails.	Enabled
Maximum attachment size	Maximum size of each attachment ☰ 500Kb 1Mb 1.5Mb 2Mb 2.5Mb 3Mb Unlimited	1.5Mb
Checkbox per email	Enable easy selection of multiple email messages for collective actions.	Disabled

Option	Description	Default
Webmail	Provides a webmail interface for site users' own IMAP or POP accounts. 🚩	Disabled
HTML email	Allow viewing HTML emails.	Enabled
Maximum attachment size	Maximum size of each attachment ☰ 500Kb 1Mb 1.5Mb 2Mb 2.5Mb 3Mb Unlimited	1.5Mb
Checkbox per email	Enable easy selection of multiple email messages for collective actions.	Disabled

Option	Description	Default
Webmail	Provides a webmail interface for site users' own IMAP or POP accounts. 🚩	Disabled
Allow viewing HTML emails?	Allow viewing HTML emails.	Enabled
Maximum size for each attachment	Maximum size of each attachment ☰ 500Kb 1Mb 1.5Mb 2Mb 2.5Mb 3Mb Unlimited	1.5Mb
Include a flag by all messages to quickly flag/unflag them?	Enable easy selection of multiple email messages for collective actions.	Disabled

Option	Description	Default
Webmail	Webmail 🚩	Disabled
Allow viewing HTML emails?	Allow viewing HTML emails.	Enabled
Maximum size for each attachment	Maximum size of each attachment ☰ 500Kb 1Mb 1.5Mb 2Mb 2.5Mb 3Mb Unlimited	1.5Mb

Option	Description	Default
Include a flag by all messages to quickly flag/unflag them?	Enable easy selection of multiple email messages for collective actions.	Disabled

Option	Description	Default
Webmail	Webmail 	Disabled
Allow viewing HTML emails?	Allow viewing HTML emails.	Enabled
Maximum size for each attachment	Maximum size of each attachment  500Kb 1Mb 1.5Mb 2Mb 2.5Mb 3Mb Unlimited	1.5Mb
Include a flag by all messages to quickly flag/unflag them?	Enable easy selection of multiple email messages for collective actions.	Disabled

Option	Description	Default
Webmail	Webmail 	Disabled
Allow viewing HTML mails?	Allow viewing HTML emails.	Enabled
Maximum size for each attachment	Maximum size of each attachment  500Kb 1Mb 1.5Mb 2Mb 2.5Mb 3Mb Unlimited	1.5Mb
Include a flag by each email to quickly flag/un-flag them?	Enable easy selection of multiple email messages for collective actions.	Disabled

Option	Description	Default
Webmail	Webmail 	Disabled
Allow viewing HTML mails?	Allow viewing HTML emails.	Enabled
Maximum size for each attachment	Maximum size of each attachment  500Kb 1Mb 1.5Mb 2Mb 2.5Mb 3Mb Unlimited	1.5Mb
Include a flag by each email to quickly flag/un-flag them?	Enable easy selection of multiple email messages for collective actions.	Disabled

Option	Description	Default
Webmail	Webmail 	Disabled
Allow viewing HTML mails?	Allow viewing HTML emails.	Enabled

Option	Description	Default
Maximum size for each attachment	Maximum size of each attachment ☰ 500Kb 1Mb 1.5Mb 2Mb 2.5Mb 3Mb Unlimited	1.5Mb
Include a flag by each email to quickly flag/un-flag them?	Enable easy selection of multiple email messages for collective actions.	Disabled

WYSIWYG editor

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🗨	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content 🗨	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. ⚠ <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Use Wiki syntax in WYSIWYG	Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i> ⚠ <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled

Option	Description	Default
Inline WYSIWYG editor	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required 	Disabled
Full WYSIWYG editor skin	 Moono (Default) Kama Bootstrap CK Minimalist Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.  <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🗸	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content 🗸	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. ⚠️ <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Use Wiki syntax in WYSIWYG	Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i> ⚠️ <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
Inline WYSIWYG editor	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required 🗸	Disabled
Full WYSIWYG editor skin	☰ Moono (Default) Kama Bootstrap CK Minimalist Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (",")	sans serif;serif;monospace;...
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...

Option	Description	Default
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work. ⚠️ <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🗿	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content 🗿	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. ⚠️ <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled

Option	Description	Default
Use Wiki syntax in WYSIWYG	<p>Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki".</p> <p><i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i></p> <p>⚠ Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</p>	Enabled
Inline WYSIWYG editor	<p>Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required</p> <p>⚠</p>	Disabled
Full WYSIWYG editor skin	<p>☰ Moono (Default) Kama Bootstrap CK Minimalist Office 2013</p>	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...
Extra plugins	<p>In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package.</p> <p>See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard.</p> <p><i>List of plugin names (separated by,)</i></p>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	<p>When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.</p>	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	<p>Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.</p> <p>⚠ This feature is required for the interface for many features to work properly.</p>	Enabled

Option	Description	Default
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content 	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used.  <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Use Wiki syntax in WYSIWYG	Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i>  <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
Inline WYSIWYG editor	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required 	Disabled
Full WYSIWYG editor skin	 Moono (Default) Kama Bootstrap CK Minimalist Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...

Option	Description	Default
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work. ⚠ <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. ⚠	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content ⚠	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. ⚠ <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled

Option	Description	Default
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Use Wiki syntax in WYSIWYG	Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i> ⚠ Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example	Enabled
Inline WYSIWYG editor	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required ⚠	Disabled
Full WYSIWYG editor skin	☰ Moono (Default) Kama Bootstrap CK Minimalist Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	Because the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. Because the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled

Option	Description	Default
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work. ⚠ <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. ⚠	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content ⚠	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. ⚠ <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Use Wiki syntax in WYSIWYG	Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i> ⚠ <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled

Option	Description	Default
Inline WYSIWYG editor	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required 	Disabled
Full WYSIWYG editor skin	 Moono (Default) Kama Bootstrap CK Minimalist Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	Because the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. Because the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.  <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of text content. 🗑️	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. ⚠️ <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Support Tiki's wiki syntax	This allows a mixture of wiki syntax and HTML in the code of a text field in WYSIWYG mode.	Enabled
Limited wiki parsing	Enabling this preference limits the features from Tiki's wiki markup language allowed when editing text. Only some wiki syntax is parsed, such as plugins (not inline character styles, etc). When this preference is not enabled, all markup features in wiki syntax mode are available. ⚠️ <i>Neglected. This feature can have unpredictable results and may be removed in future versions.</i> 🗑️	Disabled
Use Wiki syntax in WYSIWYG	Allow keeping wiki syntax with the WYSIWYG editor. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i> ⚠️ <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
Inline WYSIWYG editor	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required 🗑️	Disabled
Full WYSIWYG editor skin	☰ Moono (Default) Kama Bootstrap CK Minimalist Office 2013	Moono (Default)

Option	Description	Default
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidirectional, colorbutton, divarea, fi...
Wiki paragraph formatting	Because the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. Because the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.  <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content 	Disabled

Option	Description	Default
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. Switching between HTML and wiki formats can cause problems for some pages. ⚠ <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Content is parsed like wiki page	This allows a mixture of wiki syntax and HTML syntax. All wiki syntax is parsed.	Enabled
Content is partially wiki parsed	This also allows a mixture of wiki syntax and HTML syntax. Only some wiki syntax is parsed, such as plugins (not inline character styles, etc). ⚠ <i>Neglected. This feature can have unpredictable results and may be removed in future versions.</i> ⚠	Disabled
Use Wiki syntax in WYSIWYG	Allow keeping wiki syntax with the WYSIWYG editor. Sometimes referred to as a “visual wiki”. <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i> ⚠ <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
Inline WYSIWYG editor	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required ⚠	Disabled
Full WYSIWYG editor skin	☰ Moono (Default) Kama Bootstrap CK Minimalist Office 2013	Moono (Default)
Font names	List of font names separated by;	sans serif;serif;monospace;...

Option	Description	Default
Extra plugins	In Tiki, CKEditor uses the “standard” package in which some plugins are disabled by default that are available in the “full” package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	Because the Wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. Because the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
...but still create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work. ⚠ <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Saves your edits as you write, enabling work to be recovered after an “interruption”. Also enables a “live” preview and is required for WYSIWYG plugin processing.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content 	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. Switching between HTML and wiki formats can cause problems for some pages. ⚠ <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled

Option	Description	Default
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Content is parsed like wiki page	This allows a mixture of wiki syntax and HTML syntax. All wiki syntax is parsed.	Enabled
Content is partially wiki parsed	This also allows a mixture of wiki syntax and HTML syntax. Only some wiki syntax is parsed, such as plugins (not inline character styles, etc). ⚠ <i>Neglected. This feature can have unpredictable results and may be removed in future versions.</i> ⚠	Disabled
Use Wiki syntax in WYSIWYG	Allow keeping wiki syntax with the WYSIWYG editor. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i> ⚠ <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
Inline WYSIWYG editor	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required ⚠ <i>experimental</i> ⚠	Disabled
Full WYSIWYG editor skin	☰ Moono (Default) Kama Bootstrap CK Minimalist Office 2013	Moono (Default)
Font names	List of font names separated by;	sans serif;serif;monospace;...
Extra Plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidirectional, colorbutton, find, font, ...

Option	Description	Default
Wiki paragraph formatting	Because the Wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. Because the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
...but still create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.  <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Saves your edits as you write, enabling work to be recovered after an "interruption". Also enables a "live" preview and is required for WYSIWYG plugin processing.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content 	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. Switching between HTML and wiki formats can cause problems for some pages.  <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled

Option	Description	Default
Content is parsed like wiki page	This allows a mixture of wiki syntax and HTML syntax. All wiki syntax is parsed.	Enabled
Content is partially wiki parsed	This also allows a mixture of wiki syntax and HTML syntax. Only some wiki syntax is parsed, such as plugins (not inline character styles, etc). ⚠ <i>Neglected. This feature can have unpredictable results and may be removed in future versions.</i> 🚫	Disabled
Use Wiki syntax in WYSIWYG	Allow keeping wiki syntax with the WYSIWYG editor. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i> ⚠ <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
Inline WYSIWYG editor	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required ⚠ <i>experimental</i> 🚫	Disabled
Full WYSIWYG editor skin	☰ Moono (Default) Kama Bootstrap CK Minimalist Office 2013	Moono (Default)
Font names	List of font names separated by;	sans serif;serif;monospace;...
Extra Plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,find,font,...
Wiki paragraph formatting	Because the Wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. Because the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled

Option	Description	Default
...but still create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work. ⚠ <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Saves your edits as you write, enabling work to be recovered after an "interruption". Also enables a "live" preview and is required for WYSIWYG plugin processing.	Enabled

Option	Description	Default
Full Wysiwyg editor	WYSIWYG is an acronym for What You See Is What You Get. Uses CKEditor.	Disabled
Plugin WYSIWYG	Permits to have a WYSIWYG section for part of a page. ⚠	Disabled
Full Wysiwyg Editor is optional	If wysiwyg is optional, the wiki text editor is also available. Otherwise only the Wysiwyg editor is used. Switching between html and wiki formats can cause problems for some pages. ⚠ <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full Wysiwyg Editor is displayed by default	If both the Wysiwyg editor and the text editor is available, the Wysiwyg editor is used by default, e.g when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Content is parsed like wiki page	This allows a mixture of wiki and HTML. All wiki syntax is parsed.	Enabled
Content is partially wiki parsed	This also allows a mixture of wiki and HTML. Only some wiki syntax is parsed, such as plugins (not inline character styles etc). ⚠ <i>Neglected. This feature can have unpredictable results and may be removed in future versions.</i> ⚠	Disabled

Option	Description	Default
Use Wiki syntax in WYSIWYG	<p>Allow to keep the wiki syntax with the WYSIWYG editor. Sometimes also known as "Visual Wiki".</p> <p><i>Using wiki syntax in wysiwyg mode will limit toolbar to Wiki tools</i></p> <p>⚠ Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</p>	Enabled
Inline Wysiwyg editor	<p>Seamless inline editing. Uses CKEditor4. Inline editing lets the user edit pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to Wiki format is required</p> <p>⚠ experimental ⚠</p>	Disabled
Full Wysiwyg editor skin	☰ Moono (Default) Kama	Moono (Default)
Font names	List of font names separated by;	sans serif;serif;monospace;...
Extra Plugins	<p>As of Tiki 13 ckeditor uses the "standard" package which has some plugins disabled by default that were available in the "full" package.</p> <p>See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard.</p> <p><i>List of plugin names (separated by,)</i></p>	bidi,colorbutton,find,font,...
Wiki paragraph formatting	<p>Because the Wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. Because the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.</p>	Enabled
...but still create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	<p>Ajax</p> <p>⚠ This feature is required for the interface for many features to work properly.</p>	Enabled
Ajax auto-save	Saves your edits as you go along enabling you to recover your work after an "interruption". Also enables "Live" preview and is required for wysiwyg plugin processing.	Enabled

Option	Description	Default
Full Wysiwyg editor	WYSIWYG is an acronym for What You See Is What You Get. Uses CKEditor.	Disabled
Plugin WYSIWYG	Permits to have a WYSIWYG section for part of a page. 	Disabled
Full Wysiwyg Editor is optional	If wysiwyg is optional, the wiki text editor is also available. Otherwise only the Wysiwyg editor is used. Switching between html and wiki formats can cause problems for some pages.  <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full Wysiwyg Editor is displayed by default	If both the Wysiwyg editor and the text editor is available, the Wysiwyg editor is used by default, e.g when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Content is parsed like wiki page	This allows a mixture of wiki and HTML. All wiki syntax is parsed.	Enabled
Content is partially wiki parsed	This also allows a mixture of wiki and HTML. Only some wiki syntax is parsed, such as plugins (not inline character styles etc).  <i>Neglected. This feature can have unpredictable results and may be removed in future versions.</i> 	Disabled
Use Wiki syntax in WYSIWYG	Allow to keep the wiki syntax with the WYSIWYG editor. Sometimes also known as "Visual Wiki". <i>Using wiki syntax in wysiwyg mode will limit toolbar to Wiki tools</i>  <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
Inline Wysiwyg editor	Seamless inline editing. Uses CKEditor4. Inline editing lets the user edit pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to Wiki format is required  <i>experimental</i> 	Disabled
Full Wysiwyg editor skin	 Moono (Default) Kama	Moono (Default)
Font names	List of font names separated by;	sans serif;serif;monospace;...

Option	Description	Default
Extra Plugins	As of Tiki 13 ckeeditor uses the "standard" package which has some plugins disabled by default that were available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,find,font,...
Wiki paragraph formatting	Because the Wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. Because the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
...but still create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Ajax  <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Saves your edits as you go along enabling you to recover your work after an "interruption". Also enables "Live" preview and is required for wysiwyg plugin processing.	Enabled

Option	Description	Default
Full Wysiwyg editor	WYSIWYG is an acronym for What You See Is What You Get. Uses CKEditor.	Disabled
Plugin WYSIWYG	Permits to have a WYSIWYG section for part of a page. 	Disabled
Full Wysiwyg Editor is optional	If wysiwyg is optional, the wiki text editor is also available. Otherwise only the Wysiwyg editor is used. Switching between html and wiki formats can cause problems for some pages.  <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full Wysiwyg Editor is displayed by default	If both the Wysiwyg editor and the text editor is available, the Wysiwyg editor is used by default, e.g when creating new pages	Enabled

Option	Description	Default
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Content is parsed like wiki page	This allows a mixture of wiki and HTML. All wiki syntax is parsed.	Enabled
Content is partially wiki parsed	This also allows a mixture of wiki and HTML. Only some wiki syntax is parsed, such as plugins (not inline character styles etc). ⚠ <i>Neglected. This feature can have unpredictable results and may be removed in future versions.</i> ⚠	Disabled
Use Wiki syntax in WYSIWYG	Allow to keep the wiki syntax with the WYSIWYG editor. Sometimes also known as "Visual Wiki". <i>Using wiki syntax in wysiwyg mode will limit toolbar to Wiki tools</i> ⚠ <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
Inline Wysiwyg editor	Seamless inline editing. Uses CKEditor4. Inline editing lets the user edit pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to Wiki format is required ⚠ <i>experimental</i> ⚠	Disabled
Full Wysiwyg editor skin	☰ Moono (Default) Kama	Moono (Default)
Font names	List of font names separated by;	sans serif;serif;monospace;...
Extra Plugins	As of Tiki 13 ckeditor uses the "standard" package which has some plugins disabled by default that were available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,find,font,...
Wiki paragraph formatting	Because the Wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. Because the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled

Option	Description	Default
...but still create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Ajax  <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Saves your edits as you go along enabling you to recover your work after an "interruption". Also enables "Live" preview and is required for wysiwyg plugin processing.	Enabled