# Ustream Watershed tab

## Overview

Ustream Watershed Webcasting Platform

# **To Access**

From the Video page, click the Ustream Watershed tab.

# Note

This feature has been removed.

Ustream Watershed Registration			
If you don't have a Watershed account, you can find out more about it here.			
Activate the feature			
🔽 Ustream Watershed 😡 🤰			
Log errors to Tiki log 🕕			
Configuration within Watershed			
Set the webservice to point to tiki-watershed_service.php on your site, and turn on Authentication			
Lock.			
Watershed Wiki plugins			
Use Wiki plugins WatershedBroadcaster, WatershedViewer and WatershedChat to embed your			
broadcaster, viewer or chat.			
Basic tracker settings			
Tracker			
Information for each channel is stored in a tracker. Tracker item view/modify permissions will determine which channels users will be able to view or broadcast to respectively. You can find the Brand Id and Channel Code from the embed codes provided by Watershed, looking for the cid variable which will be "brandId%2Fchannelcode"			
Tracker ID of Channel tracker:			
Field ID of Brandld:			
Field ID of ChannelCode:			
Archive settings			
Tracker			
Information on archived clips are stored in a tracker. Tracker item view permissions will			
determine which archives users will be able to view. Note that recordings set to private in the broadcaster are not added to Tiki. Also, there is a delay for information to be received which could			
be quite long (30 min).			
Tracker ID of Archive tracker:			
Field ID of videold:			
Field ID of Brandld for Archive:			
Field ID of ChannelCode for Archive:			
Field ID of rtmpURL for Archive (url field type):			
Field ID of flvURL for Archive (url field type):			
Field ID of Date string for Archive:			
Field ID of Duration for Archive:			
Field ID of Filesize for Archive:			
Field ID of Title for Archive:			
Field ID of Description for Archive (textarea field type):			
Field ID of Tags for Archive (freetags field type):			
Flash Media Encoder			
Flash Media Encoder			
This is only needed if you are using Flash Media Encoder for higher-quality broadcasting which			
support only shared secret authentication.			
Flash Media Encoder shared secret			
Save			

Social Networks tab

Setting	Description	Default
Activate the feature		
Ustream Watershed:	Activate this feature	
Log Errors to Tiki log	Capture Ustream Errors to the Tiki log~	
Basic tracker settings		
Tracker ID of Channel tracker:	One tracker is required per Channel, this is where the TrackerId goes	
Field ID of BrandId:	The Watershed BrandID should go into the Channel tracker as a text field, enter the FieldID number here	
Field ID of ChannelCode:	The Watershed ChannelCode should go into the Channel tracker as a text field, enter the FieldID number here	
Archive settings		
Tracker ID of Archive tracker:	A tracker is required to store Archive information	
Field ID of videoId:	Tracker FieldId number for where the Watershed videoId is stored	
Field ID of BrandId for Archive:	Tracker FieldId number for where the Watershed BrandId is stored	
Field ID of ChannelCode for Archive:	Tracker FieldId number for where the Watershed ChannelCode is stored	
Field ID of rtmpURL for Archive (url field type):	Tracker FieldId number for where the Watershed rtmpURL is stored. Note tracker field type must be a URL	
Field ID of fivURL for Archive (url field type):	Tracker FieldId number for where the Watershed fivURL is stored. Note tracker field type must be a URL	
Archive settings (optional)		
Field ID of Date string for Archive:	Tracker FieldId number for the text field where the date of recording is stored	
Field ID of Duration for Archive:	Tracker FieldId number for the text field where the duration of recording is stored	
Field ID of Filesize for Archive:	Tracker FieldId number for the text field where the file size of recording is stored	

Setting	Description	Default
Field ID of Title for Archive:	Tracker FieldId number for the text field where the title of the recording is stored	
Field ID of Description for Archive:	Tracker FieldId number for the textarea field where the description of the recording is stored	
Field ID of Tags for Archive:	Tracker FieldId number for the freetags field where freetags of the recording are stored	
Flash Media Encoder		
Flash Media Encoder shared secret:	Enter shared secret here, note required only if Flash Media Encoding is used	
Log Errors to Tiki log	Capture Ustream Errors to the Tiki log $\sim$	

# Ustream Watershed

Integration to Ustream Watershed live video streaming.

See also: PluginWatershed

https://watershed.ustream.tv/ https://sourceforge.net/p/tikiwiki/code/27711 https://sourceforge.net/p/tikiwiki/code/27708

# alias

- Ustream
- Watershed