

# Files Tracker Field

Introduced in [Tiki8](#), it allows drag-and-drop of files into this tracker field if the browser is HTML5 ready. It is one of many [Tracker Field Types](#).

This field stores the uploaded files into file galleries, which adds all of the management features you would expect, including versioning. The files are being added to the file galleries as they are being uploaded and then attached to the tracker item using a virtual link.

In the event of the tracker item not being saved, the files created will be orphaned. From [Tiki12](#), it is possible to detect those orphan files and manage them using configured actions. The following example allows to create an interface that would list orphan files older than 2 hours in file gallery 4 (presumably where the field uploads the files) and allows to selectively delete those files.

## Tiki 12 Orphan Files clean-up

```
{LISTEXECUTE()}
  {filter field=gallery_id content=4}
  {filter field=relation_types multivalued="NOT tiki.file.attach.invert"}
  {filter range="modification_date" from="2000-01-01" to="2 hours ago"}

  {ACTION(name="Delete")}
    {step action=delete}
  {ACTION}
{LISTEXECUTE}
```

See [PluginListExecute](#) for details.

## Notes

And according to the <http://tiki.org/February+2012+Webinar> , it allows also to set a file from a URL (external to Tiki) and have Tiki refresh that file if the source external file changes.

In [Tiki9](#) it allows replacing files instead of just adding them in file galleries.

## Options

Options in [Tiki12](#):

**Add Field**
✕

▼ **Options for Files**

Attached and upload files stored in the file galleries to the tracker item.

Gallery ID  
  
*File gallery to upload new files into.*

MIME Type Filter  
  
*Mask for accepted MIME types in the field*

File Count  
  
*Maximum number of files to be attached on the field.*

Display Mode  
 ▼

Display parameters  
  
*URL encoded params used as in the {img} plugin. e.g. "max=400&desc=namedesc.&stylebox=block"*

Display parameters for lists  
  
*URL encoded params used as in the {img} plugin. e.g. "thumb=mouseover&rel="*

Include Child Galleries  
 ▼

Replace Existing File  
 ▼

Browse Gallery ID  
  
*File gallery browse files. Use 0 for root file gallery. (requires elFinder feature - experimental)*

Duplicate Gallery ID  
  
*File gallery to duplicate files into when copying the tracker item. 0 or empty means do not duplicate (default).*

Index As Map Layer  
 ▼

▶ Validation
^

Click to expand

## MIME Type Filter

Valid values for Tiki 12 are for example `image/jpeg` to allow only JPG imges or `image/*` to allow only images of any type.

While `image/jpeg|image/png` does not limit files that are shown when brosing files for upload, upload only succeeds for those files, whose mime-type is in the pipe separated list.

## Maximum image size

width and height can be limited, and the image will be resized before upload, saving bandwidth and diskpace.

Related:

- [File Galleries](#)
- [Trackers](#)

- Why File Uploads May Fail

stub