

Ä²€Ä¬f%o Ä¬f%oÄ¬Ä,

Ä°Ä,ÄÄ¬~ Ä²€Ä¬f%o Ä¬—"Ä¬Ä§,,Ä¬€ Ä°Ä,ÄÄ¬7 Ä¬,, Ä¬œ,,Ä•~Ä¬—Ä¬ Ä«ÄÄ¬¬œ Ä¬Ä œÄ¬ž'Ä«~Ä¬—^Ä¬œÄ¼Ä«Ä° Ä«Ä³Ä, Ä«Ä¬Ä,Ä¬,,œÄ«S" Ä«Ä²,,Ä¬Ä ,, 7 Ä«Ä° Ä²Ä·Ä, Ä¬Ä'Ä»,Ä¬—Ä«Ä§€ Ä¬Ä Ä¬šÄ©Ä«Ä©Ä«^Ä«ÄÄ.

Ä°Ä,ÄÄ¬—Ä¬,,œÄ¬~ Ä²€Ä¬f%o Ä«SÄ¬Ä Ä¬Ä¬€ , PluginList Ä¬Ä¹Ä¬€ Ä†ÄµÄ·Ä© Ä²€Ä¬f%o Ä«^Ä±Ä¬—Ä¬,,œ Ä¬,Ä¬Ä¬šÄ©Ä«~Ä«Ä° , Ä²€Ä¬f%o Ä¬f%oÄ¬Ä,Ä¬— Ä¬~Ä¬Ä;Ä'Ä·Ä©Ä«^Ä«ÄÄ.

Ä°Ä,ÄÄ¬«S" Ä«,Ä'Ä«Ä¶€Ä¬Ä Ä¬œÄ¼Ä«Ä;œ Ä¬—Ä¬Ä¬«YÄ¬ Ä²Ä°œÄ¬~ Ä²€Ä¬f%oÄ¬—"Ä¬Ä§,,Ä«^ÄÄ¬,, Ä¬Ä§€Ä¬¬Ä·Ä Ä¬~ Ä¬ž^Ä¬šÄµÄ«^Ä«ÄÄ. Ä²Ä°Ä²Ä°Ä¬~ Ä²€Ä¬f%oÄ¬—"Ä¬Ä§,,Ä¬€ Ä«ÄÄ¬ÄÄ¶Ä, Ä«SÄ¬Ä Ä¬Ä³Ä¼ Ä¬Ä œÄ·œÄ¬,, Ä²Ä°Ä¬Ä§€Ä²€ Ä«Ä Ä²Ä²fÄ¬ž...Ä«^Ä«ÄÄ. Ä²Ä,Ä°Ä«Ä³Ä, Ä¬—"Ä¬Ä§,,Ä¬€ Ä¬ÄÄ'Ä¬†€Ä²Ä·œÄ«ÄÄ"Ä¬~ Ä¬,Ä¬Ä¬Ä'ÄšÄ,Ä¬— «€Ä·~Ä¬—Ä¬ Ä¬Ä¶Ä©Ä«Ä¶,,Ä·œ Ä«SÄ¬Ä Ä¬Ä¬, Ä¬Ä œÄ²Ä³ÄµÄ·~Ä¬—Ä¬Ä¬·Ä¼ Ä·Ä©Ä«^Ä«ÄÄ. Ä«€Ä~·Ä¬,Ä¬Ä¬Ä'ÄšÄ,Ä«S" Ä¬ÄµœÄ«€Ä·œÄ¬~ Ä¬,,Ä±Ä«SÄ¬Ä¬, Ä¬—Ä»Ä²Ä,Ä° Ä¬œ,,Ä·~Ä¬—Ä¬ Ä¬Ä¶"Ä²Ä°€ Ä¬Ä,Ä",Ä«Ä¼Ä¬šÄÄšÄ,Ä«YÄ¬ Ä¬Ä³Ä²Ä°€ Ä·,,Ä¬š"Ä·Ä Ä¬~Ä«, Ä¬ž^Ä¬šÄµÄ«^Ä«ÄÄ.

LUCENE (PHP Ä¬Ä Ä¬šÄ©)

Ä²Ä,Ä°Ä«Ä³Ä, Ä²ÄµÄ¬Ä¬,,Ä¬€ Zend_Search_Lucene Ä¬— Ä²Ä,Ä°Ä«Ä°Ä·~Ä²Ä³Ä Ä¬ž^Ä¬œÄ¼Ä«Ä° , Ä¬Ä'Ä«S" Ä¬žÄ«Ä°"Ä¬~ PHP Ä²ÄµÄ¬Ä¬,,Ä¬ž...Ä«^Ä«ÄÄ Lucene index engine. Ä¬—"Ä¬Ä§,,Ä¬€ Ä¬™Ä,Ä«Ä¶€Ä¬~Ä¬Ä;Ä'Ä«,Ä²Ä°€ Ä¬—†Ä¬œÄ¼Ä«Ä°Ä Ä«ÄÄ"Ä«Ä Ä¬Ä,Ä¬šÄÄšÄ,Ä¬—Ä¬,,œ Ä¬¬Ä¬-%oÄ«Ä Ä¬~ Ä¬ž†Ä¬"Ä«^Ä«ÄÄ. Ä·~Ä¬Ä§€Ä«Ä§€, Ä¬~Ä¬šÄ©Ä·ÄÄ Ä«Ä§€Ä·œ Ä¬,,Ä±Ä«SÄ¬Ä¬— Ä«,Ä«Ä¬Ä·~Ä²Ä,Ä° Ä¬œ,,Ä·Ä'Ä¬,,œÄ«S" Ä«Ä†Ä«Ä† Ä²ÄµÄ¬Ä¬,,Ä±Ä¬,,ÄÄ¬Ä·Ä¬Ä'Ä¬š"Ä²ÄµÄ¬Ä¬Ä Ä¬~Ä«, Ä¬ž^Ä¬šÄµÄ«^Ä«ÄÄ.

Ä¬™,,Ä«Ä²Ä½Ä·œ Ä¬f%oÄ¬Ä,Ä¬,, Ä«Ä¹€Ä«œÄ·~Ä²Ä,Ä° Ä¬œ,,Ä·~Ä¬—Ä¬ Ä·,,Ä¬š"Ä·œ Ä¬¬œÄ²Ä°,Ä¬€ Ä¬,Ä¬Ä¬Ä'ÄšÄ,Ä¬— Ä¬Ä»Ä"Ä...Ä¬Ä,Ä Ä¬— Ä«^Ä«Ä¼ Ä«ÄÄ¬¬'Ä·Ä Ä²Ä²fÄ¬ž...Ä«^Ä«ÄÄ. Ä¬Ä°Ä,Ä²Ä³Ä Ä«Ä;œ,

• doc.tiki.org (Ä¬Ä'Ä¬,Ä¬Ä¬Ä'ÄšÄ), Ä«S" 1400Ä²Ä°œÄ²Ä°€ Ä«,~Ä«S" Äž~Ä¬Ä'Ä¬Ä§€Ä²Ä°€

Ã¬ž^Ã¬œĀ¼Ā«Ā©Ā°, Ã¬žĀ¬Ā¬Ā, Ā«Ā±Ā¬Ā±Ā¬— 3Ā«Ā¶,, Ā¬Ā •Ā«,,

ĀªĀ±Ā, Ā«Ā!Ā½Ā«Ā^Ā«Āx

- themes.tiki.org, Ā«Š” Ā«ĀªĀ«ĀªĀ Ž~Ā¬Ā'Ā¬Ā§€Ā¬™€ Ā¬^~Ā«Ā°Ā±ĀªĀ²€ĀªĀ°€ Ā«,, ~Ā«Š” ĀªĀ²€Ā¬œĀ€ ĀªĀ²€Ā¬œĀ«Ā¬Ā¼Ā¬Ā' Ā¬ž^Ā¬œĀ¼Ā«Ā©Ā°, Ā¬žĀ¬Ā¬Ā, Ā«Ā±Ā¬Ā±Ā¬— 15Ā¬Ā'^ Ā¬Ā •Ā«,, ĀªĀ±Ā, Ā«Ā!Ā½Ā«Ā^Ā«Āx
- Āš€Ā¬,Ā¬ Ā¬Ā, ĀŠĀ, Ā«Ā¼Ā«,,Ā•Ā¬œĀ¼Ā«Ā;œĀ¬Ā” Ā€€Ā¬Ā¼ ĀªĀ°ĀxĀ«ŸĀ¬Ā«Ā!Ā¬Ā¬— Ā¬^~ ĀªĀ,Ā°ĀªĀ°€Ā«Ā°”Ā¬Ā'ĀŠĀ,Ā¬~ Ā«Ā°Ā¬Ā'Ā,,Ā°Ā«Š” Ā•œ Ā¬œĀªĀ°, Ā«,, ~ĀªĀ²€ ĀªĀ±Ā, Ā«Ā!Ā' Ā¬^~ Ā¬ž^Ā¬ŠĀμĀ«Ā^Ā«Āx

Ā•~Ā¬Ā§€Ā«Ā§€Ā, Ā¬Ā!Ā«Ā¶,,Ā¬Ā Ā¬f%oĀ¬Ā,Ā¬Ā' Ā¬,Ā¬Ā¬šĀ©Ā«Ā Ā¬^~ Ā¬ž^Ā¬œĀ¼Ā«Ā©Ā°, Ā¬Ā' ĀªĀ²Ā½Ā¬šĀ° Ā¬™,,Ā¬Ā,, Ā¬žĀ¬Ā¬Ā,Ā«Ā±Ā¬šĀxĀ«Š” ĀŠĀ¹Ā¬Ā • ĀªĀ,Ā°ĀªĀ°,,Ā«Ā§^Ā«Āx Ā~Ā¹Ā¬€ Ā¬—...ĀªĀĀ,Ā«Ā ^Ā¬Ā'Ā«œ Ā¬œĀ¬—Ā«Ā§€Ā Ā•,,Ā¬š”Ā•Ā©Ā«Ā^Ā«Āx.

Alexander Veremy, Ā«Š” Ā¬Ā»Ā'ĀĀ¬Ā«,,€ĀŠĀ,Ā¬~ Ā¬Ā €Ā¬žĀ«Ā;œĀ¬Ā” Ā«Ā³€Ā¬^~Ā«ĀªĀ¼ Ā¬Ā;Ā°Ā¬Ā ^Ā¬— Ā«€Ā•œ Ā«ĀªĀ«ĀªĀ Ā¬Ā'Ā•Ā' Ā¬,, Ā¬Ā œĀªĀ³ĀμĀ•~ĀªĀ³Ā Ā¬ž^Ā¬šĀμĀ«Ā^Ā«Āx.

Ā•,,Ā«“€

Ā¬•,,Ā«ž~Ā«Š” Ā•,,Ā«“œĀ¬™€ ĀªĀ°œĀ¬Ā²Ā' Ā¬œĀ Ā~•ĀªĀ°,Ā¬~ Ā-%oĀ«Ā Ā¬Ā¬ž...Ā«Ā^Ā«Āx.

Ā«Ā²”Ā«Ā;€:

- ĀĀĀ ĀĀ°Ā™”Ā«Ā”, Ā¬Ā,,Ā¬Ā²Ā' Ā...Ā¬šĀxĀŠĀ, ĀªĀ²€Ā¬f%oĀ¬,, Ā¬œ,,Ā•œ Ā«ĀĀ”Ā¬Ā'Ā«Ā”ĀxĀ«Ā;œ Ā«Ā¶,,Ā•Ā'Ā«œ Ā«Ā°Ā©Ā¬œĀ¼Ā«Ā;œ..
- Ā¬Ā •Ā«Ā Ā¬ĀªĀ°€Ā«šĀŸ

Generic

object_type

object_id

title

language

modification_date

contributors

description

Ã†Â ÃÂ°Ã™ ”Ã«Â” Ã¬Â •Ã«Â Â¬ÃªÂ°€Ã«ŠÂ¥

X

X

X

X

X

X

X

Ã¬œ,,Ã,Â Ã Ã Ã Ã Ã Ã

X

X

X

X

X

X

X

$\tilde{A} \approx \hat{A}^2 \ll \tilde{A}^{-1} \ll \tilde{A} \ll \hat{A}^{-1} \hat{A}^{1/4}$

X

X

X

/

X

X

$\tilde{A} \ll \hat{A}, \quad \tilde{A} \ll \hat{A}; \quad \omega \tilde{A} \approx \hat{A} \cdot \hat{A}, \quad \tilde{A} \approx \hat{A}^2 \quad \text{CE} \tilde{A} \neg \ll \omega \tilde{A} \ll \hat{A} \neg \hat{A}^{1/4}$

X

X

X

/

X

X

$\tilde{A} \hat{A}, \hat{A}^\circ \tilde{A} \neg, \hat{A} \neg \quad \tilde{A} \in \in \tilde{A} \neg \hat{A}^{1/4}$

X X X

X X X

X X X

X /

X X X

X X X

X X X

Šš, Ā«ž~ Ā¬Ā»ĀxĀ•ĀĀ«ĀāĀ©

Ā¬«œĀŠĀ,

X

X

X

X

X

X

?

/

X

X

X

X

X

Ã«Œ“ÃªÂ,€

X

X

?

/

X

X

Ã¬,Â¬Ã¬šÂ©Ã Ã¬Â œÃ²Â³ÂµÃ«~Ã«Š” Ã<Â°Ã,Âœ
¬ž Ã«Â²,,Ã¬Â,,

X	7
X	7
X	7
	7
	7
	7
	7

contents

Specific

wiki_content

wiki_uptodateness

wiki_approval_state

post_content

parent_thread_id (not to be confused with
parent_object_id)

blog_id

blog_excerpt

X

X

X

X

X

X

X

X

X

X

X

X

X

X X



X

X

X 7

X 7

7

11

7

8

7

7

blog_content

topic_id

article_content

article_topleft

article_subtitle

article_author

article_type

gallery_id

filename_id

filetype

X

X

X

X

X



X

X

X

X

X

X

X

X

X

7

7

7

7

7

9

9

7

7

7

file_comment

file_content

tracker_id

tracker_status

tracker_field_ID

sheet_content

comment_content

user_country

Internal

view_permission

X

X

?

X

X

X

X

X

X

X

X

X

X

X

X

X

7

7

7

7

7

7

7

10

7

X

parent_object_type

parent_object_id

parent_view_permission

global_view_permission

hash

url

Global

categories

deep_categories

allowed_groups

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X X

X X

X X

X X

X X

X X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

7

7

7

7

7

7

7

7

7

freetags

freetags_text

adv_rating_ID

comment_count

relations

attachments

attachment_contents

geo_located

geo_location

visits

X

X

X

X

X

X

X

X

X

X

X

X

X

X



X

X

X

X

X


X

X

X

X





X

X

X

X

X


X

X

X

X

X			X	
X			X	
X			X	
X			X	
X			X	
X			X	
X			X	
X			X	
X			X	
			X	



X

X

X

X

X

X

X

X

X

7

7

X

7

8

X

8

7

7

X

9

X

9

9.2

X Ā→Ā œĀāĀ³ĀμĀ«Ā”

/ Ā→Ā •Ā→Ā ĀāĀ°

? Ā«Ā°Ā→Ā’Ā,,Ā°Ā→— Ā→~Ā→Ā;Ā’Ā→Ā

ĀŠĀ, Ā«ž~Ā→Ā»Āα Ā•,,Ā«“œĀ→— Ā«œĀ•œ Ā→f%oĀ→Ā, Ā→€ Ā•,,Ā«“œ Ā→Āç...Ā«Ā¥~Ā→— Ā«”Ā°Ā«Ā¼ Ā«ĀαĀ→-’Ā•Ā
ĀāĀ²fĀ→ž...Ā«Ā«Āα. Ā→Ā¼Ā«Ā°~Ā→Ā Ā→Ā, ĀāĀ°œĀ→Ā¹™ Ā→œĀ¼Ā«Ā;œĀ→Ā”, tracker_field_ID ĀāĀ°€ Ā•,,Ā«“œĀ«Ā;œĀ→Ā”
Ā→,Ā→Ā→šĀ©Ā«Ā ĀāĀ²fĀ→Ā’Ā«Ā©Ā° Ā→Ā •Ā«Ā Ā→ ĀāĀ°€Ā«šĀ¥Ā•Ā ĀāĀ²fĀ→ž...Ā«Ā«Āα. Ā•Ā→Āš€Ā«Āšœ, Ā«ĀāĀ±Ā«Ā±
Ā→~Ā→™Ā, ĀāĀ°€ Ā→žĀ→šĀμĀ«Ā«Āα:

- Ā→Ā’Ā«Ā-Ā, Ā→Āš€Ā→™ € ĀœœĀ→Ā¼ Ā•,,Ā«“œĀ«š” Ā→f%oĀ→Ā, Ā«~Ā→Āš€
Ā→•šĀ→šĀμĀ«Ā«Āα
- Ā...Ā→šĀαĀšĀ, Ā→~Ā→—Ā(TextArea) Ā→€ Ā→Ā •Ā«Ā Ā→ ĀāĀ°€Ā«šĀ¥Ā•~Ā→Āš€
Ā→•šĀ→šĀμĀ«Ā«Āα
- Ā«ĀαĀāĀμĀĀ→-Ā’ Ā•,,Ā«“œĀ«š” Ā«Ā³ĀμĀ→~ Ā•,,Ā«“œĀ«Ā;œ Ā→f%oĀ→Ā, Ā«Ā©Ā«Ā«Āα:
 - Ā«Ā³Ā’Ā†ĀμĀ→~ ĀāĀ²Ā¼Ā→šĀ° Ā«ĀāĀ”Ā«Ā Ā→-Ā, Ā→-Ā’Ā«Ā¥Ā¼ ĀĀ→Ā•Ā”Ā•Ā©Ā«Ā«Āα
 - tracker_field_ID_lang Ā→€ Ā•~Ā«,~Ā→~ Ā→-Ā, Ā→-Ā’Ā«ĀšœĀ→,, ĀĀ→Ā•Ā”Ā•Ā©Ā«Ā«Āα
(Ā→~Ā«Ā«Āα Ā«Ā«Ā«Ā©Ā’ tracker_field_12_fr Ā→Ā²~Ā«ŸĀ¼)
- Ā«Ā±ĀāĀ, %oĀāĀ³Ā¼ ĀāĀ’€Ā«Ā Ā” Ā•,,Ā«“œĀ«š” Ā«Ā³ĀμĀ→~ Ā→~ Ā•,,Ā«“œĀ«Ā¥Ā¼
Ā→Ā €Ā→žĀ¥Ā•Ā©Ā«Ā«Āα
 - tracker_field_ID Ā«š” Ā%oĀāĀ•Ā Ā→,, ĀĀ→Ā•Ā©Ā•Ā©Ā«Ā«Āα
 - tracker_field_ID_sum Ā→€ Ā^Ā→Ā’œ Ā→Ā’Ā•Ā©Ā→,, ĀĀ→Ā•Ā”Ā•Ā©Ā«Ā«Āα
 - tracker_field_ID_count Ā«š” Ā^Ā→Ā’œĀ→~Ā«Ā¥Ā¼ ĀĀ→Ā•Ā”Ā•Ā©Ā«Ā«Āα

- $\tilde{A} \cdot \hat{A} \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \ll \hat{A}; \tilde{A}^a \hat{A}^3 \hat{A}^{1/4} \tilde{A} \cdot \hat{A} \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \ll \hat{A} \S \tilde{A} \hat{A} \neg \tilde{A} \cdot \text{,,} \tilde{A} \ll \text{"} \text{œ}$
 - `tracker_field_ID_text` $\tilde{A} \ll \text{"} \text{Š" ID } \tilde{A} \ll \text{œ} \text{€} \tilde{A} \neg \langle \hat{A} \tilde{A} \neg \text{—} \tilde{A} \dots \tilde{A} \neg \text{Š} \hat{A} \alpha \tilde{A} \text{Š} \hat{A} \text{,} \tilde{A} \ll \hat{A} \forall \hat{A}^{1/4} \tilde{A} \hat{A} \neg \tilde{A} \cdot \hat{A} \text{"} \tilde{A} \neg \hat{A} \odot \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$
- $\tilde{A} \ll \hat{A} \S \text{œ} \tilde{A} \neg \cdot \hat{A}^{1/2} \tilde{A} \neg \neg \hat{A} \text{,} \tilde{A} \neg \neg \hat{A}' \tilde{A} \cdot \text{,,} \tilde{A} \ll \text{"} \text{œ} \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \text{Š} \hat{A} \text{,} \tilde{A} \ll \text{ž} \sim \tilde{A} \neg \hat{A} \rangle \hat{A} \alpha \tilde{A} \cdot \hat{A} \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \neg \text{—} \tilde{A} \ll \text{œ} \text{€} \tilde{A} \neg \sim \tilde{A} \neg \text{—} \hat{A} \neg \tilde{A} \neg \text{,,} \hat{A} \alpha \tilde{A} \neg \hat{A} \cdot \tilde{A} \ll \sim \tilde{A} \neg \neg \hat{A}' \tilde{A} \neg \text{ž} \hat{A} \ll \langle \hat{A} \alpha \tilde{A} \ll \hat{A} \odot \hat{A}' \text{,} \tilde{A} \cdot \hat{A}' \tilde{A} \ll \langle \hat{A}^1 \tilde{A} \neg \neg \hat{A} \text{,} \tilde{A} \neg \neg \hat{A}' \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \neg \cdot \text{,,} \tilde{A} \neg \hat{A}' \tilde{A} \neg \dots \text{œ} \tilde{A} \neg \neg \hat{A} \text{,} \tilde{A} \neg \neg \hat{A}' \tilde{A} \ll \hat{A}; \text{œ} \tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \ll \hat{A} \odot \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$

buildQuery/tiki-searchindex.php $\tilde{A} \neg \text{—} \tilde{A} \neg \text{,} \hat{A} \neg \tilde{A} \neg \text{š} \hat{A} \odot \tilde{A} \ll \sim \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \neg \hat{A}^{1/4} \tilde{A} \ll \hat{A} \text{€} (\tilde{A} \neg \hat{A}' \tilde{A} \ll \text{"} \hat{A} \alpha \tilde{A} \neg \hat{A}' \tilde{A} \neg \langle \hat{A} \alpha \tilde{A} \neg \hat{A} \text{œ} \tilde{A} \neg \text{,,} \tilde{A} \ll \text{"} \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \hat{A} \S \text{€} \tilde{A} \sim \hat{A}^1 \tilde{A} \neg \text{€} \tilde{A} \ll \text{,,} \tilde{A} \neg \text{š} \hat{A} \circ \tilde{A} \ll \hat{A} \neg \hat{A} \text{,} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \hat{A} \S \text{€} \tilde{A} \neg \text{—} \tilde{A} \ll \text{œ} \text{€} \tilde{A} \cdot \text{œ} \tilde{A} \neg \text{,,} \hat{A} \alpha \tilde{A} \ll \hat{A}^a \dots \tilde{A} \cdot \text{,,} \tilde{A} \neg \text{š"}$):

type: $\tilde{A} \ll \text{"} \text{Š"}$ **object type** $\tilde{A} \ll \hat{A} \forall \hat{A}^{1/4} \tilde{A} \neg \hat{A} \circ \hat{A} \text{,} \tilde{A} \neg \hat{A}; \hat{A} \circ \tilde{A} \cdot \hat{A} \odot \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$

deep: $\tilde{A} \ll \hat{A} \S \text{œ} \tilde{A} \neg \cdot \hat{A}^{1/2} \tilde{A} \neg \hat{A}' \tilde{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \hat{A}' \tilde{A} \neg \text{,,} \hat{A} \alpha \tilde{A} \neg \hat{A} \cdot \tilde{A} \ll \sim \tilde{A} \neg \text{—} \hat{A} \ll \langle \hat{A} \alpha \tilde{A} \ll \hat{A} \odot \hat{A}' \text{,} \text{categories } \tilde{A} \ll \text{,} \text{deep-categories } \tilde{A} \ll \hat{A}; \text{œ} \tilde{A}^a \hat{A}^3 \hat{A} \tilde{A} \ll \hat{A} \hat{A} \alpha \tilde{A} \ll \hat{A} \tilde{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \text{ž} \dots \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$

autocomplete: $\tilde{A} \neg \text{€} \tilde{A} \cdot \hat{A}' \tilde{A} \ll \langle \hat{A}^1 \tilde{A} \ll \text{,} \hat{A}' \tilde{A} \neg \text{š} \hat{A} \odot \tilde{A} \neg \text{œ} \hat{A}^{1/4} \tilde{A} \ll \hat{A}; \text{œ} \tilde{A} \neg \langle \text{œ} \tilde{A} \neg \text{ž} \tilde{A} \ll \sim \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \neg \hat{A} \text{œ} \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \neg \text{,,} \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \neg \hat{A} \S \text{,,} \tilde{A} \cdot \hat{A} \neg \tilde{A} \ll \hat{A}^a \hat{A} \odot \tilde{A} \ll \text{"} \hat{A} \alpha \tilde{A} \neg \text{,,} \tilde{A} \neg \hat{A} \circ \hat{A}^3 \hat{A} \neg \text{,,} \tilde{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \text{ž} \dots \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$

$\tilde{A}^a \hat{A}^2 \text{€} \tilde{A} \neg \text{f} \% \tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \text{ž} \hat{A} \neg \tilde{A} \ll \hat{A}^1 \text{œ} \tilde{A} \ll \text{"} \text{œ}$

$\tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \text{€} \text{temp/unified-index/ } \tilde{A} \neg \text{—} \tilde{A} \neg \hat{A} \text{€} \tilde{A} \neg \text{ž} \hat{A} \forall \tilde{A} \ll \hat{A} \odot \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$. $\tilde{A} \neg \text{ž} \hat{A} \neg \tilde{A} \ll \hat{A}^1 \text{œ} \tilde{A} \ll \text{"} \text{œ} \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \neg \hat{A} \S \text{,,} \tilde{A} \neg \% \text{œ} \tilde{A} \ll \sim \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \ll \text{™} \tilde{A} \neg \cdot \hat{A} \text{,} \tilde{A} \ll \text{"} \text{"} \tilde{A} \ll \hat{A} \% \text{œ} \tilde{A} \text{,,} \hat{A} \circ \tilde{A} \ll \hat{A}; \hat{A} \neg \text{temp/unified-index-new/ } \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \ll \text{,} \tilde{A} \text{f} \text{€} \tilde{A} \ll \text{,} \hat{A} \tilde{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \text{ž} \dots \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$. $(\tilde{A} \neg \hat{A}' \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \neg \text{f} \hat{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \hat{A}' \tilde{A} \neg \hat{A} \alpha \text{€} \tilde{A} \ll \hat{A}^1 \text{,,} \tilde{A} \ll \hat{A} \tilde{A} \ll \cdot \text{œ} \tilde{A}^a \hat{A}^1 \text{œ} \tilde{A} \neg \hat{A} \S \text{€} \tilde{A}^a \hat{A} \text{,} \hat{A} \circ \tilde{A} \neg \hat{A}; \hat{A}' \tilde{A} \neg \sim \tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \hat{A}' \tilde{A} \neg \text{,} \hat{A} \neg \tilde{A} \neg \text{š} \hat{A} \odot \tilde{A} \ll \sim \tilde{A} \ll \text{"} \text{Š" } \tilde{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \text{,,} \tilde{A} \neg \hat{A} \neg \text{š} \hat{A} \odot \tilde{A} \cdot \tilde{A}^a \hat{A} \text{,} \hat{A} \circ \tilde{A} \neg \text{ž} \dots \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$) $\tilde{A} \ll \hat{A} \S \text{œ} \tilde{A} \neg \cdot \hat{A}^{1/2} \text{temp/unified-index-new/ } \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \text{ž} \hat{A} \neg \text{—} \dots \tilde{A} \neg \sim \tilde{A} \neg \hat{A} \text{œ} \dots \tilde{A} \ll \hat{A} \text{f} \text{œ} \tilde{A} \text{,,} \tilde{A} \neg \text{,} \hat{A} \neg \tilde{A} \ll \hat{A}^{1/4} \tilde{A} \neg \hat{A} \S \text{€} \tilde{A} \neg \hat{A} \S \text{€} \tilde{A} \neg \cdot \text{Š} \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \ll \langle \hat{A} \alpha \tilde{A} \ll \hat{A} \odot \hat{A}' \text{,} \tilde{A} \ll \hat{A} \neg \hat{A}' \tilde{A} \neg \text{—} \text{†} \tilde{A} \neg \hat{A} \text{,} \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \neg \text{ž} \sim \tilde{A} \ll \hat{A}^a \hat{A} \rangle \tilde{A} \ll \text{œ} \tilde{A}^a \hat{A}^2 \text{f} \tilde{A} \neg \text{ž} \dots \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$. $\tilde{A}^a \hat{A} \text{€} \tilde{A} \neg \hat{A}' \tilde{A} \ll \hat{A} \forall \hat{A}^{1/4} \tilde{A} \neg \text{,} \hat{A} \neg \hat{A} \text{œ} \tilde{A} \cdot \tilde{A}^a \hat{A}^3 \hat{A} \tilde{A} \neg \text{f} \% \text{œ} \tilde{A} \neg \hat{A} \text{,} \tilde{A} \neg \text{,,} \tilde{A} \ll \langle \hat{A} \alpha \tilde{A} \neg \langle \text{œ} \tilde{A} \neg \langle \text{œ} \tilde{A} \ll \text{,,} \tilde{A} \cdot \hat{A}' \tilde{A} \ll \hat{A}^3 \hat{A}' \tilde{A} \neg \langle \hat{A} \alpha \tilde{A} \neg \hat{A} \sim \tilde{A} \neg \text{ž} \hat{A} \neg \text{š} \hat{A} \mu \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$. $\tilde{A}^a \hat{A} \text{€} \tilde{A} \neg \hat{A}' \tilde{A} \ll \hat{A}^a \hat{A} \text{"} \tilde{A} \ll \text{' OK } \tilde{A} \neg \hat{A}' \tilde{A} \ll \hat{A}^{1/4} \tilde{A} \ll \text{"} \text{Š" } \tilde{A} \text{™} \cdot \tilde{A} \neg \langle \hat{A} \tilde{A} \neg \text{,,} \tilde{A}^a \hat{A} \circ \text{€} \tilde{A} \neg \hat{A} \S \text{€} \tilde{A} \ll \hat{A} \hat{A} \alpha \tilde{A} \ll \hat{A} \odot \hat{A}' \text{" sh setup.sh" } \tilde{A} \ll \hat{A} \forall \hat{A}^{1/4} \tilde{A} \neg \langle \hat{A} \alpha \tilde{A} \neg \% \text{œ} \tilde{A} \cdot \tilde{A} \neg \langle \hat{A} \alpha \tilde{A} \neg \sim \tilde{A} \ll \text{,,} \tilde{A} \neg \text{ž} \hat{A} \neg \text{š} \hat{A} \mu \tilde{A} \ll \langle \hat{A} \ll \langle \hat{A} \alpha$

Ã«Â°Ã,Âª Ã¬Â,Ã,,Â°Ãž~Ã¬Â´Ã¬ŠÂªÃ¬—Ã¬,,Ĉ

Ã«ÂªÃ¬Ĉ url Ã¬,, Ã«Â°Â©Ã«Â¬Â,Ã•Ã¬Âª Ã¬^~ Ã¬ž^Ã¬ŠÂµÃ«ĉÃ«Âª: **tiki-admin.php?page=search&rebuild=now**
ÃªÂ·Â,Ã«Â¡Â¬ÃªÂ³Â Ã¬,Â¬Ã¬Â´ÃŠÂ,ÃªÂ°€ Ã¬†ĈÃªÂ·œÃ«Â¬~Ã«Â¼Ã«Â©Â´ ÃªÂ²€Ã¬f%œ Ã¬f%œÃ¬Â,Ã¬Â´ Ã«ÂªÃ¬ĉœ
Ã«Â¹ĈÃ«œÃ«Â ÃªÂ²fÃ¬ž...Ã«ĉ^Ã«Âª. Ã«Â¡œÃ«œÃªÂ°€ Ã¬Âª´ÃªÂ, %œÃ¬—Ã¬,,œ Ã¬†´Ã¬€ Ã¬,Â¬Ã¬Â´ÃŠÂ,Ã«Â¼Ã«Â©Â´,
Ã«Âª...Ã«Â Â¹Ã¬-Â´Ã¬—Ã¬,,œ Ã¬Âš,,Ã-%œÃ•Ã¬Âª Ã¬^~ Ã¬ž^Ã¬ŠÂµÃ«ĉÃ«Âª.

Ã«Âª...Ã«Â Â¹Ã¬-Â´Ã¬—Ã¬,,Ĉ

ÃªÂ²€Ã¬f%œ Ã¬f%œÃ¬Â,Ã¬€ Ã«ÂªªÃ¬Ĉ Ã«Âª...Ã«Â Â¹Ã¬-Â´Ã«Â¼Â¹Ã¬,Â¬Ã¬šÂ©Ã•~Ã¬—Ã¬
Ã«Âª...Ã«Â Â¹Ã¬ž...Ã«Â ÂªÃ¬—Ã¬,,œ Ã¬žÂ¬Ã«Â¹ĈÃ«œÃ«Â Ã¬^~ Ã¬ž^Ã¬ŠÂµÃ«ĉÃ«Âª:

```
cd path_to_tiki/; php lib/search/shell.php rebuild;sh setup.sh -n
```

Ã¬œ,, Ã«Âª...Ã«Â Â¹Ã¬-Â´Ã«Â¼Â¹ cron job Ã¬— Ã¬œ,,Ã¬Â°Â´Ã•~Ã¬—Ã¬ ÃŠÂ,Ã,Âª Ã´œÃ¬Âª€ Ã¬,Â¬Ã¬Â´ÃŠÂ,Ã¬—Ã¬,,œ
Ã«Â³Â´Ã«Âª Ã¬Â Ã¬€ Ã¬,Â¬Ã¬šÂ©Ã¬žÃªÂ°€ Ã™ œÃ«™ Ã¬Â Ã¬Â, Ã«Â°Âª Ã¬ĉœÃªÂ°,Ã¬— Ã¬Âš,,Ã-%œÃ«~Ã«,,Ã«Â¡Âª Ã•Â Ã¬^
Ã¬ž^Ã¬ŠÂµÃ«ĉÃ«Âª. **Cron** Ã¬,, Ã¬,Â´ÃžÂ´Ã«Â³Â´Ã¬ĉÃ¬ĉœÃ¬~Âª.

Ã«Â¬Â,Ã¬Â œÃªÂ°€ Ã«Â°œÃ¬fÃ•~Ã¬~€ÃªÂ³Â ÃªÂ,Â°Ã«Â¡Ã¬,, Ã«,Â´ÃªÂ,Â°ÃªÂ³Â Ã¬ĉÂ¶Ã¬œÂ¼Ã¬ĉœÃ«ÂªÃ«Â©Â´,

php lib/search/shell.php rebuild log

Ã¬Â´ ÃªÂ,Â°Ã«Â¡(Ã«Â¡œÃªÂ·Â,)Ã¬€ temp/Search_Indexer.log Ã¬— Ã¬ž^Ã¬,, ÃªÂ²fÃ¬ž...Ã«ĉ^Ã«Âª.

ÃªÂ´€Ã«Â Â´:

- PluginList
- PluginCustomSearch
- Unified Search