ìœ„ì§€ìœ„ê·¸ (WYSIWYG)

ê°œìš"

ìœ„ì§€ìœ„ê·¸ (WYSIWYG, "ë"¤ê°€ ë³´ê²Œ ë"¤ê±° ì-»ëŠ" ê²ƒ"ì´ë¼ëŠ" ì˜ë¯¸ëìœ í™"ë©´ì— ë³´ì´ëŠ"ë°ëìœ ì¸ì‡„ëœë‹¤ëŠ" ì˜ë¯¸ì—ì„œ ì¬ìš©ë¨) ê¸ëŠ¥ì€ ìœ„ì¤ ë¬ì²• íŽ¸ì§'ê¸°ì˜ ëŒ€ì•ˆìœ¼ëìœ¨ ì¸ìš©ìž ì¹œí™"ì ì¸ íŽ¸ì§'ê¸°ëŠ¥ì" ìœê³µí•©ë‹ˆë‹¤. ìœ„ì§€ìœ„ê·¸ íŽ¸ì§'ê¸°ë¥¼ ì¬ìš©í• ë•Œ, ìœ„ìš© íŽ˜ì´ì§€ëìœ ë³µì¬ ë° ë¶™ì—¬ë"£ê¸° ëœ ì•ë³´´ëŠ" ëŒ€ë¶€ë¶",ì˜ ì›ë³, ì"œì‹" ìœ„ ì§€í• ê²fìž…ë‹ˆë‹¤.

ì '구í•˜ë ¤ë©´

ê°€ë¡¬ íŒ¨ë„ì—ì„œ **ìœ„ì§€ìœ„ê·¸** ì•„ì´ì½˜ ì„ í´ë¦ í˜¹ì€
http://ê·í•˜˜ë"ë©"ì¸£¼ì†Œ/tiki-admin.php?page=wysiwyg ëìœ ì '구í•˜ì‹ì‹œì˜¤.

ì£¼ì˜

í‹°í,¤6ì—ì"œë¶€í°ëŠ", í‹°í,¤ëŠ" ìœ„ì§€ìœ„ê·¸ ìš©ì¼œëìœ CKEditorë¥¼ ì¬ìš©í•˜ê³ ìœìží'Šµë‹ˆë‹¤. ì í" ë²„ì "ì"¤ì€ FCKeditorë¥¼ ì¬ìš©í-'ì—ˆŠµë‹ˆë‹¤.

ê´€ë ¨ í† í"½

- ìœ„ì§€ìœ„ê·¸ ëŒ€
  ìœ„í,¤
  ë¬ì²•
- ìœ„ì§€ìœ„ê·¸
  íŽ¸ì§'ê¸°
  ì,¬ìš©ìž
- ìœ„ì§€ìœ„ê·¸
  íŽ¸ì§'ê¸°
  ìfì",ë, ì—
- ìœ„ì§€ìœ„ê·¸
  íŽ¸ì§'ê¸°
  ê´€ë ¬
- WysiwygPlu
  ginButton
- ë²„ê· ì™€
  í¬ë§ì,¬í•

⚠ **Page links**

Note that if the SEFURL feature is on, page links created using wysiwyg might not be automatically updated when pages are renamed. This is planned to be addressed through the future "Use Wiki syntax in WYSIWYG" feature.

Wysiwyg Editor Features

☑ Wysiwyg Editor is optional
  Requires Wysiwyg editor (OK)

  ☑ Wysiwyg Editor is displayed by default ⟳
  ☑ Reopen with the same editor

☑ Content is parsed like wiki page ⓘ

  ☐ Content is partially wiki parsed ⓘ

  ☑ Use Wiki syntax in WYSIWYG ⓘ ⚠ ⟳
    Requires Ajax auto-save (OK)

Wysiwyg editor skin: [Office 2003 ▼] ⟳

Font names: ⓘ

```
sans serif;serif;monospace;Arial;Century Gothic;Comic Sans
MS;Courier New;Tahoma;Times New Roman;Verdana
```

Related features

☑ Wiki paragraph formatting ⓘ ⟳

  ☑ ...but still create line breaks within paragraphs

☑ Ajax ⓘ

  ☑ Ajax auto-save ⓘ
    Requires Ajax (OK)

[Change preferences]

ê´€ë¦¬: ìœ„ì§€ìœ„ê·

ì„¤ì •	ì„¤ëª…	ê¸°ë³¸
ìœ„ì§€ìœ„ê· íŽ¸ì§‘ê¸° ê°€ëŠ¥		
ìœ„ì§€ìœ„ê· íŽ¸ì§‘ê¸°ëŠ" ì„ íƒ¬í•ìž…ë‹ˆë‹¤:	ì´ ê¸°ëŠŠ¥ì„ í™œì„±í™"í•·ë©´´ ëª¨ë" ì‚¬ìš©ìžê°€ ìœ„ì§€ìœ„í¬ íŽ¸ì§'ê¸° ì‚¬ì´ˆ—ì„œ ì „™ ˜í•·ëŠ" 것‚ í—^ìš©í•©ë‹ˆë‹¤	
ìœ„ì§€ìœ„ê· íŽ¸ì§'ê¸°ê°€ ê¸°ë³³ìœ¼ë¡œ 'œì‹œ©ë‹ˆë‹¤:	ì´ ê¸°ëŠŠ¥ì„ í™œì„±í™"í•·ë©´´ ê¸°ë³³ìœ¼ë¡œ ìœ„ì§€ìœ„ê· íŽ¸ì§'ê¸°ë¥¼ ì„ íƒ•©ë‹ˆë‹¤	
Reopen with the same editor:	Enabling this feature ensures the editor last used to edit a page or item is used for the next edit as the default	enabled
Content is parsed like a wiki page:	Enabling this feature ensures pages and items created using the Wysiwyg editor would also include Wiki parsing for plugins and inline character styles (but see next option)	
Content is partially wiki parsed:	Enabling this feature ensures pages and items created using the Wysiwyg editor would also include Wiki parsing for plugins BUT NOT some other wiki syntax such as inline character styles (above option must be enabled)	

ì„¤ì •	ì„¤ëª…...	ê¸°ë³¸
Use Wiki syntax in WYSIWYG:	Enabling this feature is experimental in 6.x. Wiki syntax can also be used when using Wysiwyg editor, but the handy Plugin Editor then only works in Wysiwyg Source mode (note: *Ajax auto-save* must be enabled if using this feature)	
Wysiwyg editor skin:	Select your preferred Wysiwyg Editor Skin	
Font names:	List of Font Names - note: must be separated by the ; (semi-colon character)	
Related Features		
Wiki paragraph formatting:	Enabling this feature affects whether multiple lines appear as a paragraph or not	
But still create line breaks within paragraphs:	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs	enabled
Ajax:	Enabling Ajax allows page updates without having the Tiki site having to perform a browser refresh	
Ajax auto-save:	Enabling this feature allows the Wiki service to automatically save edits	

Click the **Toolbars** button to modify the WYSIWYG toolbars.

Search Engine Friendly URL

Setting	Description	Default
Wysiwyg Editor Features		
Wysiwyg Editor is optional:	Enabling this feature allows users to switch between WIKI and Wysiwyg editors	
Wysiwyg Editor is displayed by default:	Enabling this feature selects the Wysiwyg editor as the default	
Reopen with the same editor:	Enabling this feature ensures the editor last used to edit a page or item is used for the next edit as the default	enabled
Content is parsed like a wiki page:	Enabling this feature ensures pages and items created using the Wysiwyg editor would also include Wiki parsing for plugins and inline character styles (but see next option)	
Content is partially wiki parsed:	Enabling this feature ensures pages and items created using the Wysiwyg editor would also include Wiki parsing for plugins BUT NOT some other wiki syntax such as inline character styles (above option must be enabled)	
Use Wiki syntax in WYSIWYG:	Enabling this feature is experimental in 6.x. Wiki syntax can also be used when using Wysiwyg editor, but the handy Plugin Editor then only works in Wysiwyg Source mode (note: *Ajax auto-save* must be enabled if using this feature)	
Wysiwyg editor skin:	Select your preferred Wysiwyg Editor Skin	
Font names:	List of Font Names - note: must be separated by the ; (semi-colon character)	
Related Features		
Wiki paragraph formatting:	Enabling this feature affects whether multiple lines appear as a paragraph or not	
But still create line breaks within paragraphs:	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs	enabled
Ajax:	Enabling Ajax allows page updates without having the Tiki site having to perform a browser refresh	
Ajax auto-save:	Enabling this feature allows the Wiki service to automatically save edits	