

Ã¬œÊ Ã«™ Ã•ÊÃ«ÊªÊ© Ã«ÊªÊ©Ã«Ê;

ÃªÊ,Ê°Ã«Ê³Ê, Ã¬,,ÊªÃ«Êª...Ã¬,,Æ

ÃªÊ,Ê°Ã«ŜÊ: Ã¬,,Ê Ãf Ã«ÊªÊ©Ã«Ê;Ã¬,, Ã«<ÊªÃ«ÊªÊ, ŒÊ, Ã«ž~Ã¬Ê»ÊªÃ«Ê;œ Ã¬—Ê°ÃªÊ²Ê°Ã«œ Ã«Ê°Ã¬Ê´Ê,,Ê°Ã¬—  
ÃªÊ,Ê°Ã«Ê°~Ê•~Ã¬—Ê¬ Ã«™ Ã¬Ê Ã¬œÊ¼Ã«Ê;œ ÃªÊ°Ê±Ã¬<Ê Ê•Ê”.

Ã¬,Ê¬Ã¬ŒÊ©: trackerId,filterFieldIdThere,filterFieldIdHere,listFieldIdThere,statusThere

Ã¬,,ÊªÃ«Êª...:

---

trackerId

filterFieldIdThere

filterFieldIdHere

---

`~<math>A</math>-<math>B</math>~<math>A</math>^2<math>A</math>~<math>A</math>•<math>A</math> ~Š<math>A</math>, ~«ž~<math>A</math>-<math>A</math>»<math>A</math>α<math>A</math>-~ ID:`

is the field you want to link with in that tracker;

is the field you want to link with in the current tracker;

listFieldIdThere

statusThere

---

is the field ID you wish to pull the selection list from, based on the value selected in filterFieldHere matching field(s) in filterFieldThere;

restricts values appearing in the list to those coming from records in the other tracker that meet specified statuses of [o|p|c] or in combination (op, opc);

to be tested filterFieldHere can be an item link, a user selector, a group selector, a country selector, a dynamic list

## TUTORIAL

With Tiki's [trackers](#), you can create dynamic forms, in which field options change automatically, depending on other selections.

In this tutorial, you will create a dynamic tracker that users will complete to enter their operating system and version number. Depending on the operating system that they choose (Windows or Solaris), different version options will appear.

You will actually need to build two trackers: an "internal" tracker to hold the dynamic options, and an "external" tracker from which the user will make their selections.


# STEP 1: BUILD THE "INTERNAL" TRACKER FOR THE SELECTABLE OPTIONS

## 1. Create a new tracker.

In this example, since the selectable options are for an "operating system", we will name the tracker **Operating System**.

Record the ID number for this tracker. We'll refer to this tracker as the **Option Tracker ID**.

In this example, the ID is **6**.



## 2. Create a field with the name **OS**, of type **drop down**, with the options **Windows,Solaris**.

Record the ID number for this field. We'll refer to this field as the **Option Tracker Choices ID**. In this example, the ID is **8**.

## 3. Create a field with the name **Version** of type **text** for this tracker.

Record the ID number for this field. We'll refer to this field as the **Option Tracker Versions ID**.


In this example, the ID is **9**.

| Id | Position | Name    | Type       | Options         | isMain | Multilingual | Tbl vis | Searchable | Public | Hidden | Mandatory | Description |
|----|----------|---------|------------|-----------------|--------|--------------|---------|------------|--------|--------|-----------|-------------|
| 8  | 1        | OS      | drop down  | Windows,Solaris | y      | n            | y       | y          | y      | n      | n         |             |
| 9  | 2        | Version | text field |                 | y      | n            | y       | y          | y      | n      | n         |             |

## STEP 2: POPULATE THE "INTERNAL" TRACKER.


Now that you've built the tracker to hold the options, you need to populate the tracker with the valid choices.

1. From the Trackers listing page, click the **Option Tracker** tracker that you just created.
2. Click **Insert new Item**.
3. Populate the valid OS versions.  
In the OS field, select **Windows**.  
In the Version field, type **Vista**.



The screenshot shows a web interface for a tracker titled "Tracker: Operating System". At the top, there are navigation buttons: "List Trackers", "Insert New Item", "Admin Trackers", "Edit This Tracker", and "Edit Fields". Below these, there are two tabs: "Tracker Items for Operating System" and "Insert New Item". The "Insert New Item" form is displayed, featuring a "Save" button at the top right. The form has two main input fields: "OS" with a dropdown menu currently showing "Windows", and "Version" with a text input field containing "Vista". At the bottom of the form, there is another "Save" button and a checkbox labeled "View inserted item". A note at the bottom of the form states "Fields marked with a \* are mandatory."

4. Repeat these steps to enter all of the valid combinations that to allow (for example: Windows XP, Solaris 2.9, and so on).



### STEP 3: CREATE THE "EXTERNAL" USER TRACKER

Now you need to create the actual tracker the will contain the selectable options that you defined.

1. Create a new tracker.

In this example, we will name the tracker **User Profile**.

2. Create a field with the name **Operating System**, of type **item link** with the options: **Option Tracker ID, Option Tracker Choices ID**

You created these IDs in [Step 1](#). In this example, the options are: **6** , **8**.

This is the selector from which the users will select their operating system (Windows or Solaris).

Record the ID number for this field. We'll refer to this field as the **User OS Choices ID**. In this example, the ID is **10**.

3. Create a field with the name **Version**, of type **dynamic items list**, with the options: **Option**

## Tracker ID, Option Tracker Choices ID, User OS Choices ID, Option Tracker Versions ID

In this example, the options are: 6 , 8 , 10 , 9 .

4. Create a field with the name **Your name**, of type **text**.

This will simply be a field for users to enter their names.

| <u>Id</u> | <u>Position</u> | <u>Name</u>      | <u>Type</u>        | <u>Options</u> | <u>isMain</u> | <u>Multilingual</u> | <u>Tbl</u> | <u>Searchable</u> | <u>Public</u> | <u>Hidden</u> | <u>Mandatory</u> | <u>Description</u> |
|-----------|-----------------|------------------|--------------------|----------------|---------------|---------------------|------------|-------------------|---------------|---------------|------------------|--------------------|
| 10        | 1               | Operating System | item link          | 6,8            | y             | n                   | y y        | y                 | y             | n             | n                |                    |
| 11        | 2               | Version          | dynamic items list | 6,8,10,9       | y             | n                   | y y        | y                 | y             | n             | n                |                    |
| 12        | 4               | Your name        | text field         |                | y             | y                   | y y        | y                 | y             | n             | n                |                    |

## TEST THE TRACKER

Now you can test the "user" tracker (named **User Profile** in this example).

1. From the Trackers listing page, click the **User Profile** tracker that you just created.

2. Click **Insert new Item**.

Notice that the **Version** field is empty.

3. In the **Operating System** field, select **Windows**.

Notice that the **Version** field is now populated with the Windows options (Vista, XP, and 95).



Tracker Items for User Profile    Insert New Item

### Insert New Item

|   |                      |
|---|----------------------|
| <input type="button" value="Save"/>   |                      |
| Operating System  | Windows ▾            |
| Version   | ▾                    |
| Your name   | <input type="text"/> |
| <input type="button" value="Save"/> <input type="checkbox"/> View inserted item |                      |

*Fields marked with a \* are mandatory.*

4. Change the **Operating System** field to **Solaris**.

Notice that the **Version** field is now populated with the Solaris options (2.9 and 2.10).

Tracker Items for User Profile    Insert New Item

### Insert New Item

|   |                      |
|---|----------------------|
| <input type="button" value="Save"/>   |                      |
| Operating System  | Solaris ▾            |
| Version   | ▾                    |
| Your name   | <input type="text"/> |
| <input type="button" value="Save"/> <input type="checkbox"/> View inserted item |                      |

*Fields marked with a \* are mandatory.*

## FINAL NOTES

- [Chained use of the dynamic list item type in trackers](#) does not work at the moment (Tiki5.0Beta1). Vote for the issue if you feel it is important.
- [Categories](#) might be an alternative for you.

## SEE ALSO

[Plugin JQuery](#)

## BACKLINKS:

No pages link to [Ã¬œÂ Ã«™](#) [Ã•ÂÃ«ÂªÂ©](#) [Ã«ÂªÂ©Ã«Â¡](#)