

3d Tag Browser Configuration tab

Overview

This tab supports administration of the 3D browser, a Tiki add-in which supports 3D modelling of Freetags (and also can be used for 3D browsing of Wiki page inter-links).

To Access

From the Tags page, click the **3d Tag Browser Configuration** tab.

Related Topics

- [Bugs and Wishes](#)

The screenshot shows the configuration interface for the 3D Tag Browser. It features a blue header with tabs for 'General Settings', '3D Tag Browser Configuration', and 'No Tabs'. The main content area is divided into several sections:

- Enable freetags 3D browser:** A checked checkbox.
- General:** Includes sliders for 'Browser width: 500' and 'Browser height: 500'.
- Graph appearance:** Includes sliders for 'Navigation depth: 1', 'Node size: 30', and 'Text size: 40'. It also has color pickers for 'Spring (connection) size: 100', 'Existing page node color: #00CC55', and 'Missing page node color: #FF5555'.
- Camera settings:** Includes an unchecked checkbox for 'Camera distance adjusted relative to nearest node', and sliders for 'Camera distance: 200', 'Field of view: 250', and 'Feed animation interval (miliseconds): 500'.
- Physics engine:** Includes sliders for 'Friction constant: 0.4f', 'Elastic constant: 0.5f', 'Eletrostatic constant: 1000f', 'Node mass: 5', and 'Node charge: 1'.

A 'Change preferences' button is located at the bottom center of the configuration area.

3d Tag Browser Configuration tab

Setting	Description	Default
3D Tag Browser Configuration		
Setting:	Description	default value

Freetag 3D Browser Configuration

There is an admin screen, which currently only accepts configuration of the morcego browser for browsing the freetags.



To use the morcego 3D-Network-Browser, you'll have to activate the features:

- Morcego and
- Ajax

Perms

- tiki_p_view_freetags: to view tags
- tiki_p_freetags_tag: to add tags