

Date and time

This page is to document all the features related to date and time. Ex.: how to configure the date/time formats

- Long date format
- Short date format
- Long time format
- Short time format

on tiki-admin.php?page=general

Formatting is done by the *strftime* function.

The following characters are recognized in the format parameter string:

Form	Description	Example returned values
at		
Day		

%a	An abbreviated textual representation of the day	Sun through Sat
%A	A full textual representation of the day	Sunday through Saturday
%d	Two-digit day of the month (with leading zeros)	01 to 31
%e	Day of the month, with a space preceding single digits	1 to 31

<code>%j</code>	Day of the year, 3 digits with leading zeros	001 to 366
<code>%u</code>	ISO-8601 numeric representation of the day of the week	1 (for Monday) through 7 (for Sunday)
<code>%w</code>	Numeric representation of the day of the week	0 (for Sunday) through 6 (for Saturday)

Week

%U	Week number of the given year, starting with the first Sunday as the first week	13 (for the 13th full week of the year)
%V	ISO-8601:1988 week number of the given year, starting with the first week of the year with at least 4 weekdays, with Monday being the start of the week	01 through 53 (where 53 accounts for an overlapping week)

<code>%W</code>	A numeric representation of the week of the year, starting with the first Monday as the first week	46 (for the 46th week of the year beginning with a Monday)
-----------------	--	--

Month

<code>%b</code>	Abbreviated month name, based on the locale	Jan through Dec
-----------------	---	-----------------

<code>%B</code>	Full month name, based on the locale	January through December
-----------------	--------------------------------------	--------------------------

%h	Abbreviated month name, based on the locale (an alias of %b)	Jan through Dec
----	--	-----------------

%m	Two digit representation of the month	01 (for January) through 12 (for December)
----	---------------------------------------	--

Year

%C	Two digit representation of the century (year divided by 100, truncated to an integer)	19 for the 20th Century
----	--	-------------------------

<code>%g</code>	Two digit representation of the year going by ISO-8601:1988 standards (see <code>%V</code>)	Example: 09 for the week of January 6, 2009
<code>%G</code>	The full four-digit version of <code>%g</code>	Example: 2008 for the week of January 3, 2009
<code>%y</code>	Two digit representation of the year	Example: 09 for 2009, 79 for 1979

%Y	Four digit representation for the year	Example: 2038
----	--	---------------

Time

%H	Two digit representation of the hour in 24-hour format	00 through 23
----	--	---------------

%I	Two digit representation of the hour in 12-hour format	01 through 12
----	--	---------------

%l (lower -case 'L')	Hour in 12-hour format, with a space preceeding single digits	1 through 12
%M	Two digit representation of the minute	00 through 59
%p	UPPER-CASE 'AM' or 'PM' based on the given time	Example: AM for 00:31, PM for 22:23

%P	lower-case 'am' or 'pm' based on the given time	Example: am for 00:31, pm for 22:23
%r	Same as %l:%M:%S %p	Example: 09:34:17 PM for 21:34:17
%R	Same as %H:%M	Example: 00:35 for 12:35 AM, 16:44 for 4:44 PM
%S	Two digit representation of the second	00 through 59

%T	Same as %H:%M:%S	Example: 21:34:17 for 09:34:17 PM
%X	Preferred time representation based on locale, without the date	Example: 03:59:16 or 15:59:16
%z	Either the time zone offset from UTC or the abbreviation (depends on operating system)	Example: -0500 or EST for Eastern Time

<code>%Z</code>	The time zone offset/abbreviation option NOT given by <code>%z</code> (depends on operating system)	Example: -0500 or EST for Eastern Time
-----------------	---	--

Time and Date Stamps

<code>%c</code>	Preferred date and time stamp based on local	Example: Tue Feb 5 00:45:10 2009 for February 4, 2009 at 12:45:10 AM
-----------------	--	--

<code>%D</code>	Same as <code>%m/%d/%y</code>	Example: 02/05/09 for February 5, 2009
-----------------	-------------------------------	--

<code>%F</code>	Same as <code>%Y-%m-%d</code> (commonly used in database timestamps)	Example: 2009-02-05 for February 5, 2009
<code>%S</code>	Unix Epoch Time timestamp (same as the <code>time()</code> function)	Example: 305815200 for September 10, 1979 08:40:00 AM
<code>%X</code>	Preferred date representation based on locale, without the time	Example: 02/05/09 for February 5, 2009

Miscellaneous

`%n` A newline character
(`"\n"`)

`%t` A Tab character (`"\t"`)

`%%` A literal percentage
character (`"%"`)

<http://www.php.net/manual/en/function.strftime.php>

Related

- [i18n](#)
- [Calendar](#)