

RSS Feeds User:

A Feeds feed is a summary of a Website's news, files, and other activities that it distributes or *syndicates* to other Websites and individual users. Feeds is an acronym for *Really Simple Syndication*. Indeed, Feeds files are a nearly painless way to syndicate news and articles from one site to many. For instance, Feeds files can be used to gather

Slashdot news and Freshmeat releases, and display them on your Tiki.

Tiki is remarkably flexible when it comes to RSS. It can *both* display external Feeds feeds from other sites in user modules and elsewhere *and* syndicate its activities (blogs, articles, forums, etc.) to other Websites via RSS.

The configuration of outgoing Feeds feeds is explained in Feeds main page. In this document, we'll cover the configuration of incoming Feeds feeds from external sources.

To access: Click the **Feeds** icon  on the Admin Panel or Access **<http://example.org/tiki-admin.php?page=rss>**


Brief summary

To add an Feeds feed from another site in to your tikiwiki site:

1. Admin > Feeds Modules > Create new Feeds module
2. Complete the form using a descriptive title and proper Feeds URL. Save.
3. Note the Feeds Channel ID
4. On the wiki page, add
when "n" is the Feeds channel ID. Put a title above. Preview. OR Add in Admin > Modules > User Module, create a new user modules with the Feeds channel ID.

Create Feeds Modules

First you have to configure the Feeds feeds that you want to use. As an admin-level user, click the **RSS feeds** link from the **Admin (click!)** section of the **Application** menu to enter the **Admin Feeds modules** screen.



The **Create a new Feeds module** panel can be used to create and configure incoming Feeds feeds. Complete the fields on the form to create a new Feeds module:

Field	Description
Name	Name of the Feeds feed. This could be the website or publisher.
Description	Short description of the Feeds feed.
URL	The URL of the Feeds feed. Normally this will be an XML file. E.g., <i>http://slashdot.org/slashdot.rdf</i> . You can use also TikiWiki feed(ex: hhtP//my.com/tiki-tracker_rss.php?trackerId=1)
Refresh rate	Specify how often Tiki should refresh the feed, from once per minute to once per day. Normally you don't want to refresh the feed each time you display it since that can make the site offering the feed slower. So Tiki caches Feeds feeds and refreshes them using the interval of time you indicate here.
Show feed title	Specify if the feed's title (as defiend by the publisher) should be displayed when you include the Feeds module on a wiki page.
Show publish date	Specify if the publication date for each item in the feed should be displayed when you include the Feeds module on a wiki page.

The module (the Feeds feed from another site) can then be included in a Tiki wiki page. When you save the new module, Tiki will assign a unique ID to the module and your new module will appear in **RSS channels**.

Rss channels

Find

find

ID	name	description	url	Last update	refresh	action
1	Slashdot	News for nerds.	http://slashdot.org/slashdot.rdf	Mon 18 Aug 2003 [02:32 pm]	60 min	remove edit view
5	Salon	Salon: Arts & Entertainment	http://xml.newsisfree.com/feeds/83/783.xml	Sun 17 Aug 2003 [07:48 pm]	360 min	remove edit view

- In this example we have 2 feeds configured:
 - The Slashdot feed is refreshed each 60 minutes and the URI is <http://slashdot.org/slashdot.rdf>
 - The Salon feed is refreshed each 360 minutes and the URL is <http://xml.newsisfree.com/feeds/83/783.xml>
- The righthand column of this table contains **actions** you can do to your channels: **remove**, **edit**, and **view**.
 - Clicking **view** previews the feed--showing a bullet list of a site's content. E.g., from Slashdot:

Content for the feed

- [New WiFi Standards, Double the Data?](#)
- [Sony Shoots For 4-Filter CCD, 8 Megapixel Camera](#)
- [Debian: A Brief Retrospective](#)
- [World's First Game-Playing DNA Computer](#)
- [RPC DCOM Cleanup Worm Appears](#)
- [G5s Start Shipping](#)
- [Ask a Music Producer/Publicist About Filesharing and the RIAA](#)
- [The Death of A Universe](#)
- [Profile of An Internet Bookie](#)
- [Palm Reveals New Name](#)

- **RSS Channels** also shows the last time the feed was updated. Unlike other weak Feeds systems, Tiki won't crunch the cache if it cannot connect to the external site when it needs to refresh it. If a site goes down, Tiki will show the last cached version of

the feed without errors or problems to your site.

- Note that the **RSS channels** panel also assigns an **ID** number to each channel. You'll use this to import Feeds feeds into your Tiki.

RSS own Tikiwiki feeds

- tiki-tracker_rss.php with the following parameters

trackerId	Id of the tracker		
sort_mode			
filterfield	fieldId separated by : you want the items filtered with		
filtervalue	the associated 'like' filtered values		
exactvalue	teh associated exact filtered values		
status	o or op or opc or pc or p or c		
hold	y or n	if n do not show the tracker Id information	Default: y

Incorporate Feeds Channels Into Your Tiki

User Modules

Now your Tiki is ready to receive Feeds feeds. So, how do you insert them into your site? If you'd like to have them appear as a module in one of your columns, you must create a new user module. For full information on module creation, please see Module Admin.

As an admin-level user, click the **Modules** link from the **Admin (click!)** section of the **Application** menu to enter the **Admin Modules** screen. Scroll down to the **Create new user module** panel.

First time administrators of Tiki may think that this means you are creating a module for a *new user*. But no! You are creating a *user module* for the first time--that is, a new one!

Create new user module Use wysiwyg editor		Objects that can be included	
Name	<input type="text" value="Slashdot"/>	Available polls:	<input type="text" value="use poll"/>
Title	<input type="text" value="Slashdot News"/>	Random image from:	<input type="text" value="All galleries"/> <input type="text" value="use gallery"/>
Data	<pre> {rss id=1 max=5} </pre>	Dynamic content blocks:	<input type="text" value="use dynamic content"/>
		RSS modules:	<input type="text" value="Slashdot"/> <input type="text" value="use rss module"/>
		Menus:	<input type="text" value="use menu"/>
		Banner zones:	<input type="text" value="use banner zone"/>
<input type="button" value="create/edit"/>			

Enter:

- A **Name** for your module, which will be used to identify it later.
 - E.g., *Slashdot*
- A **Title**, which will appear on screen when the module is displayed.

- E.g., *Slashdot News*
- **data**, that is, a bit of code~~HTML-permitted~~that incorporates your channel(s) into the module. RSS-channel data is displayed using the following syntax (remember the **ID** number that we created for each Feeds channel?):
 - Replace x with the **ID** number of the channel.
 - Replace y with the maximum number of items that you want displayed.
 - In this example, we've used the channel-feed **ID** number for Slashdot on our system and limited it to five items.
 - Tiki will automate this process for you:
 - From the **Objects that can be included** side of the panel, pick a channel from the drop-down list labelled **RSS modules**. Then click the link, **use rss module** to automatically insert the channel data into the **data** box.
 - *However*, it will not set a *max* number for you.
 - You may now embellish the module data by adding HTML tags. In this example, we wanted the Slashdot headlines to be numbered and so we added a *ordered list* tag to it.
 - Tiki provides a basic WYSIWYG (*What You See Is What You Get*) editor to facilitate HTML coding. Click **Use wysiwyg editor** to try it out.
 - **Tip:** You can include more than one Feeds channel in a single module.
- Click **create/edit** to complete the module-creation step.

Next, you must tell Tiki where to display this new module. In other words, you must *assign* it to the Tiki layout.

Assign new module

Module Name	Slashdot
Position	left
Order	11
Cache Time (secs)	0
Rows	10
Parameters	
Groups	<div> Registered Editor Anonymous Admin </div>
<div> <div>preview</div> <div>assign</div> </div>	

- Once you've create your Feeds user module, it'll appear in the **Module name** drop-down list in the **Assign new module** panel. Select it.
- Decide on its **Position** in the left, center or right column of your Tiki.
- Give it a number to determine its relative **Order** (top to bottom) in the column.
- Select which **Groups** will be permitted to see this module. Select more than one group by Control-clicking.
 - Group permissions are explained further in PermissionAdmin.
- Click **preview** to see what your module will look like. When you're satisfied, click **assign**.
 - For example, here's how our Slashdot module turned out:



Once it's been assigned, it'll appear in the **Assigned Modules** panel, where it may be **edited**, moved **up/down**, or deleted (the **x** link).

Assigned Modules

					Left Modules
name	order	cache	rows	groups	action
login_box	2	0	10	Registered Anonymous	edit up down x
application_menu	3	0	0	Registered Anonymous	edit up down x

					Right Modules
name	order	cache	rows	groups	action
search_box	1	0	10	Registered Anonymous	edit up down x
who_is_there	1	0	10	Anonymous	edit up down x
Slashdot	11	0	10	Anonymous	edit up down x

Wiki Pages

You can include Feeds channels in a Wiki page through the same syntax as in modules (using PluginRSS):

```
{rss id=x max=2}
```

Search results as a feed

Since 2011 (r35006 for Tiki 7?) you can access search results as a simple RSS feed using an extra `httpaccept` parameter. Note the plus sign and slash in the mime type `application/rss+xml` need to be url encoded.

```
tiki-searchindex.php?httpaccept=application%2Frss%2Bxml&filter~content=foo
```

See also

- [Article Generator](#)

Alias

- RSS User