

Global Features

Overview

Enables mature, stable end user features

To Access

From the [Features](#) page, click the **Global Features** tab.

Note

After enabling specific permissions, be sure to configure the necessary [permissions](#) so users can use the feature.

Related Topics

- [Features](#)
- [Permissions](#)

Option

[Wiki](#)

[File gallery](#)

[Blog](#)

Description

Pages and collaboratively authored documents with edit history.

Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability

Online diaries or journals.

Default

Enabled

Enabled

Disabled

Option

Articles

Forums

Trackers

Calendar

Description

Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."

Threaded or flat discussions.

Database and form generator

Events calendar with public, private and group channels.

Default

Disabled

Disabled

Enabled

Disabled

Option

Unified search index

Category

Tags

Description

Enables searching for content at the site using a Tiki-managed index.

It's recommended to set a cron job to periodically rebuild the search index.

Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access

Enables tags to be set on pages and other items for freeform categorization.

Default

Enabled

Enabled

Disabled

Option

Polls

Quizzes

Surveys

Newsletters

Shoutbox

Minichat

Description

Presentation of a set of votable options, typically displayed in a module

Sets of questions that can be presented, with the sessions timed and the scores recorded. 🧪

Create questionnaires with multiple-choice or open-ended questions

Content mailed to registered users or other subscribers.

Quick comment (graffiti) box. Like a group chat, but not in real time.

Real-time group text chatting enabled through a module.

Default

Disabled

Disabled

Disabled

Disabled

Disabled

Disabled

Option

Live support system

Machine learning

Tiki manager

Storage path

Description

One-on-one chatting with customer 🧪

Define machine learning models, train them and run queries against them.

Use local Tiki Manager to install, upgrade, clone and manage local or remote Tikies.

The path where Tiki Manager will store internal data, backups, logs. It is recommended to be outside document root.

👉 *Default: storage/tiki-manager*

Default

Disabled

Disabled

Disabled

None

Option

Stats

Action log

Scheduler

Banners

Contribution

Description

Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)

Provides the ability to track the actions of users and produce reports on a per-user or per-category basis.

Provides the ability to run tasks at a scheduled time.

Insert, track, and manage advertising banners.

Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports.

Default

Disabled

Enabled

Enabled

Disabled

Disabled

Option

Copyright


Communications (send/receive objects)

Dynamic content system

Perspectives

Description

Use the Copyright Management System (or
©™ ©š¬…;©,¬;š,©MS)
to display the license of your content

Send/receive wiki pages and articles between Tiki-
powered sites 

Block of content which can be reused and programmed
(timed)

Permits overriding of preferences.

Default

Disabled

Disabled

Disabled

Disabled

Option

Search engine friendly URL

HTML pages

Areas

Tiki suggestions

Description

If the site is using Apache, you can rename `_htaccess` as `.htaccess` to use short URLs. On IIS, rename `web_config` as `web.config`

Static and dynamic HTML content

⚠ *HTML can be used in wiki pages. This is a separate feature.* 🧪

Binding categories and perspectives to each other 🧪

Tiki suggestions displayed once per login session based on a list of rules

Default

Disabled

Disabled

Disabled

Disabled

Option

Templated Groups

Mautic Integration

User watches

Description

Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed.

Enable the feature here but configure it elsewhere

Receive email notification of changes. Each user can choose to be notified of changes to specific items

Default

Disabled

Disabled

Disabled

Option

Group watches

Daily reports for user watches

Enable daily reports for new users

User watches translations

Description

All users in a group selected by a users admin (tiki_p_admin_users) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group

Allows you to schedule daily reports of watches to be sent (batched) at specific times.

Determines if daily reports will be automatically enabled for new users.

Default

Disabled

Disabled

Disabled

Disabled

Option

User watches languages

Group alert

Object maintainers and freshness

Default update frequency

Spreadsheet

Description

Watch language-specific changes within a category.

With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes 🖌️

Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used.

Default number of days for object update frequency.

Spreadsheets with calculations and charts

Default

Disabled

Disabled

Disabled

90 days

Disabled

Option

Directory

Draw (SVG edit)

Draw (SVG edit) hide buttons

Separate base image

Description

User-submitted Web links

Draw enables creating and editing SVG images in all wiki text areas

Hide buttons in Draw, HTML id, comma-separated.

👉 *Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper"* 🧪

Leaves the initially edited image as a separate file and stores the drawing separately 🧪

Default

Disabled

Disabled

None

Disabled

Option

Draw in user file gallery

Tiki user credits

Accounting

Payment

Social networks

Share

Description

Users' drawings are stored in their user files gallery 🧪

Double-entry accounting system 🧪

Feature for tracking and managing payment requests

Integration with social applications and networks like
Twitter and Facebook

Add a "Share" link in all pages to send it via email,
Twitter, Facebook, message or forums

⚠️ *Be careful when allowing anonymous users to activate
the antibot feature.*

Default

Disabled

Disabled

Disabled

Disabled

Disabled

Disabled

Option

Webmail

Mail-in

Docs (WebODF)

Slideshow (reveal.js)

Slideshow (reveal.js) PDF export

Description

Provides a webmail interface for site users' own IMAP or POP accounts. 🧪

Create and publish wiki pages and articles via email

Docs enables viewing and editing Open Document Format files 🧪

Create simple presentations via Wiki Syntax.

Wiki page based slideshow to pdf export 🧪

Default

Disabled

Disabled

Disabled

Disabled

Disabled

Option

FAQs

Progressive Web Application Mode

Description

Frequently asked questions and answers

⚠ *There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.* 🧪

Allow Tiki to be used offline and be installed in a mobile device.

⚠ *Experimental feature.*

Only Wiki pages and Trackers are available offline for now. 🧪

Default

Disabled

Disabled

Option

Links to cache in PWA Mode

Tiki connect

Kaltura video management

Description

List of links to be cached when PWA is enabled

⚠ *Experimental feature.*

Connect your Tiki with the community by sending anonymised statistical data to tiki.org

⚠ *This feature is still under development.* 🧪

Integration with the Kaltura video management platform

Default

None

Disabled

Disabled

Option

Zotero bibliography


Zotero client key

Zotero client secret

Zotero group ID

Description

Connect Tiki to the [Zotero](#) online bibliography management system.

 *You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.*

Required identification key. Registration required.

Required identification key. Registration required.

Numeric ID of the group, can be found in the URL.

Default

Disabled

None

None

None

Option

Zotero reference style

Enable Web Monetization

Default payment pointer

Enable for all pages

Always use default site pointer

Description

Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server.

Enable Web Monetization showing a message in page header. 🧪

Payment pointer to stream the payments. 🧪

Enable Web Monetization in all website pages. 🧪

Always use default Web Monetization site pointer, even when users add their username. 🧪

Default

None

Disabled

None

Disabled

Disabled

Option

Default paywall text

Description

Default text to be used in web monetized content
paywall. 🧪

Default

None

Unable to load the jQuery Sortable Tables feature.

Option

Wiki

File gallery

Blog

Description

Pages and collaboratively authored documents with edit history.

Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability

Online diaries or journals.

Default

Enabled

Enabled

Disabled

Option

Articles

Forums

Trackers

Calendar

Description

Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."

Threaded or flat discussions.

Database and form generator

Events calendar with public, private and group channels.

Default

Disabled

Disabled

Disabled

Disabled

Option

Unified search index

Category

Tags

Description

Enables searching for content at the site using a Tiki-managed index.

It's recommended to set a cron job to periodically rebuild the search index.

Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access

Enables tags to be set on pages and other items for freeform categorization.

Default

Enabled

Disabled

Disabled

Option

Polls

Quizzes

Surveys

Newsletters

Shoutbox

Minichat

Description

Presentation of a set of votable options, typically displayed in a module

Sets of questions that can be presented, with the sessions timed and the scores recorded. 🧪

Create questionnaires with multiple-choice or open-ended questions

Content mailed to registered users or other subscribers.

Quick comment (graffiti) box. Like a group chat, but not in real time.

Real-time group text chatting enabled through a module.

Default

Disabled

Disabled

Disabled

Disabled

Disabled

Disabled

Option

Live support system

Machine learning

Tiki manager

Storage path

Description

One-on-one chatting with customer 🧪

Define machine learning models, train them and run queries against them.

Use local Tiki Manager to install, upgrade, clone and manage local or remote Tikies.

The path where Tiki Manager will store internal data, backups, logs. It is recommended to be outside document root.

👉 *Default: storage/tiki-manager*

Default

Disabled

Disabled

Disabled

None

Option

Stats

Action log

Scheduler

Banners

Contribution

Description

Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)

Provides the ability to track the actions of users and produce reports on a per-user or per-category basis.

Provides the ability to run tasks at a scheduled time.

Insert, track, and manage advertising banners.

Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports.

Default

Disabled

Enabled

Enabled

Disabled

Disabled

Option

Copyright

Communications (send/receive objects)

Dynamic content system

Perspectives

Description

Use the Copyright Management System (or
©™ ©š¬…;©,¬;š,©MS)
to display the license of your content

Send/receive wiki pages and articles between Tiki-
powered sites

Block of content which can be reused and programmed
(timed)

Permits overriding of preferences.

Default

Disabled

Disabled

Disabled

Disabled

Option

Search engine friendly URL

HTML pages



HTML feed


Areas

Description

If the site is using Apache, you can rename `_htaccess` as `.htaccess` to use short URLs. On IIS, rename `web_config` as `web.config`

Static and dynamic HTML content

 *HTML can be used in wiki pages. This is a separate feature.* 

A way to transfer HTML content from one Tiki site to another 

Binding categories and perspectives to each other 

Default

Disabled

Disabled

Disabled

Disabled

Option

Tiki suggestions

Templated Groups

Mautic Integration

User watches

Description

Tiki suggestions displayed once per login session based on a list of rules

Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed.

Enable the feature here but configure it elsewhere

Receive email notification of changes. Each user can choose to be notified of changes to specific items

Default

Disabled

Disabled

Disabled

Disabled

Option

Group watches

Daily reports for user watches

Enable daily reports for new users

User watches translations

Description

All users in a group selected by a users admin (tiki_p_admin_users) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group

Allows you to schedule daily reports of watches to be sent (batched) at specific times.

Determines if daily reports will be automatically enabled for new users.

Default

Disabled

Disabled

Disabled

Disabled

Option

User watches languages

Group alert

Object maintainers and freshness

Default update frequency

Spreadsheet

Description

Watch language-specific changes within a category.

With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes 🖌️

Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used.

Default number of days for object update frequency.

Spreadsheets with calculations and charts

Default

Disabled

Disabled

Disabled

90 days

Disabled

Option

Directory

Draw (SVG edit)

Draw (SVG edit) hide buttons

Separate base image

Description

User-submitted Web links

Draw enables creating and editing SVG images in all wiki text areas

Hide buttons in Draw, HTML id, comma-separated.

👉 *Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper"* 🧪

Leaves the initially edited image as a separate file and stores the drawing separately 🧪

Default

Disabled

Disabled

None

Disabled

Option

Draw in user file gallery

Tiki user credits

Accounting

Payment

Social networks

Share

Description

Users' drawings are stored in their user files gallery 🧪

Double-entry accounting system 🧪

Feature for tracking and managing payment requests

Integration with social applications and networks like
Twitter and Facebook

Add a "Share" link in all pages to send it via email,
Twitter, Facebook, message or forums

⚠️ *Be careful when allowing anonymous users to activate
the antibot feature.*

Default

Disabled

Disabled

Disabled

Disabled

Disabled

Disabled

Option

Webmail

Mail-in

Docs (WebODF)

Slideshow (reveal.js)

Slideshow (reveal.js) PDF export

Description

Provides a webmail interface for site users' own IMAP or POP accounts. 🧪

Create and publish wiki pages and articles via email

Docs enables viewing and editing Open Document Format files 🧪

Create simple presentations via Wiki Syntax.

Wiki page based slideshow to pdf export 🧪

Default

Disabled

Disabled

Disabled

Disabled

Disabled

Option

FAQs

Progressive Web Application Mode

Description

Frequently asked questions and answers

⚠ *There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.* 🧪

Allow Tiki to be used offline and be installed in a mobile device.

⚠ *Experimental feature.*

Only Wiki pages and Trackers are available offline for now. 🧪

Default

Disabled

Disabled

Option

Links to cache in PWA Mode

Tiki connect

Kaltura video management

Description

List of links to be cached when PWA is enabled

⚠ *Experimental feature.*

Connect your Tiki with the community by sending anonymised statistical data to tiki.org

⚠ *This feature is still under development.* 🧪

Integration with the Kaltura video management platform

Default

None

Disabled

Disabled

Option

Zotero bibliography


Zotero client key

Zotero client secret

Zotero group ID

Description

Connect Tiki to the [Zotero](#) online bibliography management system.

 *You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.*

Required identification key. Registration required.

Required identification key. Registration required.

Numeric ID of the group, can be found in the URL.

Default

Disabled

None

None

None

Option

Zotero reference style

Enable Web Monetization

Default payment pointer

Enable for all pages

Always use default site pointer

Description

Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server.

Enable Web Monetization showing a message in page header. 🧪

Payment pointer to stream the payments. 🧪

Enable Web Monetization in all website pages. 🧪

Always use default Web Monetization site pointer, even when users add their username. 🧪

Default

None

Disabled

None

Disabled

Disabled

Option

Default paywall text

Description

Default text to be used in web monetized content
paywall. 🧪

Default

None

Unable to load the jQuery Sortable Tables feature.

Option

Wiki

File gallery

Blog

Description

Pages and collaboratively authored documents with edit history.

Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability

Online diaries or journals.

Default

Enabled

Enabled

Disabled

Option

Articles

Forums

Trackers

Calendar

Description

Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."

Threaded or flat discussions.

Database and form generator

Events calendar with public, private and group channels.

Default

Disabled

Disabled

Disabled

Disabled

Option

Unified search index

Category

Tags

Description

Enables searching for content at the site using a Tiki-managed index.

It's recommended to set a cron job to periodically rebuild the search index.

Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access

Enables tags to be set on pages and other items for freeform categorization.

Default

Enabled

Disabled

Disabled

Option

Polls

Quizzes

Surveys

Newsletters

Shoutbox

Minichat

Description

Presentation of a set of votable options, typically displayed in a module

Sets of questions that can be presented, with the sessions timed and the scores recorded. 🧪

Create questionnaires with multiple-choice or open-ended questions

Content mailed to registered users or other subscribers.

Quick comment (graffiti) box. Like a group chat, but not in real time.

Real-time group text chatting enabled through a module.

Default

Disabled

Disabled

Disabled

Disabled

Disabled

Disabled

Option

Live support system

Machine learning

Stats

Action log

Scheduler

Banners

Description

One-on-one chatting with customer 🧪

Define machine learning models, train them and run queries against them.

Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)

Provides the ability to track the actions of users and produce reports on a per-user or per-category basis.

Provides the ability to run tasks at a scheduled time.

Insert, track, and manage advertising banners.

Default

Disabled

Disabled

Disabled

Enabled

Enabled

Disabled

Option

Contribution

Copyright

Communications (send/receive objects)

Description

Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports.

Use the Copyright Management System (or [Creative Commons™ Attribution-NonCommercial-ShareAlike license](#); [Creative Commons, Attribution-NonCommercial-ShareAlike license](#)) to display the license of your content

Send/receive wiki pages and articles between Tiki-powered sites

Default

Disabled

Disabled

Disabled

Option

Dynamic content system

Perspectives

Search engine friendly URL

HTML pages


Description

Block of content which can be reused and programmed (timed)

Permits overriding of preferences.

If the site is using Apache, you can rename `_htaccess` as `.htaccess` to use short URLs. On IIS, rename `web_config` as `web.config`

Static and dynamic HTML content

 *HTML can be used in wiki pages. This is a separate feature.* 

Default

Disabled

Disabled

Disabled

Disabled

Option

HTML feed

Areas

Tiki suggestions

Templated Groups

Description

A way to transfer HTML content from one Tiki site to another 🖌️

Binding categories and perspectives to each other 🧪

Tiki suggestions displayed once per login session based on a list of rules

Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed.

Default

Disabled

Disabled

Disabled

Disabled

Option

User watches

Group watches

Daily reports for user watches

Description

Receive email notification of changes. Each user can choose to be notified of changes to specific items

All users in a group selected by a users admin (tiki_p_admin_users) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group

Allows you to schedule daily reports of watches to be sent (batched) at specific times.

Default

Disabled

Disabled

Disabled

Option

Enable daily reports for new users

User watches translations

User watches languages

Group alert

Description

Determines if daily reports will be automatically enabled for new users.

Watch language-specific changes within a category.

With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes 🖌️

Default

Disabled

Disabled

Disabled

Disabled

Option

Object maintainers and freshness

Default update frequency

Spreadsheet

Directory

Draw (SVG edit)

Description

Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used.

Default number of days for object update frequency.

Spreadsheets with calculations and charts

User-submitted Web links

Draw enables creating and editing SVG images in all wiki text areas

Default

Disabled

90 days

Disabled

Disabled

Disabled

Option

Draw (SVG edit) hide buttons

Separate base image

Draw in user file gallery

Tiki user credits

Accounting

Description

Hide buttons in Draw, HTML id, comma-separated.

👉 *Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper"* 🧪

Leaves the initially edited image as a separate file and stores the drawing separately 🧪

Users' drawings are stored in their user files gallery 🧪

Double-entry accounting system 🧪

Default

None

Disabled

Disabled

Disabled

Disabled

Option

Payment

Social networks

Share

Webmail

Mail-in

Description

Feature for tracking and managing payment requests

Integration with social applications and networks like Twitter and Facebook

Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums

⚠ *Be careful when allowing anonymous users to activate the antibot feature.*

Provides a webmail interface for site users' own IMAP or POP accounts. 🧪

Create and publish wiki pages and articles via email

Default

Disabled

Disabled

Disabled

Disabled

Disabled

Option

Docs (WebODF)

Slideshow (reveal.js)

Slideshow (reveal.js) PDF export

FAQs

Description

Docs enables viewing and editing Open Document Format files 🧪

Create simple presentations via Wiki Syntax.

Wiki page based slideshow to pdf export 🧪

Frequently asked questions and answers

⚠️ There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs. 🧪

Default

Disabled

Disabled

Disabled

Disabled

Option

Progressive Web Application Mode

Links to cache in PWA Mode

Tiki connect

Description

Allow Tiki to be used offline and be installed in a mobile device.

⚠ *Experimental feature.*

Only Wiki pages and Trackers are available offline for now. 🧪

List of links to be cached when PWA is enabled

⚠ *Experimental feature.*

Connect your Tiki with the community by sending anonymised statistical data to tiki.org

⚠ *This feature is still under development.* 🧪

Default

Disabled

None

Disabled

Option

Kaltura video management

Zotero bibliography

Zotero client key


Zotero client secret

Zotero group ID

Description

Integration with the Kaltura video management platform

Connect Tiki to the [Zotero](#) online bibliography management system.

 *You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.*

Required identification key. Registration required.

Required identification key. Registration required.

Numeric ID of the group, can be found in the URL.

Default

Disabled

Disabled

None

None

None

Option

Zotero reference style

Enable Web Monetization

Default payment pointer

Enable for all pages

Always use default site pointer

Description

Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server.

Enable Web Monetization showing a message in page header. 🧪

Payment pointer to stream the payments. 🧪

Enable Web Monetization in all website pages. 🧪

Always use default Web Monetization site pointer, even when users add their username. 🧪

Default

None

Disabled

None

Disabled

Disabled

Option

Default paywall text

Description

Default text to be used in web monetized content
paywall. 🧪

Default

None

Unable to load the jQuery Sortable Tables feature.

Option

Wiki

File gallery

Blog

Description

Pages and collaboratively authored documents with edit history.

Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability

Online diaries or journals.

Default

Enabled

Enabled

Disabled

Option

Articles

Forums

Trackers

Calendar

Description

Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."

Threaded or flat discussions.

Database and form generator

Events calendar with public, private and group channels.

Default

Disabled

Disabled

Disabled

Disabled

Option

Unified search index

Category

Tags

Description

Enables searching for content at the site using a Tiki-managed index.

It's recommended to set a cron job to periodically rebuild the search index.

Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access

Enables tags to be set on pages and other items for freeform categorization.

Default

Enabled

Disabled

Disabled

Option

Polls

Quizzes

Surveys

Newsletters

Shoutbox

Minichat

Description

Presentation of a set of votable options, typically displayed in a module

Sets of questions that can be presented, with the sessions timed and the scores recorded. 🧪

Create questionnaires with multiple-choice or open-ended questions

Content mailed to registered users or other subscribers.

Quick comment (graffiti) box. Like a group chat, but not in real time.

Real-time group text chatting enabled through a module.

Default

Disabled

Disabled

Disabled

Disabled

Disabled

Disabled

Option

Live support system

Stats

Action log

Scheduler

Banners

Description

One-on-one chatting with customer 🧪

Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)

Provides the ability to track the actions of users and produce reports on a per-user or per-category basis.

Provides the ability to run tasks at a scheduled time.

Insert, track, and manage advertising banners.

Default

Disabled

Disabled

Enabled

Enabled

Disabled

Option

Contribution

Copyright

Communications (send/receive objects)

Description

Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports.

Use the Copyright Management System (or [Creative Commons™ Attribution-NonCommercial-ShareAlike license](#); [Creative Commons, Attribution-NonCommercial-ShareAlike license](#)) to display the license of your content

Send/receive wiki pages and articles between Tiki-powered sites

Default

Disabled

Disabled

Disabled

Option

Dynamic content system

Perspectives

Search engine friendly URL

HTML pages


Description

Block of content which can be reused and programmed (timed)

Permits overriding of preferences.

If the site is using Apache, you can rename `_htaccess` as `.htaccess` to use short URLs. On IIS, rename `web_config` as `web.config`

Static and dynamic HTML content

 *HTML can be used in wiki pages. This is a separate feature.* 

Default

Disabled

Disabled

Disabled

Disabled

Option

HTML feed

Areas

Templated Groups

User watches

Description

A way to transfer HTML content from one Tiki site to another 🖌️

Binding categories and perspectives to each other 🧪

Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed.

Receive email notification of changes. Each user can choose to be notified of changes to specific items

Default

Disabled

Disabled

Disabled

Disabled

Option

Group watches

Daily reports for user watches

Enable daily reports for new users

User watches translations

Description

All users in a group selected by a users admin (tiki_p_admin_users) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group

Allows you to schedule daily reports of watches to be sent (batched) at specific times.

Determines if daily reports will be automatically enabled for new users.

Default

Disabled

Disabled

Disabled

Disabled

Option

User watches languages

Group alert

Object maintainers and freshness

Default update frequency

Spreadsheet

Description

Watch language-specific changes within a category.

With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes

Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used.

Default number of days for object update frequency.

Spreadsheets with calculations and charts

Default

Disabled

Disabled

Disabled

90 days

Disabled

Option

Directory

Draw (SVG edit)

Draw (SVG edit) hide buttons

Separate base image

Description

User-submitted Web links

Draw enables creating and editing SVG images in all wiki text areas

Hide buttons in Draw, HTML id, comma-separated.

👉 *Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper"* 🧪

Leaves the initially edited image as a separate file and stores the drawing separately 🧪

Default

Disabled

Disabled

None

Disabled

Option

Draw in user file gallery

Tiki user credits

Accounting

Payment

Social networks

Share

Description

Users' drawings are stored in their user files gallery 🧪

Double-entry accounting system 🧪

Feature for tracking and managing payment requests

Integration with social applications and networks like
Twitter and Facebook

Add a "Share" link in all pages to send it via email,
Twitter, Facebook, message or forums

⚠️ *Be careful when allowing anonymous users to activate
the antibot feature.*

Default

Disabled

Disabled

Disabled

Disabled

Disabled

Disabled

Option

Webmail

Mail-in

Docs (WebODF)

Slideshow (reveal.js)

Slideshow (reveal.js) PDF export

Time sheet

Description

Provides a webmail interface for site users' own IMAP or POP accounts. 🧪

Create and publish wiki pages and articles via email

Docs enables viewing and editing Open Document Format files 🧪

Create simple presentations via Wiki Syntax.

Wiki-page-based slideshow to pdf export 🧪

A project time manager 🗓️

Default

Disabled

Disabled

Disabled

Disabled

Disabled

Disabled

Option

FAQs

Image gallery

Description

Frequently asked questions and answers

⚠ *There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.* 🧪

Collections of images for viewing or downloading (photo albums) 🖌️

Default

Disabled

Disabled

Option

Progressive Web Application Mode

Tiki connect

Kaltura video management

Description

Allow Tiki to be used offline and be installed in a mobile device.

⚠ *Experimental feature.*

Only Wiki pages and Trackers are available offline for now. 🧪

Connect your Tiki with the community by sending anonymised statistical data to tiki.org

⚠ *This feature is still under development.* 🧪

Integration with the Kaltura video management platform

Default

Disabled

Disabled

Disabled

Option

Zotero bibliography


Zotero client key

Zotero client secret

Zotero group ID

Description

Connect Tiki to the [Zotero](#) online bibliography management system.

 *You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.*

Required identification key. Registration required.

Required identification key. Registration required.

Numeric ID of the group, can be found in the URL.

Default

Disabled

None

None

None

Option

Zotero reference style

Description

Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server.

Default

None

Unable to load the jQuery Sortable Tables feature.