

# Greffon Countdown

Ce greffon Wiki affiche un compte-à-rebours pour une date future depuis une date dans le passé, ainsi qu'un texte par défaut ou personnalisé, le cas échéant.

Voir également : [PluginCountup](#)

## Paramètres

Display the time until or after a date and time

*Introduced in Tiki 1. Required parameters are in **bold**.*

[Go to the source code](#)

*Preferences required:* `wikiplugin_countdown`

### Parameters

(body of plugin)

**enddate**

## Accepted Values

datetime

## Description

Text to append to the countdown.

Target date and time. Multiple formats accepted.

Default	Since
---------	-------

	1
--	---

caldays

since

(blank)

y

n

(blank)

y

n

Will use calendar day difference when set to Yes (**y**) and time units are not shown. Result is that tomorrow, for example, is always shown as a one day away even if less than 24 hours from now. No (**n**) is the default.

If Yes (**y**), will display amount of time since the event (default). If No (**n**) and if there is body text, will display "is over" or custom text set in text parameter after body text.

n

9.0

4.2





show

(blank)| y| yo| yod| yodh| yodhm| yodhms| o| od| odh|  
odhm| odhms| d| dh| dhm| dhms| h| hm| hms| m| ms| s

Select: **y**=years, **o**=months, **d**=days, **h**=hours,  
**m**=minutes, **s**=seconds. Enter multiple values as: **yodhms**.  
Must be in the order of descending length, and a time  
unit should not be skipped. If blank, the time is shown  
down to the hour if not zero.

4.2

---

text



Text that will show with the countdown and body text. Set to `default` or leave empty to show "xxx days until/since `body text`", except that if the since parameter is set to No (`n`), "`body text` is over" will show after the end date has passed. Also, if no time is shown because of the time units being displayed (for example, only years are shown and it's less than a year before/after the end date) then "`body text` will happen in less than a year/happened in the last year" will show. Or set pipe-separated custom text as follows: `before date|before date by less than shortest time unit shown|after date |after date by less than shortest time unit shown|after date and since set to No (n)`. Set to `silent` for no text.

9.0



thousands

---

(blank)

c

p

s

---

Set the thousands separator for results of 1,000 or more.  
Choices are comma (**c**), decimal (**d**), space (**s**), or leave blank for no separator.

---

9.0

## Exemples

1. *Ce code,*  
{COUNTDOWN(enddate="01-Apr-2020")} le projet est terminÃ© !  
\_\_  
{COUNTDOWN}

→ *Produira :*  
**le projet est terminÃ© !**  
is over

2. Ce code,  
{COUNTDOWN(enddate="2020-03-05  
T22:00" show="m")} \_\_ le projet est  
terminé ! \_\_ {COUNTDOWN}

→ Produira :  
**le projet est  
terminé**  
! is over

3. Ce code,  
{COUNTDOWN(enddate="01-  
Apr-2020" caldays="y" show="yod")}  
\_\_ le projet est terminé ! \_\_  
{COUNTDOWN}

→ Produira :  
**le projet est  
terminé**  
! is over

ⓘ Note pour l'exemple ci-dessus

Utiliser `caldays` pour compter les jours du calendrier  
même s'il s'agit de moins de 24 heures

4. Ce code,

→ Produira :

Si vous souhaitez rafraîchir automatiquement la page toutes les 60 secondes, vous pouvez utiliser ce code :

---

```
{HTML()} {HTML}
```

Vous pouvez utiliser un module JavaScript ou jQuery pour automatiser cette opération, ou peut-être un appel Ajax pour le module .... Si vous trouvez une meilleure méthode que celle décrite ci-dessus, n'hésitez pas à la documenter ici.