

Jitsi tab

Overview

[Jitsi Desktop](#) is an open source instant messaging client, which is different than [Jitsi Meet](#)

To Access

From the [Connect](#) page, click the **Jitsi** tab.

Option

[Expose Jitsi provision URL](#)

Jitsi configuration

Description

Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.

Content of a Jitsi-format Java properties file

Default

Disabled

None

Unable to load the jQuery Sortable Tables feature.

Option

Expose Jitsi provision URL

Jitsi configuration

Description

Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.

Content of a Jitsi-format Java properties file

Default

Disabled

None

Unable to load the jQuery Sortable Tables feature.

Option

Expose Jitsi provision URL

Jitsi configuration

Description

Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.

Content of a Jitsi-format Java properties file

Default

Disabled

None

Unable to load the jQuery Sortable Tables feature.

Option

Expose Jitsi provision URL

Jitsi configuration

Description

Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.

Content of a Jitsi-format Java properties file

Default

Disabled

None

Unable to load the jQuery Sortable Tables feature.

Option

Expose Jitsi provision URL

Jitsi configuration

Description

Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.

Content of a Jitsi-format Java properties file

Default

Disabled

None

Unable to load the jQuery Sortable Tables feature.

JITSI INFO


Since Tiki 12.3 and [Tiki13](#), Tiki has a light integration to help with deployment of the Jitsi desktop client in organizations by providing a URL for [Jitsi provisioning](#).

You can use this to centrally manage configurations for all Jitsi clients in your organizations. Examples:

- All users to join a group chat
- Deactivate some Jitsi features
- etc.

At this time, `${username}` and `${password}` are a simple pass-through to auto-configure the accounts.

SCREENSHOT



Click to expand

RELATED LINKS

- <https://desktop.jitsi.org/Documentation/Provisioning>
- <https://desktop.jitsi.org/Documentation/ConfigureJitsiWithProvisioning>

