

# MemberList í”ŒëŸ¬ê· „ì„

í°í, ì4 ì—ì,, æ itŒê°æë“

ì,, ífëœ ê·, ëfì~ ë©æë², ë“æì,, ë, ~ì—’í•~ê³ ê¶Œí•œì‘ ë¶€ì—¬œæ ê²½ìš° ë©æë², ë¥¹/₄ ì¶”ê°€í•~ê±°ë, ~ì, ì œí•~ëŠ” ê²fi,,  
í—^ìš©

{memberlist groups="Group1; Group2"}

## ë§æê°œë³€ì^~

List and allow editing of group members

*Introduced in Tiki 4. Required parameters are in **bold**.*

[Go to the source code](#)

*Preferences required: wikiplugin\_memberlist*

| Parameters       | Accepted Values                  | Description  | Default   | Since |
|------------------|----------------------------------|--|-----------|-------|
| groups           | groupname<br><i>separator:</i> : | List of groups to handle through the interface (use * for all). Semi-colon separated.            |           | 4.0   |
| including        | groupname                        | Only groups including the group that you specify will be listed                                  |           | 8.0   |
| max              | digits                           | Maximum number of users to list in each group (default 100).                                     | 100       | 8.0   |
| membersOnly      | username                         | Show only groups containing a certain user. Enter to show groups for the current logged-in user. |           | 8.0   |
| sort_mode        | text                             | Sort mode for member listing.  | login_asc | 8.0   |
| showDescriptions | (blank)<br>y<br>n                | Display group descriptions below list name.  | n         | 8.0   |
| displayMode      | (blank)<br>tabs                  | How to show the member lists.  |           | 8.0   |

|                       |                           |   |   |      |
|-----------------------|---------------------------|---|---|------|
| showgroupname         | (blank)<br>y<br>n         | Display or hide group name  | y | 27.0 |
| email_to_added_user   | (blank)<br>y<br>n         |   | n | 14.0 |
| email_to_removed_user | (blank)<br>y<br>n         | Email notification to removed user  | n | 14.0 |
| readOnly              | (blank)<br>y<br>n         | Read only mode. All ability to modify membership is hidden.   | n | 8.0  |
| defaultGroup          | (blank)<br>n<br>both<br>y | Adds possibility to set group as default group. This automatically adds the user to the group. "Required" option will not propose simple addition in group. | n | 9.2  |

é°œë°œ ïi°í• ©: PluginMemberList

## Related pages

- Wiki Plugin - has links to all plugins and describes how the syntax works for a plugin
- Mods Type Wikiplugins
- PluginSubscribeGroup
- PluginSubscribeGroups

ë³ „ì¹

MembersListí"ŒëŸ¬ê·,ì, | ë©¤ë²,, ë!¬ìŠ¤íŠ, í"ŒëŸ¬ê·,ì, | êµ¬ì,,±ì> ë¤©ëi í"ŒëŸ¬ê·,ì, | êµ¬ì,,±ì>ë¤©ëi í"ŒëŸ¬ê·,ì,