### **Custom Menus**

#### More screenshots are needed

n Tiki you can use the admin-menus panel, or a wiki page, or a structure to create a custom menu. Menus and many othe hings can be placed into custom "user" modules using the Smarty {menu ...} syntax. The modules can then be placed in a left or right column or the syntax can be placed directly in the various custom code text areas of the Look & Feel admin anel. Menus can be plain, collapsible, you can create a menu where sections of a menu item can be expanded or collapse *i*thin a parent section (folder) or they can be displayed as dynamic menus with some fancy look and effects using CSS an jQuery.

Menu types are specified when the menus are assigned on the Admin Modules page. A menu can be a **Bootstrap** menu, which uses the Bootstrap CSS framework's navbar and dropdown construction, or a CSS **superfish** menu, or a **egacy** Tiki menu. The default difference in these is that the Bootstrap menu "parent" item requires a click to open the dropdown of child items, whereas the superfish menu opens when the pointer hovers over the parent. This means *the Bootstrap parent item can't be a link for navigation*; it's simply a switch to display the child items. On the other hand, the superfish menu's parent items, since they display the child items on hover, can be a navigation link on click. Also, in vertical Bootstrap menus, child items display straight down, whereas superfish menu "dropdowns" fly out norizontally. Finally, *Bootstrap menus are limited to two levels (parent and child)* (but see "Smartmenus" below), while superfish menus can have up to four levels. The type of menu is specified on the admin-modules page, when the menu-containing module is assigned to a module zone.

Since Tiki 20, **Smartmenus** functionality has been added to Tiki. Smartmenus enhance Bootstrap menus in these ways, among others:

- Dropdowns open on mouse hover rather than mouse click (in desktop mode).
- Multiple levels of dropdowns are supported.
- See Introduction to Smartmenus jQuery for the complete list.

To activate Smartmenus, go to the "Interface" tab of the "Features" admin page (tiki-

admin.php?page=features#contentadmin\_features-interface) . Smartmenus come with several themes or "modes", but for visual consistency with Tiki's themes, "None" should be selected. The feature is then automatically applied to every horizontal Bootstrap menu, such as in navbars. Support for vertical Bootstrap menus is still being worked out, s Stay tuned. In the meantime, superfish menus can be used to get the same behavior. When fully integrated, Bootstra + Smartmenus should make CSS superfish menus redundant.

#### × Tip

For an easy, community editable menu use Module menupage, which creates a menu from the menu construction content of a designated wiki page.

### Creating a Custom Menu

Go to Admin > Menus (or input the URL for your site ending with ./tiki-admin\_menus.php. Admin Menu: Site Maintainace • 3

review	w Menu	Edit Menu Op	otions		Some Useful UR	Ls
Home Statistic Categori FAQs E Wiki E Image E Article E Blogs E Forun E Links E File G	ies e Galleries es ns Directory alleries	Name: URL: Sections: Permissions: Groups: Type: Position: 1226			Images: Choose Articles: Choose Blogs: Choose 2	
H Quizz H Track H Admir	ers	Save			FAQs: Choose	
	Options					
earch		[119]		a Cartionr	Bamitriane	Course last
earch D Positi	ian Name	URL	Тур	e Sections	Permissions	
earch D Positi 2 0	ion Name Home	URL tiki-index.php	Тур			81
earch D Positi 2 0 2 5	ian Name Home Chat	URL tiki-index.php tiki-chat.php	Type o o	feature_chat	Permissions tiki_p_chat	87 87
earch D Positi 2 0 2 5 2 10	ion Name Home	URL bid-index.php bid-contact.php bid-contact.php	Тур	feature_chat feature_contact	tiki_p_chat	57 57 57
earch D Positi 2 0 2 5 2 10 2 15	ian Name Home Chat Contact Us Statistics	URL tiki-index.php tiki-chat.php	0 0 0	feature_chat	tiki_p_chat tiki_p_view_stats	57 57 57 57
earch 2 0 2 5 2 10 2 15 2 20	ian Name Home Chat Contact Us Statistics	URL bikindex.php bikindex.php bikindex.schp bikindex.schp bikindex.schp	0 0 0 0	feature_chat feature_contact feature_stats	tiki_p_chat tiki_p_view_stats tiki_p_view_categories	21 21 21 21 21
earch 2 0 2 5 2 10 2 15 2 20	ion Name Home Chat Contact Us Statistics Categories	URL tiki-index.php tiki-chat.php tiki-contact.php tiki-stats.php	0 0 0 0 0	feature_chat feature_contact feature_stats feature_categories	tiki_p_chat tiki_p_view_stats	
earch 2 0 2 5 2 10 2 15 2 20 2 25	ion Name Home Chat Contact Us Statistics Categories FAQs	URL bikiindex.php biki-contact.php bikii-stats.php bikii-browse_categories.php bikii-bit_faqs.php	0 0 0 0 0 0	feature_chat feature_contact feature_stats feature_stategories feature_faqs	tiki_p_chat tiki_p_view_stats tiki_p_view_categories tiki_p_view_faqs	
earch 2 0 2 5 2 10 2 15 2 20 2 25 2 30 2 35	ion Name Home Chat Contatt Us Statistics Categories FAQs Games	URL bikiindex.php bikii-contact.php bikii-stats.php bikii-browse_categories.php bikii-faqs.php bikii-faqs.php bikii-faq.php	0 0 0 0 0 0 0	feature_chat feature_contact feature_stats feature_categories feature_fags feature_games	tiki_p_chat tiki_p_view_stats tiki_p_view_categories tiki_p_view_faqs tiki_p_play_games	
earch 2 0 2 5 2 10 2 15 2 20 2 25 2 30	ion Name Home Chat Contact Us Statistics Categories FAQs Games Calendar	URL bikindex.php biki-chat.php biki-stats.php biki-browse_categories.php biki-list_faqs.php biki-list_games.php biki-calendar.php javascript.toggle	0 0 0 0 0 0 0 0	feature_contact feature_contact feature_stats feature_taqs feature_taqs feature_calendar	tiki_p_chat tiki_p_viow_stats tiki_p_viow_categories tiki_p_viow_faqs tiki_p_play_games tiki_p_viow_calendar	57 57 57 57 57 57 57
earch 2 0 2 5 2 10 2 15 2 20 2 25 2 30 2 35 2 40	ion Name Home Chat Contact Us Statistics Categories FAQs Games Calendar (debug) My Area	URL bikiindex.php bikiideat.php bikiistats.php bikiistats.php bikiistats.php bikiist_faqs.php bikiist_games.php bikiist_games.php bikiidet_games.php bikiideat.php javascript:toggle (Tdebugconsole')	0 0 0 0 0 0 0 0 0 0	feature_contact feature_contact feature_stats feature_taqs feature_taqs feature_calendar	tiki_p_chat tiki_p_view_stats tiki_p_view_categories tiki_p_view_fags tiki_p_play_games tiki_p_view_calendar tiki_p_admin	Group Acti

There are three different types of menus that can be created:

- Fixed (f): The menu will be static; all the options will be displayed in the menu module insert screenshot here
- Dynamic collapsed (d): The menu is dynamic; only the sections will be displayed in the menu module and there will be +/- links or a folder icon to open/close sections. The application menu in Tiki is an example of this class of menu.

insert screenshot here

 Dynamic expanded (e): The same as before but all the sections are expanded by default and the user can close with (-) or the folder icon of the section that he wants to close.

insert screenshot here

### Creating menus from structure tocs

See Structures User You can either make a navigation menu from a "menu Id" or from a "structure Id".

# Configuring a Custom Menu

Once created, click the configuration button on this new menu's row, which will take you to /tikiadmin\_menu\_options.php?menuId=n

To create a menu item, fill in the edit menu options form: at least **Name**, **URL** (relative or absolute), **Type** = "option" and **Position** which is a number to set the menu item order. Save and look at the Preview of the menu.

You can specify the link to a wiki page in a menu option with the syntax ((pageName)). The advantage is to have a rename of the option when the page name changes, and to be able to have a SEFURL link if the feature SEFURLs is checked. The SEFURL will become http://example.org/Home instead of

http://example.org/tiki-index\_raw.php?page=Home .

To create a *section* (i.e. a folder) that can be opened or collapsed, fill in the edit menu options form with at least **Name**, **URL**, **Type** = "section" and **Position**.

NOTE: Do not put anything in **Sections** unless you know the Tiki specific feature references e.g. feature\_wiki or feature\_blog\_rankings. These can be auto-filled using **Some useful URLs** pull-downs, or look at the **Tips** below to know how to guess the section name of the feature you are interested in.

- A **section** is an option that when hovered over (in a Superfish menu) or clicked (in a Bootstrap menu) will display the options below it in the menu hierarchy. The items belonging to a section are defined as a list of consecutive 'options'. The options of a section stop when the next item is a section, a sorted section, or a separator. Again, keep in mind a Bootstrap-type menu can have only two levels, and the top-level section item is used only to trigger the display of its option items; it can't be used as a navigation link itself.
- A **sorted section** sorts all its dependent options when displayed.
- A separator does nothing except to stop a section (useful if you want to do a section followed by an option)

### Example

- option1
- $\cdot$  section1
  - option2
  - section3
    - $^{\circ}$  option3
    - $\circ$  option4
    - $^{\circ}$  section4
      - option5
  - section5
- $\cdot \text{option6}$

will be

option1	option
section1	section level 0
option2	option
section3	section level 1
option3	option
option4	option
section4	section level 2
option5	option
section5	section level1
	separator
	separator
option6	option

Tip: Leave intentional gaps when inputting the positions of options, such as 10, 30, 50, 70, 90. This will make it easien to add a menu item somewhere in the middle of the menu, in the future.

# Allow viewing options/sections only under some conditions

Normally, the visibility of a menu item for a particular user is determined by the visibility of the link target for that user. In other words, if a user doesn't have permission to see "blog 3", then the "blog 3" link won't be visible to that user. This is done automatically by Tiki - no special effort is needed when making the menu. But to explicitly add permissions for menu-item visibility, see the next section.

### Allow only to some specific groups

You can restrict the view of some options and sections in the menu, so that only specific groups can view them. For instance, you could add a "User Preferences" option in position 100 to your customized menu that is seen by users only when they log in (registered group).

To do this, you would add:

Name:	User Preferences		
JRL:	tiki-user_preferences.php		
Sections:			
Permissions:			
Group:	Registered		
Гуре:	option	Position:	100

You can specify a list of groups (multiple select). In this case, it means that the user needs to be in each group to see the option.

If you want a list of groups to see the option, = a user to be only in one of the groups to see the option, you have to insert has many options as groups. Each option must have the same parameters (same position, ...) except for the group.

The trick is, if you don't select any Groups, everyone can see the menu option. If you want to exclude a group, select all the other groups (but not the group you want to exclude).

imilarly, you can inadvertently exclude a logged-in group by selecting too many groups. You don't need to select all o your Admin-type groups (they can usually see everything anyway). Just select the one logged-in group that you want to able to see the menu item. (Yes, this is all very weird.)

### Allow only if feature X is enabled

Imagine you want to add the option "Users Map" in position 110, to anonymous or registered groups, only when the feature Google Maps (gmap) is enabled in your site. You can do that with:

Name:	Users map		
JRL:	tiki-gmap_usermap.php		
Sections:	feature_gmap		
Permissions:			
Group:			
Гуре:	option	Position:	110

# Allow only if feature X enabled and if user in a group with given permission

ou could also restrict the menu option to be seen when the feature X is enabled, but also only when the user belongs to a group which has a specific permission.

For instance, you could add an option "Upload image" in position 120 which is seen only when the feature image galleries (feature\_galleries) is enabled AND only by users in groups which have the permission to upload images (tiki p upload images).

To achieve this behavior, you have to add something like:

ype:	option	Position:	120
Group:			
Permissions:	tiki_p_upload_images		
Sections:	feature_galleries		
JRL:	tiki-upload_image.php		
Jame:	Upload image		
	-		

# Tips

- 1. You could add to a menu entry any combination of settings for sections, permissions or groups.
- 2. If you need a same option with different perms or group, duplicate the option with the same position value.
- 3. To know the section names in order to allow only some new options when the feature is enabled, you can disable/enable them under "Admin home > Features" (tikiadmin.php?page=features), and you will see its name reported on top of the page when it's reloaded after you saved your changes. Then, you can enable/disable them again to its original state, if you don't want to change this setting.
- 4. To know the permission names, go to Admin > Groups > press on the key icon (≥) nex to a group) (tiki-assignpermission.php?group=Registered, for instance)

# Include menu in a new user module or in templates

Once the menu has all or most of the options go to "Admin Modules" page (/tiki-admin\_modules.php), under " Create new user module" at the bottom, find your menu title in the pull-down "Menus" on the right, click **use menu** and '{menu id=n}" (where n = your menu ID) will appear in the "Create new user module" data box. Add a title (what wil users will see) and a name (what admin sees) and click **create/edit**. Now you have created a new user module for the custom menu.

### Multilingual menu

• Multilingual Menu

# CSS (Superfish) Menus

×

▲ Superfish/Suckerfish menu deprecated from Tiki25

See explanations below to make the transition between Tiki24 and Tiki25 is you were using it.

From Tiki25 CSS Superfish/Suckerfish Menus is not available anymore and is replaced by Smartmenus Megamenu. To Io the transition between the tow and have similar behavior, like having arrows for sub-menu items you need to chec your menu module and be sure that:

- Bootstrap menu is set to "Yes"
- CSS Menu (deprecated) is set to "no"
- Then back on the Settings, General, Navigation (tiki-admin.php?page=general#contentadmin\_general-3) enable "Smartmenus".

Due to this and other related changes from Tiki24 to Tiki25 it is possible you have to adjust the design of your menus

This menu (author's documentation at https://superfish.joelbirch.design/) can be either vertical (in a module), or horizontal.

To recap: a menu created in Admin Menus can be displayed in one of four ways: a Tiki legacy (pre-CSS/pre-Bootstrap) menu, a Bootstrap menu, a Superfish menu, or a Bootstrap + Smartmenus menu. Once the menu is created, it can be isplay at the site either directly in a module, in a template file {menu id=1} or in Admin Look and Feel (custom code o have a Superfish menu used in a module (via admin) or a template (via file editing) add the parameter css=y to the smarty tag {menu}.

#### **Additional Parameters**

уре	horiz or vert op open	open will close no submenus
sectionLevel	numeric	all the submenus beginning at this level will be displayed if the url matches one of the option of this level or above or below
oLevel	numeric	do not display option higher than this level
subMenu	numeric	menu option ID root. Only the submenu of this option will be displayed

#### Contextual menu example

Imagine this menu (id=101)

#### flower

- rose
  - monaco
- daisy

#### • tree

- tree
- oak

#### will display when you are on rose, or flower or monaco flower | tree rose|daisy will display when you are tree, oak flower } tree tree|oak

Three steps to a contextual menu

Please mind, that this custom-contextual-menu will <u>only show items, when you are "on a page" that is linked</u> <u>from the menu</u>.

If you move forward on a more complex website, then the left submenu will show up "empty". That makes no sense and I am on to get more problems solved related to the contextual menu. Example:

You link to a "startpage" of a wiki structure, but the other pages of the structure are not linked "in" the menu ... ... clicking on the menu item linking to that page will let appear the appropriate (not empty) contextual menu ... ... but if you "move" forward in the wiki structure, the contextual menu will become empty.

### url - attributes (target, rel, ...)

### External Links in Menus target

If you want to let external links be opened in a new Tab or window, you need a target=\_blank.

lease mind a difference in the notation regarded to "normal" HTML (the starting and ending quotes are intended to b

missing):

In the menu you have to type:

target=\_blank

#### http://foo.bar" target="\_blank

And it will only work, if you enable the following in the admin panel "general settings -> navigation": allow-HTML

Allow HTML in link text and do not escape the url in menu items (Please note: this might be insecure if you allow more people to edit menus) (Please note2: dialogues of the Tiki administration might evole and change over time .. this description shows it's principle.)

Alternatively, you can try How to make menu items open in a new window

#### other attributes

Other attributes like " **rel="box** which opens mainly anything in a nice pop up box, if "colorbox" is activated, should work in the same way.

### Links in iframe

Links to be opened inside an iframe in the main display area can be done this way (Featured Links feature has to be

enabled):

Link opens in iframe

tiki-featured\_link.php?type=f&url=http%3A%2F%2Fwww.siemens.com%2f

All special characters have to be replaced with the html encoding, e.g. / has to be replaced with %2f!

#### Perms

 To create a menu or delete one, you need tiki\_p\_edit\_menu, to create/edit a menu option, you need tiki\_p\_edit\_menu\_option (of course, you have implicitly the 2 perms when you have tiki\_p\_admin)

# Change the folder icons of a Tiki menu

There are 2 ways to change the folder icons

1) to change it as every other icons by overloading it at the templates level. You need to create 2 icons

styles/my\_style/img/icons/folder.png

styles/my\_style/img/icons/ofolder.png

2)to change locally for a menu. You must specify the path to the icon folder for close section like my\_modifications/my\_icon.gif and you must supply this icon and the closed icon that must be name my\_modifications/omy\_icon.gif (notice the o letter)

or the change to take effect, you may have to clear Tiki's caches (at tiki-admin\_system.php) and your browser cache and/or log out of Tiki to clear session information.

### Add icons to each option of a menu

First, you need to activate the general preference in:

Settings > Control Panels > Admin > General > Navigation > Menus > 'Menu Icons'

blobal site configuration, date formats, etc.	
■Tiki Installer	Q Check for Updates Now Apply
General Preferences General Settings	Navigation Date and Time No Tab
Menus	
CSS menus	20
Superfish	COD
Menu user levels	<b>₽</b>
Featured links	00
Use folder icons for menu section (parent) items	20
Menu icons	C 0 D
Default path for the icons	img/icons/large
Edit menu icon	C 0 D

Click to expand

Then, for the specific menu which you would like to use Icons, you must check the option 'Configure icons for menu entries'. This can be found at Settings > Menus > Edit ('edit' is found in the 'wrench' icon to the right of the menu you want to use Icons')

inally, for each option, you can give the name of the file containing the icon (the file will be fetched from the director you specified at: Settings > Control Panels > Admin > General > Navigation > Menus > 'Default path for the icons') o you can give the path of an icon relative to tikiroot.

#### Drag and drop

Since Tiki18 menu management allows drag and drop of items.

🔳 List N	/lenus	+ Create me	enu option	🕼 🗹 Edit	This Menu	📥 Export	🏝 Import			
Manage	menul	Documentation_M	lenu Pr	review						No Ta
Menu	l ot	otions 🐵								
\$	Newi	tem	i	Save						
	¢	Home	l	90	J		ľ	×		
	\$	All the document	0 i	Q	((All the Doc	umentation))	đ	×		
	¢	Troubleshooting	l	<b>%</b>	((Troublesho	ooting))	Ø	×		
	\$	Tutorials / HowTc	l	8	((Tutorials))		ľ	×		
	\$	New in version	• i	<b>%</b>	URL or ((pag	(e name))	ľ	×		
		♦ Tiki 18.x	LTS (sho	i	<b>S</b> ((T	iki18))		ľ	×	
		♦ Tiki 18.x1	from Tik	) <b>i</b>	<b>S</b> ((T	iki18from15))		ľ	×	
		TIL: 47.0		1 <b>:</b> ]	Q //T	:(.:			<b>v</b>	

#### See also

For more information about creating menus only for specific groups see: Tutorial - HowTo Create Menus Alias

• Menus